

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**ADM Alliance Inc. Corp. Office - 1000 North 30th P.O. Box C1 Quincy IL 62305 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800393	P	1.50	1.25	F
D200801241	P	5.00	4.11	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>18</b>
<b>Deficiency Rate:</b>				<b>11.11 %</b>

**Agri-basics Inc - 54 Brown Street Elizabethtown PA 17022-2122 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800061	P	1.19	0.56	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Agway Feed & Nutrition - Po Box 5614 Minneapolis MN 55440-5614 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800548	Ca	0.55	1.26	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>25</b>
<b>Deficiency Rate:</b>				<b>4.00 %</b>

**Albion Mill - 73 Canal Street Albion PA 16401 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800335	Protein	11.00	10.18	F
D200800336	Protein	12.00	11.16	F
D200800337	Protein	17.50	13.57	F
D200800724	Protein	12.00	10.61	F
<b>Total Samples Failed:</b>				<b>4</b>
<b>Total Samples Submitted:</b>				<b>9</b>
<b>Deficiency Rate:</b>				<b>44.44 %</b>

**Albright's Mill, Vonada Enterprises, Inc. d/b/a - 1061 Kryder Rd Mill Hall PA 17751 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800870	Protein	12.00	10.32	F
D200800873	Protein	18.00	14.77	F
D200800887	Protein	8.00	7.36	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>10</b>
<b>Deficiency Rate:</b>				<b>30.00 %</b>

**Albrights Mill LLC - 9927 Kistler Valley Road PO Box 195 Kempton PA 19529 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800264	Protein	16.00	14.27	F
D200800332	Protein	10.00	9.41	F
D200800333	Protein	16.00	14.56	F

Pennsylvania Department of Agriculture  
Bureau of Plant Industry

Failed Feed Laboratory Tests

Date Range: 7/1/2008 to 6/30/2009

**Albrights Mill LLC - 9927 Kistler Valley Road PO Box 195 Kempton PA 19529 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800334	Protein	14.00	12.67	F
D200801167	Protein	14.00	13.34	F
<b>Total Samples Failed:</b>				<b>5</b>
<b>Total Samples Submitted:</b>				<b>12</b>
<b>Deficiency Rate:</b>				<b>41.67 %</b>

**Ann Kanzius Feeds - 1045 Jefferson Ave Washington PA 15301 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800371	Protein	12.00	10.18	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>12.50 %</b>

**Antler King Trophy Prod Inc - N6243 Noble Court Black River Fall WI 54615 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800236	P	1.00	0.71	F
D200800362	P	1.00	0.66	F
D200800409	P	1.00	0.66	F
D200801197	P	1.00	0.64	F
<b>Total Samples Failed:</b>				<b>4</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Asbury Wood - 4105 Asbury Rd Erie PA 16506 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800338	Protein	15.00	14.17	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Bedford Farm Bureau Co-Op Assoc - Box 93 Route 866 Curryville PA 16631 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800067	Protein	16.00	15.42	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>16.67 %</b>

**Benton Roller Mills & Tack Shop - 15 Mill Street Benton PA 17814 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800554	Protein	9.50	7.72	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Benton Roller Mills & Tack Shop - 15 Mill Street Benton PA 17814 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800576	Protein	10.00	8.21	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>7</b>
<b>Deficiency Rate:</b>				<b>28.57 %</b>

**Bio Biscuit Inc - St Hyacinethe Quebec Canada J2S-1H5**

Sample ID	Component Code	Guaranteed	Found	Status
D200800612	Protein	16.00	15.31	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Blessed Beasts Bakery - 183 Mt Hope School Road Willow Street PA 17584 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800260	Protein	14.40	13.63	F
D200800261	Protein	16.30	13.65	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>66.67 %</b>

**Blue Bandana Pet Bakery - 330 Sarsen Dr Lititz PA 17543 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800126	Protein	17.00	13.56	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Blue Seal Feeds - Po Box 8000 Londonderry NH 03053-8000 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800357	P	1.40	1.07	F
D200800444	Protein	14.00	12.96	F
D200800645	Protein	16.00	15.40	F
D200801194	Protein	16.00	15.34	F
D200801417	Protein	10.00	8.68	F
<b>Total Samples Failed:</b>				<b>5</b>
<b>Total Samples Submitted:</b>				<b>41</b>
<b>Deficiency Rate:</b>				<b>12.20 %</b>

**Brandt's Feed Mill - 630 N 9th Street Lebanon PA 17046 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800180	Protein	14.00	12.47	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Bunge N America-East-LLC - 751 E Farming St Marion OH 43302-3113 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800798	Protein	47.50	46.09	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Cargill - 2400 Industrial Dr Sidney OH 45365 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800479	Ca	0.50	0.34	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Cargill Animal Nutrition - PO Box 5614 Minneapolis MN 55440 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800138	P	9.99	9.03	F
D200800962	Protein	21.00	19.59	F
D200800980	Protein	43.00	39.81	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>17</b>
<b>Deficiency Rate:</b>				<b>17.65 %</b>

**Circle R Feed - 126 Church Road Slippery Rock PA 16057 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800927	Protein	9.50	8.90	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Clarks Feed Mills Inc - PO Box W Shamokin PA 17872 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800289	Protein	21.00	19.99	F
D200800396	Protein	32.00	30.62	F
D200801021	Protein	20.00	19.37	F
D200801068	Protein	10.00	8.25	F
<b>Total Samples Failed:</b>				<b>4</b>
<b>Total Samples Submitted:</b>				<b>18</b>
<b>Deficiency Rate:</b>				<b>22.22 %</b>

**Cochranton Cooperative Assn - 136 W Pine Street PO Box 247 Cochranton PA 16314 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800773	Protein	9.00	7.65	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Cochranton Cooperative Assn - 136 W Pine Street PO Box 247 Cochranton PA 16314 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800774	Protein	16.00	14.75	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>40.00 %</b>

**Conneautville Farmrs Exchange - 301 Mulberry Street PO Box 270 Conneautville PA 16406-0270 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801369	Protein	15.00	13.88	F
D200801370	Protein	12.00	11.25	F
D200801372	Protein	15.00	14.25	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Cooperative Milling - 1892 York Road Gettysburg PA 17325 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800113	Protein	15.00	14.16	F
D200800545	Protein	15.00	14.12	F
D200800749	Protein	22.00	21.19	F
D200800750	Protein	18.00	14.49	F
D200800816	Protein	20.00	18.99	F
D200800817	Protein	21.00	19.97	F
D200800853	Protein	14.00	13.35	F
D200801019	Protein	12.00	11.18	F
D200801126	Protein	14.00	13.30	F
D200801402	Protein	11.00	10.49	F
D200801403	Ca	3.80	2.73	F
D200801404	Protein	22.00	21.25	F
<b>Total Samples Failed:</b>				<b>12</b>
<b>Total Samples Submitted:</b>				<b>58</b>
<b>Deficiency Rate:</b>				<b>20.69 %</b>

**Cornell Bros. Inc. - 84 Milk Plant Rd PO Box 101 Middlebury Center PA 16935 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800791	Protein	15.00	14.01	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>11</b>
<b>Deficiency Rate:</b>				<b>9.09 %</b>

**Country Acres Feed Company Inc - P O Box 19856 Brentwood MO 63144 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800201	Ca	7.00	1.28	F
D200800230	Ca	0.50	1.30	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Country Acres Feed Company Inc - P O Box 19856 Brentwood MO 63144 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801312	Protein	16.00	14.96	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>12</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

**Cumberland Valley Coop. Assn - Po Box 350 Shippensburg PA 17257 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800302	Protein	17.00	16.36	F
D200800686	Protein	15.00	14.35	F
D200800843	Protein	17.00	16.29	F
D200800844	Protein	38.00	35.76	F
D200800846	Protein	21.00	20.37	F
D200801208	Protein	32.00	30.09	F
D200801209	Protein	15.00	14.16	F
<b>Total Samples Failed:</b>				<b>7</b>
<b>Total Samples Submitted:</b>				<b>17</b>
<b>Deficiency Rate:</b>				<b>41.18 %</b>

**D M Campsey Seed & Feed, - 98 Green Street Claysville PA 15323 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800531	Protein	12.00	11.17	F
D200800532	Protein	16.00	14.73	F
D200800533	Protein	16.00	14.59	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>37.50 %</b>

**Darford Industries LTD - 102-1710 Kosmina Road Vernon BC V1T8T-2 CA**

Sample ID	Component Code	Guaranteed	Found	Status
D200801350	Protein	18.70	16.96	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Dayton Feed Mill - 125 W Main St Dayton PA 16222 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800808	Protein	9.00	7.94	F
D200800809	Protein	9.00	8.04	F
D200800810	Protein	11.00	9.04	F
D200800811	Protein	15.00	13.27	F
D200800814	Protein	12.00	10.55	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Dayton Feed Mill - 125 W Main St Dayton PA 16222 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800815	Protein	13.00	11.78	F
<b>Total Samples Failed:</b>				<b>6</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>75.00 %</b>

**Doggie Delights - 900 Market Street Lemoyne PA 17043 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800601	Protein	17.00	14.02	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>16.67 %</b>

**Dorazio Farms - 166 Seghi Road Smithfield PA 15478 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800375	Protein	11.00	7.84	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Dutchman Feed Mills Inc - 25 E Church Rd Stevens PA 17578 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801276	Protein	22.00	21.20	F
	Ca	0.60	1.48	F
D200801280	Protein	15.00	13.59	F
	Ca	1.00	0.74	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>40.00 %</b>

**East Gate Feed & Grain Llc - 141 Three Cent Lane Reedsville PA 17084-9208 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800691	Protein	47.50	46.31	F
D200800693	Ca	2.50	4.73	F
D200800694	Ca	0.75	1.17	F
D200801394	Protein	47.50	45.31	F
D200801397	Protein	16.00	15.03	F
<b>Total Samples Failed:</b>				<b>5</b>
<b>Total Samples Submitted:</b>				<b>13</b>
<b>Deficiency Rate:</b>				<b>38.46 %</b>

**Erie-crawford Coop - 7733 Route 97 Union City PA 16438 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801122	Protein	12.00	10.11	F
<b>Total Samples Failed:</b>				<b>1</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Total Samples Submitted: 10**  
**Deficiency Rate: 10.00 %**

**F M Brown & Sons, Inc. - S Furnace St Po Box 67 Birdsboro PA 19508 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800047	Protein	18.00	17.34	F
D200801315	Protein	34.00	28.85	F
	Ca	1.30	2.41	F
D200801316	Protein	16.00	13.83	F
D200801317	Protein	14.00	12.95	F
D200801319	Protein	40.00	37.08	F
D200801320	Protein	16.00	14.63	F
<b>Total Samples Failed:</b>				<b>6</b>
<b>Total Samples Submitted:</b>				<b>12</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Feed Solutions - Po Box 66812 St Louis MO 66812 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800484	Protein	17.00	15.10	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Foodhold Usa% Mars Petcare US - 6300 Sheriff Road Landover MD 20785 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800399	Protein	14.00	12.68	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Franklin Feed & Supply Co - 1977 Philadelphia Avenue Chambersburg PA 17201 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800611	Protein	18.00	17.12	F
D200800613	Protein	18.00	17.19	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>40.00 %</b>

**Goods Feed Mill - 949 Dry Tavern Road East Earl PA 17519 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800145	Protein	10.00	9.31	F
D200800146	Protein	12.00	10.86	F
D200800147	Protein	16.00	14.75	F
D200801289	Protein	10.00	8.89	F



**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Goods Feed Mill - 949 Dry Tavern Road East Earl PA 17519 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801290	Protein	12.00	10.08	F
<b>Total Samples Failed:</b>				<b>5</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>62.50 %</b>

**H & C Grove - 2995 Hoffa Mill Road Lewisburg PA 17837 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800878	Protein	12.00	11.19	F
D200800890	Protein	10.00	8.34	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>40.00 %</b>

**H A Davis ,Inc/dba/Davis Feed of Bucks Co - 140 N Seventh Street Perkasie PA 18944 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800623	Protein	14.00	13.39	F
D200800624	Protein	15.00	14.46	F
D200800626	Protein	17.00	15.64	F
D200800631	Protein	19.00	16.11	F
D200800677	Protein	10.00	9.58	F
<b>Total Samples Failed:</b>				<b>5</b>
<b>Total Samples Submitted:</b>				<b>10</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Haag's Feed - Beaver St Box 48 Troutville PA 15866 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801308	Protein	12.00	11.41	F
D200801310	Protein	10.00	8.82	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

**Hallmark Feeds - 3745 Red Ridge Road Mifflinburg PA 17844 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801008	Protein	47.50	45.85	F
D200801014	Protein	15.00	11.87	F
D200801016	Protein	17.00	16.38	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>11</b>
<b>Deficiency Rate:</b>				<b>27.27 %</b>

**Herr Milling Company - 147 Mill Road Turbotville PA 17772 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800718	Protein	20.00	17.87	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Herr Milling Company - 147 Mill Road Turbotville PA 17772 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800721	Protein	15.00	12.46	F
D200800722	Protein	15.00	13.80	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Hinish Feed & Farm Sup Inc - Po Box 210 Everett PA 15537 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800068	Protein	12.00	11.32	F
D200800071	Protein	11.00	9.71	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Hoke Mills Inc - Po Box 216 Abbottstown PA 17301-0216 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800739	Protein	10.00	8.96	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>7</b>
<b>Deficiency Rate:</b>				<b>14.29 %</b>

**Homestead Nutrition Inc - 245 White Oak Road New Holland PA 17557 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801287	Protein	20.00	17.14	F
D200801288	Protein	30.00	20.93	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Hubbard Feed Inc - PO Box 8500 Mankato MN 56002 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800304	Ca	5.50	8.10	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Hubbard Feeds Inc - 3349 Hempland Road Lancaster PA 17601 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801225	Protein	28.00	25.80	F
D200801227	Protein	27.00	25.93	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>40.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**J & J Feeds and Needs LLC - 19821 Paint Blvd Shippenville PA 16254 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801433	Ca	0.56	1.32	F
D200801434	Protein	13.00	12.20	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**J P Stark & Son Inc - 2749 Thompson Road Tarentum PA 15084 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800515	Protein	14.00	13.09	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>20.00 %</b>

**Jarzinko's Ringtown Mill & Hardware - 655 W Main St Ringtown PA 17967-9546 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800591	Protein	10.00	9.59	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Jericho Mills Inc - 153 Mill Road Mifflintown PA 17059 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801376	Protein	17.00	16.27	F
D200801378	Protein	10.00	9.46	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>7</b>
<b>Deficiency Rate:</b>				<b>28.57 %</b>

**John M Herr's Sons - N Faith Rd Box 176 Grantville PA 17028 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801335	Protein	14.00	10.81	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**K & L Feeds Inc - 2243 Route 522 Selinsgrove PA 17870-8731 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801023	Protein	19.00	17.63	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**K-9 Granola Factory - 5600 Pine Road Thomasville PA 17364-0000 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800128	Protein	8.00	7.23	F
D200800129	Protein	8.00	7.02	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Kalmbach Feeds Inc - 7148 State Hwy 199 Upper Sandusky OH 43351 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800770	P	2.00	1.71	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>15</b>
<b>Deficiency Rate:</b>				<b>6.67 %</b>

**Keebler's Feed & Farm Supplies Inc - 1016 State Route 87 Montoursville PA 17754 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800712	Protein	14.00	12.69	F
D200800716	Protein	15.00	14.48	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>40.00 %</b>

**Kiefers Mill Inc - 601 Chestnut Street PO Box 367 Hegins PA 17938 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800538	Protein	10.00	9.57	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Klein Distributors Inc/dba Agway - North Juniata Street Box A Mifflin PA 17058 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800233	Protein	16.50	15.93	F
D200800737	Protein	16.00	15.03	F
D200800738	Protein	16.00	15.05	F
D200801137	Protein	20.00	17.84	F
D200801139	Protein	14.00	13.24	F
D200801382	Ca	3.20	2.80	F
D200801384	Protein	20.00	18.78	F
<b>Total Samples Failed:</b>				<b>7</b>
<b>Total Samples Submitted:</b>				<b>18</b>
<b>Deficiency Rate:</b>				<b>38.89 %</b>

**Kneppers Mill - Box 63 Waterfall PA 16689 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800165	Protein	15.00	13.61	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Total Samples Failed: 1**  
**Total Samples Submitted: 5**  
**Deficiency Rate: 20.00 %**

**Knittle & Frey Ag-center Inc - 2101 Sweeley Avenue Williamsport PA 17701 US**

<b>Sample ID</b>	<b>Component Code</b>	<b>Guaranteed</b>	<b>Found</b>	<b>Status</b>
D200800982	Protein	14.00	12.65	F
D200800984	Protein	9.00	8.38	F
D200801000	Protein	14.00	13.41	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>37.50 %</b>

**Kreider's Mill - Po Box 146 Loysville PA 17047 US**

<b>Sample ID</b>	<b>Component Code</b>	<b>Guaranteed</b>	<b>Found</b>	<b>Status</b>
D200800244	Protein	18.00	16.01	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

**L & K Mills Inc - 4064 Maple Grove Rd Benton PA 17814-7802 US**

<b>Sample ID</b>	<b>Component Code</b>	<b>Guaranteed</b>	<b>Found</b>	<b>Status</b>
D200800501	Protein	16.00	14.40	F
D200800503	Protein	9.50	8.43	F
D200800550	Protein	10.00	8.11	F
D200800583	Protein	16.00	15.11	F
D200800585	Protein	16.00	14.98	F
D200800589	Protein	16.00	15.14	F
<b>Total Samples Failed:</b>				<b>6</b>
<b>Total Samples Submitted:</b>				<b>21</b>
<b>Deficiency Rate:</b>				<b>28.57 %</b>

**Land o Lakes/Purina Feed LLC - 3029 Hempland Rd Lancaster PA 17601 US**

<b>Sample ID</b>	<b>Component Code</b>	<b>Guaranteed</b>	<b>Found</b>	<b>Status</b>
D200801221	Ca	0.40	2.55	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>20.00 %</b>

**Lebanon Seaboard Corp - 1600 E Cumberland Street Lebanon PA 17042 US**

<b>Sample ID</b>	<b>Component Code</b>	<b>Guaranteed</b>	<b>Found</b>	<b>Status</b>
D200800251	Protein	10.00	8.77	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Lehmans Feed & Home Cntr Inc - 241 Old Rte 15 York Springs PA 17372 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800751	Protein	13.80	12.96	F
D200800753	Protein	16.00	14.01	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>66.67 %</b>

**Lehr's Feed & Farm Supplies - 10 Snyder Ave Pine Grove PA 17963 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800622	Protein	14.00	13.45	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Lottsville Milling Inc - 17235 Rt 957 Bear Lake PA 16402 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800102	Protein	16.00	14.70	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

**M. S. Bio-ag - 5802 Torrance Drive Export PA 15632 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800901	P	1.00	0.76	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**MacKnights Agway - 120 North St Westfield PA 16950 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800793	Protein	16.00	13.50	F
D200800795	Protein	18.00	16.93	F
D200800800	Protein	14.00	11.80	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>10</b>
<b>Deficiency Rate:</b>				<b>30.00 %</b>

**Madisonburg Milling Inc - 4996 Brush Valley Road Po Box 122 Madisonburg PA 16852 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801231	Protein	16.50	15.80	F
D200801237	Protein	10.00	8.86	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>7</b>
<b>Deficiency Rate:</b>				<b>28.57 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Mahoning Vally Milling Co Inc - 318 Indiana St Po Box 48 Punxsutawney PA 15767-0048 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801163	Protein	11.00	9.19	F
D200801164	Protein	10.00	8.28	F
D200801165	Protein	16.00	13.36	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Malenock Farms - 182 Malenock Lane Uniontown PA 15401 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800367	Ca	0.10	0.06	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Maple Grove Inc - Po Box 28 Laplume PA 18440 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800164	Protein	16.00	15.39	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>16.67 %</b>

**Mapleton Farm And Garden, LLC - Rr 1 Box 435 175 Feed Mill Drive Mapleton Depot PA 17052-9717 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800689	Protein	16.00	15.11	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

**Mark Hershey Farms Inc - 479 Horseshoe Pike Lebanon PA 17042 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800004	Protein	35.00	33.17	F
D200800005	Protein	35.00	32.94	F
D200800006	Protein	12.00	10.96	F
D200800007	Protein	38.00	36.21	F
<b>Total Samples Failed:</b>				<b>4</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Mark Hershey Farms Inc - 479 Horseshoe Pike Lebanon PA 17042 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801213	Protein	16.00	15.00	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>4</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Deficiency Rate: 25.00 %**

**Martin's Feed & Fert Inc - 534 Main St PO Box 17 Coburn PA 16832 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800026	Protein	12.00	10.12	F
D200800032	P	6.80	5.48	F
D200800033	P	7.00	6.12	F
D200800034	Protein	18.00	16.60	F
D200800432	Protein	18.00	15.85	F
D200801146	Protein	18.00	15.33	F
<b>Total Samples Failed:</b>				<b>6</b>
<b>Total Samples Submitted:</b>				<b>14</b>
<b>Deficiency Rate:</b>				<b>42.86 %</b>

**Mccartney Feed And Hardware - 1683 Airport Road Fredonia PA 16124 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800010	Protein	12.00	11.04	F
D200800765	Protein	16.00	15.19	F
	Ca	4.25	3.44	F
D200800766	Protein	12.00	11.39	F
D200800769	Protein	14.00	12.91	F
<b>Total Samples Failed:</b>				<b>4</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Mcnaughton Milling Co - Po Box 331 N Alexandria PA 15670-0331 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800330	Protein	12.00	10.48	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>20.00 %</b>

**Meiserville Milling Co - 127 Mill Road Mt Pleasant Mills PA 17853 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801152	Protein	16.00	15.35	F
D200801156	Protein	44.00	42.47	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>10</b>
<b>Deficiency Rate:</b>				<b>20.00 %</b>

**Melick Aquafeed Inc - 139 S First ST Catawissa PA 17820-8354 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800911	Protein	40.00	38.62	F



**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Melick Aquafeed Inc - 139 S First ST Catawissa PA 17820-8354 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800912	Protein	50.00	42.27	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>9</b>
<b>Deficiency Rate:</b>				<b>22.22 %</b>

**Midwestern Pet Foods Inc. - 9634 Hedden Rd Evansville IN 47725 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800384	P	1.00	0.64	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Mifflinburg Farmers Exchange Inc - 660 Mulberry Street PO Box 26 Mifflinburg PA 17844 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800916	Protein	12.00	11.12	F
D200801050	Protein	12.00	10.15	F
D200801053	Protein	16.00	14.71	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>10</b>
<b>Deficiency Rate:</b>				<b>30.00 %</b>

**Miss Lucys Dog Treats - 5241 N Salem Church Road Dover PA 17315 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800285	Protein	17.00	16.00	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Moore Farms Feed Mill - 464 Long Lane Jersey Shore PA 17740 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800640	Protein	47.30	45.75	F
D200800641	Protein	12.50	11.94	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>11</b>
<b>Deficiency Rate:</b>				<b>18.18 %</b>

**Moore's 4-Paws Pet Bakery - 9 E Penn St-Rear Muncy PA 17756-1312 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800926	Protein	12.90	11.09	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Moyer Indoor/Outdoor - 113 E Reliance Road PO Box 64198 Souderton PA 18964-0198 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800702	Protein	17.00	15.50	F
D200800703	Protein	11.50	10.82	F
D200800704	Ca	1.00	2.09	F
D200800955	Protein	9.50	8.13	F
<b>Total Samples Failed:</b>				<b>4</b>
<b>Total Samples Submitted:</b>				<b>11</b>
<b>Deficiency Rate:</b>				<b>36.36 %</b>

**Musquire Milling - 245 Colfax Street Enon Valley PA 16120 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800935	Protein	12.00	9.12	F
D200800936	Ca	0.50	0.27	F
D200800937	Ca	1.70	0.06	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**New Park Feed & Seed Co - 780 New Park Road New Park PA 17352 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800683	Protein	10.00	9.47	F
D200801328	Protein	14.00	13.15	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**NU-Feeds Inc - 16 SR 1006 Tunkhannock PA 18657-9734 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800208	P	9.50	6.77	F
D200800209	Zn	0.32	0.24	F
D200800210	Zn	0.38	0.23	F
D200800211	Zn	0.45	0.32	F
<b>Total Samples Failed:</b>				<b>4</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>80.00 %</b>

**Nutrena - Po Box 5614 Minneapolis MN 55440-5614 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800098	Protein	40.00	37.23	F
D200800099	Protein	41.00	38.49	F
D200800273	Ca	0.70	1.61	F
D200800820	Protein	16.00	15.21	F
D200801124	Protein	12.00	11.31	F
	Ca	0.50	0.40	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Nutrena - Po Box 5614 Minneapolis MN 55440-5614 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801125	Ca	0.90	1.35	F
<b>Total Samples Failed:</b>				<b>6</b>
<b>Total Samples Submitted:</b>				<b>19</b>
<b>Deficiency Rate:</b>				<b>31.58 %</b>

**Oldcastle Industrial Mineral - 550 S Biesecker Rd Thomasville PA 17364-9699 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800460	Mg	0.90	0.69	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Organic Unlimited Inc - Po Box 238 120 Liberty Street Atglen PA 19310 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800325	Ca	4.00	3.48	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Panorama Natural Feeds - 85 Mud Run Road Oley PA 19547-8626 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800943	Protein	15.00	13.09	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**PENN PAK - 1101 Airport Industrial Blvd Madison GA 30650-1130 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800442	Ca	0.55	0.37	F
D200801111	Ca	0.55	0.35	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Pennfield Corp - 1088 E Main St Mt Joy PA 17552 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801359	P	1.05	0.90	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

**Platt's Mill Inc - 100 Mill Street Spartansburg PA 16434 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801034	Protein	14.00	13.15	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Platt's Mill Inc - 100 Mill Street Spartansburg PA 16434 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801036	Protein	14.00	11.48	F
D200801037	Protein	12.00	9.10	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>60.00 %</b>

**PMI Nutrition International - PO Box 19798 Brentwood MO 43144 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800486	P	1.50	1.19	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>20.00 %</b>

**Pooch'n Purr Pantry - 29 Overlook Circle Elizabethtown PA 17022 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800275	Protein	15.10	12.52	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Pritts Feed Mill - 26 West Main Street Mount Pleasant PA 15666 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800473	Protein	12.00	10.94	F
D200800477	Ca	3.50	2.17	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

**Purina Mills - Po Box 66812 St Louis MO 63166 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800217	Protein	16.00	15.22	F
D200800426	Protein	50.00	48.17	F
D200800836	Protein	21.00	12.11	F
D200801130	Protein	12.00	11.24	F
D200801307	Mg	0.50	0.39	F
D200801313	Ca	3.25	2.79	F
<b>Total Samples Failed:</b>				<b>6</b>
<b>Total Samples Submitted:</b>				<b>31</b>
<b>Deficiency Rate:</b>				<b>19.35 %</b>

**Quarryville Supply Inc - 27 East Fourth St Po Box 117 Quarryville PA 17566 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801340	Protein	20.00	17.72	F
<b>Total Samples Failed:</b>				<b>1</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Total Samples Submitted: 2**  
**Deficiency Rate: 50.00 %**

**Ration Maker East Inc - Po Box 1046 Ashboro NC 27204 US**

<b>Sample ID</b>	<b>Component Code</b>	<b>Guaranteed</b>	<b>Found</b>	<b>Status</b>
D200800152	Protein	17.00	15.72	F
D200800383	P	6.60	5.54	F
D200801200	P	6.60	5.63	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Ritter Feeds Inc - 2801 Paxtonville Rd Paxtonville PA 17861 US**

<b>Sample ID</b>	<b>Component Code</b>	<b>Guaranteed</b>	<b>Found</b>	<b>Status</b>
D200800506	Protein	18.00	16.66	F
D200800510	Protein	12.00	11.48	F
D200800513	Protein	37.90	34.83	F
D200801261	Protein	21.00	20.27	F
D200801263	Protein	16.00	14.00	F
<b>Total Samples Failed:</b>				<b>5</b>
<b>Total Samples Submitted:</b>				<b>15</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Rohrer & Sons Inc, Ross H - 16 East State Street Quarryville PA 17566 US**

<b>Sample ID</b>	<b>Component Code</b>	<b>Guaranteed</b>	<b>Found</b>	<b>Status</b>
D200801345	Protein	12.00	10.53	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>7</b>
<b>Deficiency Rate:</b>				<b>14.29 %</b>

**Ross Feeds - Box 14 Kingsley PA 18826 US**

<b>Sample ID</b>	<b>Component Code</b>	<b>Guaranteed</b>	<b>Found</b>	<b>Status</b>
D200800256	Protein	13.50	12.27	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>20.00 %</b>

**Ross's Feed And Grain - 27 N Church Street Quarryville PA 17566 US**

<b>Sample ID</b>	<b>Component Code</b>	<b>Guaranteed</b>	<b>Found</b>	<b>Status</b>
D200801346	Protein	16.00	14.80	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Sandy Lake Mills - P.O. Box 117 Sandy Lake PA 16145 US**

<b>Sample ID</b>	<b>Component Code</b>	<b>Guaranteed</b>	<b>Found</b>	<b>Status</b>
D200801373	Ca	2.80	2.13	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Sandy Lake Mills - P.O. Box 117 Sandy Lake PA 16145 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801374	Protein	12.00	10.92	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Sankeys Feed Mill - 1568 Plain Grove Rd Volant PA 16156-5828 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800929	Protein	12.00	10.42	F
D200800930	Protein	16.00	14.13	F
D200800932	Protein	18.00	15.87	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>60.00 %</b>

**Sauder & Sons, C E - 359 Weaverland Valley Road East Earl PA 17519 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800151	Protein	17.00	16.27	F
D200801301	Protein	12.00	11.30	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

**Sensenig's Feed Mill - 115 South Railroad Avenue New Holland PA 17557 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800088	Protein	16.00	14.04	F
D200800091	Protein	17.00	16.07	F
D200801423	Protein	12.00	11.44	F
D200801424	Protein	38.00	35.95	F
D200801426	Protein	16.00	15.13	F
<b>Total Samples Failed:</b>				<b>5</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>62.50 %</b>

**Shade Gap Farm Supply - 21963 Croghan Pike Shade Gap PA 17255 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801203	Protein	12.00	10.83	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Shaffer's Feed Service Inc - Box 1066 RR 2 Monroeton PA 18832 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800135	Protein	18.00	16.85	F
<b>Total Samples Failed:</b>				<b>1</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Total Samples Submitted: 12**  
**Deficiency Rate: 8.33 %**

**Sniders Elevator Inc - 4551 Lemar Rd P O Box 83 Lemaster's PA 17231-0083 US**

<b>Sample ID</b>	<b>Component Code</b>	<b>Guaranteed</b>	<b>Found</b>	<b>Status</b>
D200800659	Protein	15.50	13.67	F
D200800660	Protein	15.50	13.09	F
D200800662	Protein	12.00	11.01	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>7</b>
<b>Deficiency Rate:</b>				<b>42.86 %</b>

**Somerset Milling Co - 302 Stoystown Road Somerset PA 15501 US**

<b>Sample ID</b>	<b>Component Code</b>	<b>Guaranteed</b>	<b>Found</b>	<b>Status</b>
D200800075	Protein	15.00	13.72	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>16.67 %</b>

**Southern States Coop Inc - 6606 W broad St Po Box 26234 Richmond VA 23260 US**

<b>Sample ID</b>	<b>Component Code</b>	<b>Guaranteed</b>	<b>Found</b>	<b>Status</b>
D200800975	Protein	16.00	14.99	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Stevens Feed Mill Inc - Po Box 7 Stevens PA 17578 US**

<b>Sample ID</b>	<b>Component Code</b>	<b>Guaranteed</b>	<b>Found</b>	<b>Status</b>
D200801302	Protein	20.00	19.03	F
D200801304	Protein	22.00	20.16	F
D200801305	Protein	15.00	13.48	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>60.00 %</b>

**Stony Ridge Farms - 187 Smoketown Rd Mertztown PA 19539-9206 US**

<b>Sample ID</b>	<b>Component Code</b>	<b>Guaranteed</b>	<b>Found</b>	<b>Status</b>
D200800117	Protein	15.00	12.68	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Stutzman, Crist J. - 940 Hickox Ulysses Rd Ulysses PA 16948-9226 US**

<b>Sample ID</b>	<b>Component Code</b>	<b>Guaranteed</b>	<b>Found</b>	<b>Status</b>
D200800456	Protein	16.00	15.32	F
<b>Total Samples Failed:</b>				<b>1</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Total Samples Submitted: 3**  
**Deficiency Rate: 33.33 %**

**Tractor Supply Co c/o Simmons Pet Food - 200 Powell Place Brentwood TN 37027 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800024	Protein	10.00	8.75	F
D200800447	Protein	10.50	9.92	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>15</b>
<b>Deficiency Rate:</b>				<b>13.33 %</b>

**Triple-M-Farms - 1525 King St Lebanon PA 17042 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800173	Protein	18.00	16.92	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Tyrone Milling - 194 Ironville Road Tyrone PA 16686-9502 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801409	Protein	18.00	15.59	F
D200801410	Protein	16.00	14.44	F
D200801411	Protein	20.00	16.72	F
D200801412	Protein	16.00	15.23	F
<b>Total Samples Failed:</b>				<b>4</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**United Seed Production - 488 Drew Court King Of Prussia PA 19406 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801072	Protein	16.60	15.93	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Vern's Feed & Supply Inc - 1029 Main Street Laceyville PA 18623-0000 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801273	Protein	16.00	14.41	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>16.67 %</b>

**Veterinary Resource Group Inc - 5114 Point Fosdick Dr Nw # E 32 Gig Harbor WA 98335-1733 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801104	Protein	8.00	6.77	F
<b>Total Samples Failed:</b>				<b>1</b>



**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Total Samples Submitted: 1**  
**Deficiency Rate: 100.00 %**

**Waymart Milling Co - 11 Railroad Lane Po Box 98 Waymart PA 18472 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800220	Protein	22.00	20.87	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>12.50 %</b>

**Waynesburg Milling Co Inc - 387 S Washington Street Waynesburg PA 15370 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800451	Protein	12.00	11.53	F
D200800454	Protein	13.00	12.50	F
D200800455	Protein	18.00	16.69	F
D200801119	Protein	12.00	10.36	F
<b>Total Samples Failed:</b>				<b>4</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Weaver, Earl R - 673 Churchtown Rd Honey Brook PA 19344 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801427	Protein	12.00	11.09	F
D200801428	Protein	16.00	14.28	F
D200801429	Protein	14.00	12.66	F
D200801430	Protein	38.00	28.38	F
<b>Total Samples Failed:</b>				<b>4</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Wentzel Sons Inc, H R - 300 S 4th St Box 6 Newport PA 17074 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800243	Protein	12.00	8.35	F
	Ca	0.40	0.79	F
D200800245	Ca	4.00	1.61	F
D200801390	Protein	12.00	9.29	F
D200801392	Protein	10.00	9.27	F
D200801393	Protein	12.00	11.13	F
<b>Total Samples Failed:</b>				<b>5</b>
<b>Total Samples Submitted:</b>				<b>9</b>
<b>Deficiency Rate:</b>				<b>55.56 %</b>

**Western Reserve Farm Coop - PO BOX 339 Middlefield OH 44062 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801158	Protein	8.50	6.95	F
<b>Total Samples Failed:</b>				<b>1</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Total Samples Submitted: 2**  
**Deficiency Rate: 50.00 %**

**Western Reserve Farm Inc - CLOSED ACCOUNT Cambridge Springs PA 16403 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801161	Protein	18.00	16.28	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Westford Milling Company - PO Box 1 Westford PA 16134 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801003	Protein	16.00	14.78	F
D200801004	Protein	16.00	15.31	F
D200801005	Protein	12.00	10.50	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>75.00 %</b>

**Westway Feed Products LLC - 365 Canal St Ste 2900 New Orleans LA 70130 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800271	Protein	35.00	30.80	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**White Oak Mill - 419 W High Street Elizabethtown PA 17022 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801362	Protein	24.90	19.37	F
	P	6.31	5.40	F
D200801365	Protein	37.90	34.30	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>9</b>
<b>Deficiency Rate:</b>				<b>22.22 %</b>

**Witmer's Feed & Grain Inc - 3770 Renkenberger Rd PO Box 7 Columbiana OH 44408 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800763	Protein	12.00	10.86	F
D200800764	Ca	0.80	1.73	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Yellow Barn Farms - 9426 High Rock Rd New Park PA 17352 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200801024	Protein	17.00	15.67	F
D200801025	Protein	12.00	10.92	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Feed Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Yellow Barn Farms - 9426 High Rock Rd New Park PA 17352 US**

Sample ID	Component Code	Guaranteed	Found	Status
	Ca	1.00	0.59	F
D200801331	Protein	12.00	10.54	F
	Ca	0.80	0.66	F
D200801332	Protein	17.00	14.69	F
	Ca	1.00	0.72	F
D200801333	Protein	14.00	12.80	F
D200801334	Protein	12.00	9.12	F
D200801385	Protein	14.00	9.85	F
<b>Total Samples Failed:</b>				<b>7</b>
<b>Total Samples Submitted:</b>				<b>7</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Zanella Milling - Po Box 252 113 Main St West Sunbury PA 16061 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800521	Protein	12.00	10.22	F
D200800522	Protein	9.00	7.96	F
D200800524	Protein	14.00	9.43	F
D200800525	Protein	16.00	10.51	F
D200800527	Protein	9.00	8.50	F
D200800528	Protein	16.00	13.37	F
<b>Total Samples Failed:</b>				<b>6</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>75.00 %</b>

**Zeigler Bros Inc - 400 Gardners Station Rd PO Box 95 Gardners PA 17324 US**

Sample ID	Component Code	Guaranteed	Found	Status
D200800756	Protein	35.00	33.99	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>16.67 %</b>