

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Failed Fertilizer Laboratory Tests

Date Range: 7/1/2009 to 6/30/2010

Andersons Inc, Lordstown - 6161 Muth Rd Lordstown OH 44481 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900243	N	5.00	4.11	F
	P2O5	10.00	7.98	F
	TCV	100.00	85.99	F
E200900244	K2O	42.00	39.74	F
E200900322	K2O	10.00	8.54	F
Total Samples Failed:				3
Total Samples Submitted:				13
Deficiency Rate:				23.08 %

Andre & Son Inc - 17150 State Route 706 Montrose PA 18801-9771 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900227	K2O	39.00	36.21	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33 %

Chemgro Fertilizer Co Inc - 1550 State St East Petersburg PA 17520-1318 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900312	P2O5	10.00	0.00	F
	K2O	30.00	27.61	F
	TCV	100.00	70.44	F
Total Samples Failed:				1
Total Samples Submitted:				4
Deficiency Rate:				25.00 %

Cornell Bros. Inc. - 84 Milk Plant Rd PO Box 101 Middlebury Center PA 16935 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900369	TCV	100.00	96.00	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Crop Production Services Inc - 41 Greenleaf Rd Bloomsburg PA 17815 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900399	TCV	100.00	96.12	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33 %

Cumberland Valley Coop. Assn - Po Box 350 Shippensburg PA 17257 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900019	N	10.00	8.43	F
	P2O5	10.00	8.33	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Failed Fertilizer Laboratory Tests

Date Range: 7/1/2009 to 6/30/2010

Cumberland Valley Coop. Assn - Po Box 350 Shippensburg PA 17257 US

Sample ID	Component Code	Guaranteed	Found	Status
	TCV	100.00	90.78	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Doggett Corp,The - 30 Cherry St Lebanon NJ 08833 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900082	TCV	100.00	96.29	F
	P2O5	52.00	46.72	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Espoma Co., The - 6 Espoma Rd Millville NJ 08332 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900203	N	2.00	1.78	F
Total Samples Failed:				1
Total Samples Submitted:				6
Deficiency Rate:				16.67 %

Fertrell Co, The - Po Box 265 Bainbridge PA 17502 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900092	K2O	4.00	3.19	F
E200900095	N	2.00	1.65	F
	TCV	100.00	94.70	F
Total Samples Failed:				2
Total Samples Submitted:				7
Deficiency Rate:				28.57 %

Fisher & Son Company Inc - 110 Summit Dr Exton PA 19341-2838 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900116	TCV	100.00	94.82	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33 %

Forman's Grain & Fert LLC - 440 Beaver Run Road Turbotville PA 17772 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900011	K2O	19.00	7.18	F
	TCV	100.00	82.08	F
Total Samples Failed:				1
Total Samples Submitted:				5
Deficiency Rate:				20.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Failed Fertilizer Laboratory Tests

Date Range: 7/1/2009 to 6/30/2010

Free Flow Fertilizer Co - Po Box 119 Maumee OH 43537 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900391	P2O5	3.00	2.66	F
	K2O	4.00	3.50	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Griffith, E.h. Inc - 2250 Palmer Street Pittsburgh PA 15218 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900359	N	18.00	15.34	F
E200900360	K2O	8.00	6.78	F
Total Samples Failed:				2
Total Samples Submitted:				4
Deficiency Rate:				50.00 %

Gro Tec Inc - P.O. Box 290 Madison GA 30650 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900007	TCV	100.00	96.81	F
E200900197	K2O	5.00	4.31	F
E200900393	P2O5	12.00	10.71	F
	TCV	100.00	95.53	F
E200900394	K2O	10.00	8.39	F
	TCV	100.00	95.63	F
Total Samples Failed:				4
Total Samples Submitted:				9
Deficiency Rate:				44.44 %

Gro-Like-A-Pro LLC - 101 Villanova Dr Sw Atlanta GA 30336-2521 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900111	N	5.00	1.74	F
	K2O	5.00	2.41	F
	TCV	100.00	83.18	F
E200900112	N	5.00	1.53	F
	K2O	5.00	1.94	F
	TCV	100.00	78.85	F
Total Samples Failed:				2
Total Samples Submitted:				2
Deficiency Rate:				100.00 %

Growmark FS LLC - 308 NE Front St Milford DE 19963-1434 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900001	TCV	100.00	93.82	F
E200900208	TCV	100.00	93.68	F
E200900400	K2O	17.00	13.49	F
	TCV	100.00	93.53	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Failed Fertilizer Laboratory Tests

Date Range: 7/1/2009 to 6/30/2010

Growmark FS LLC - 308 NE Front St Milford DE 19963-1434 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900401	K2O	10.00	8.63	F
E200900402	P2O5	24.00	21.85	F
	K2O	8.00	5.53	F
	TCV	100.00	89.64	F
E200900403	TCV	100.00	92.70	F
	P2O5	34.00	30.06	F
E200900411	TCV	100.00	95.53	F
E200900428	TCV	100.00	95.37	F
	P2O5	32.00	29.12	F
E200900429	TCV	100.00	96.23	F
Total Samples Failed:				9
Total Samples Submitted:				18
Deficiency Rate:				50.00 %

Growmark Inc - 1701 Towanda Ave Bloomington IL 61701-2057 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900073	P2O5	10.00	8.66	F
	K2O	10.00	7.46	F
	TCV	100.00	87.35	F
E200900075	K2O	19.00	16.85	F
E200900177	TCV	100.00	94.41	F
E200900218	P2O5	15.00	4.75	F
	K2O	10.00	8.14	F
	TCV	100.00	72.29	F
E200900237	TCV	100.00	92.28	F
E200900238	P2O5	10.00	8.47	F
	K2O	10.00	8.99	F
	TCV	100.00	89.61	F
E200900286	P2O5	15.00	13.25	F
	TCV	100.00	94.94	F
E200900287	TCV	100.00	96.01	F
E200900290	TCV	100.00	93.80	F
E200900302	K2O	20.00	17.75	F
	TCV	100.00	94.82	F
E200900303	P2O5	15.00	13.16	F
	TCV	100.00	91.97	F
E200900304	N	10.00	8.77	F
	P2O5	10.00	8.32	F
	TCV	100.00	87.20	F
E200900335	TCV	100.00	95.15	F
E200900337	P2O5	15.00	12.51	F
	K2O	15.00	13.44	F
	TCV	100.00	90.27	F
E200900347	K2O	20.00	17.60	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Failed Fertilizer Laboratory Tests

Date Range: 7/1/2009 to 6/30/2010

Growmark Inc - 1701 Towanda Ave Bloomington IL 61701-2057 US

Sample ID	Component Code	Guaranteed	Found	Status
	TCV	100.00	95.57	F
E200900348	K2O	19.00	14.71	F
E200900350	K2O	10.00	8.57	F
E200900370	K2O	20.00	17.09	F
E200900372	N	10.00	8.72	F
	P2O5	20.00	16.81	F
	TCV	100.00	91.27	F
E200900373	P2O5	15.00	13.37	F
	TCV	100.00	92.48	F
Total Samples Failed:				20
Total Samples Submitted:				36
Deficiency Rate:				55.56 %

Growmark Inc - 1080 Elmwood St East Liverpool OH 43920 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900230	TCV	100.00	94.13	F
E200900231	TCV	100.00	96.38	F
E200900234	TCV	100.00	95.80	F
E200900235	N	5.00	4.42	F
	P2O5	10.00	8.54	F
	K2O	10.00	8.89	F
	TCV	100.00	87.20	F
E200900236	TCV	100.00	93.11	F
Total Samples Failed:				5
Total Samples Submitted:				7
Deficiency Rate:				71.43 %

Growmark Inc %Universal Cooperatives Inc - 1701 Towanda Ave Bloomington IL 61701 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900443	TCV	100.00	96.56	F
E200900446	N	10.00	8.78	F
	P2O5	10.00	8.27	F
	TCV	100.00	86.86	F
Total Samples Failed:				2
Total Samples Submitted:				13
Deficiency Rate:				15.38 %

Helena Chemical Co - 225 Schilling Blvd Ste 300 Collierville TN 38017-6937 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900375	TCV	100.00	91.62	F
	N	10.00	7.92	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Failed Fertilizer Laboratory Tests

Date Range: 7/1/2009 to 6/30/2010

Helena Chemical Co - 225 Schilling Blvd Ste 300 Collierville TN 38017-6937 US

Sample ID	Component Code	Guaranteed	Found	Status
	P2O5	20.00	17.33	F
Total Samples Failed:				1
Total Samples Submitted:				4
Deficiency Rate:				25.00 %

J R Peters Inc - 6656 Grant Way Allentown PA 18106 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900137	N	20.00	17.60	F
	TCV	100.00	96.45	F
E200900138	P2O5	10.00	6.85	F
	TCV	100.00	93.38	F
Total Samples Failed:				2
Total Samples Submitted:				6
Deficiency Rate:				33.33 %

Kepner Spreader Service - 429 Maple Lane Muncy PA 17756 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900329	K2O	20.00	17.68	F
	TCV	100.00	93.95	F
E200900332	K2O	10.00	7.92	F
	TCV	100.00	84.16	F
	N	20.00	15.16	F
Total Samples Failed:				2
Total Samples Submitted:				6
Deficiency Rate:				33.33 %

Kirby Agri Inc - 2313 Norman Rd Lancaster PA 17601 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900189	N	20.00	16.60	F
	TCV	100.00	94.51	F
E200900191	K2O	15.00	12.43	F
	TCV	100.00	95.47	F
E200900305	N	10.00	8.64	F
	P2O5	20.00	17.30	F
	TCV	100.00	88.98	F
Total Samples Failed:				3
Total Samples Submitted:				5
Deficiency Rate:				60.00 %

Kirby Agri Inc - 500 Running Pump Road PO Box 6277 Lancaster PA 17607-6277 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900242	TCV	100.00	94.02	F
E200900260	N	12.00	9.59	F
	P2O5	6.00	5.06	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Failed Fertilizer Laboratory Tests

Date Range: 7/1/2009 to 6/30/2010

Kirby Agri Inc - 500 Running Pump Road PO Box 6277 Lancaster PA 17607-6277 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900263	K2O	12.00	9.56	F
	TCV	100.00	80.85	F
	K2O	15.00	7.28	F
	TCV	100.00	94.78	F
E200900271	N	8.00	6.47	F
	P2O5	24.00	19.40	F
	TCV	100.00	85.18	F
E200900308	N	5.00	4.43	F
	P2O5	10.00	8.31	F
	K2O	10.00	7.54	F
	TCV	100.00	81.78	F
E200900323	N	10.00	8.96	F
	TCV	100.00	96.27	F
	P2O5	24.00	20.93	F
E200900327	TCV	100.00	93.41	F
	P2O5	20.00	16.61	F
E200900341	TCV	100.00	95.94	F
	TCV	100.00	95.71	F
E200900353	TCV	100.00	95.27	F
E200900378	TCV	100.00	95.27	F
E200900388	P2O5	10.00	8.91	F
	N	10.00	8.74	F
	K2O	10.00	8.14	F
	TCV	100.00	88.51	F
E200900404	N	5.00	4.16	F
	P2O5	10.00	8.14	F
	TCV	100.00	86.41	F
Total Samples Failed:				12
Total Samples Submitted:				40
Deficiency Rate:				30.00 %

Lakeview Fertilizer Inc - 4870 Sandy Lake Greenville Rd Sandy Lake PA 16145-2032 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900419	N	10.00	8.33	F
	P2O5	10.00	8.39	F
	K2O	10.00	8.31	F
	TCV	100.00	83.47	F
Total Samples Failed:				1
Total Samples Submitted:				5
Deficiency Rate:				20.00 %

Loveland Products Inc - PO BOX 1286 Greeley CO 80632 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900077	K2O	10.00	8.75	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Failed Fertilizer Laboratory Tests

Date Range: 7/1/2009 to 6/30/2010

Loveland Products Inc - PO BOX 1286 Greeley CO 80632 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900366	K2O	5.00	4.21	F
Total Samples Failed:				2
Total Samples Submitted:				2
Deficiency Rate:				100.00 %

Mausdale Farm Supply - 10 Old Valley School Rd Danville PA 17821 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900041	K2O	34.00	29.74	F
E200900205	N	5.00	4.07	F
	P2O5	10.00	8.08	F
	TCV	100.00	87.05	F
E200900206	K2O	20.00	17.49	F
	TCV	100.00	96.20	F
E200900294	TCV	100.00	96.57	F
E200900297	K2O	10.00	8.31	F
Total Samples Failed:				5
Total Samples Submitted:				13
Deficiency Rate:				38.46 %

Meherrin Industries - PO Box 310 4136 Severn Road Severn NC 27877 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900014	P2O5	10.00	7.45	F
	K2O	10.00	8.63	F
	TCV	100.00	87.49	F
E200900198	P2O5	10.00	8.82	F
Total Samples Failed:				2
Total Samples Submitted:				3
Deficiency Rate:				66.67 %

Plant Health Care Inc - 285 Kappa Dr Suite 100 Pittsburgh PA 15238 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900363	P2O5	4.00	3.05	F
Total Samples Failed:				1
Total Samples Submitted:				5
Deficiency Rate:				20.00 %

Reed & Perrine - Po Box 100 Tennent NJ 07763 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900173	K2O	10.00	8.79	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Failed Fertilizer Laboratory Tests

Date Range: 7/1/2009 to 6/30/2010

Schultz Co. - PO BOX 4406 Bridgeton MO 63044 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900128	P2O5	5.00	3.96	F
E200900153	K2O	17.00	14.42	F
Total Samples Failed:				2
Total Samples Submitted:				7
Deficiency Rate:				28.57 %

Scotts Miracle Gro Products Inc - Attn Sheri Bukovec c/o Scotts 14111 Scottslawn Road Marysville OH 43041 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900087	P2O5	24.00	19.86	F
	K2O	16.00	13.13	F
E200900100	P2O5	8.00	6.80	F
	K2O	16.00	13.37	F
	TCV	100.00	96.14	F
Total Samples Failed:				2
Total Samples Submitted:				11
Deficiency Rate:				18.18 %

Southern States Coop Inc - 6606 West Broad Street Richmond VA 23230 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900010	P2O5	25.00	22.20	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Turf Care Supply Corp - 50 Pearl Rd Ste 200 Brunswick OH 44212 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900356	K2O	5.00	3.76	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Unco Industries Inc - 7802 Old Spring St Racine WI 53406-3248 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900222	N	1.00	0.49	F
	TCV	100.00	49.00	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Upper Dauphin Grain - 287 Kocher Rd Elizabethville PA 17023 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900185	TCV	100.00	96.73	F
E200900186	K2O	20.00	15.67	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Failed Fertilizer Laboratory Tests

Date Range: 7/1/2009 to 6/30/2010

Upper Dauphin Grain - 287 Kocher Rd Elizabethville PA 17023 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900188	N	20.00	17.44	F
	TCV	100.00	92.59	F
Total Samples Failed:				3
Total Samples Submitted:				6
Deficiency Rate:				50.00 %

Webb's Super-Gro Products Inc - 30 Pennsylvania Avenue PO Box C Mill Hall PA 17751-0090 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900045	K2O	15.00	11.93	F
	TCV	100.00	92.72	F
E200900047	TCV	100.00	87.28	F
	N	8.00	6.40	F
	P2O5	24.00	18.78	F
E200900048	TCV	100.00	93.95	F
E200900282	K2O	20.00	17.54	F
	TCV	100.00	94.18	F
E200900284	P2O5	24.00	21.48	F
	K2O	8.00	7.19	F
	TCV	100.00	92.17	F
Total Samples Failed:				5
Total Samples Submitted:				13
Deficiency Rate:				38.46 %

Western Reserve Farm Cooperative Inc - 225 E Main Street PO Box 1030 Andover OH 44003 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900258	TCV	100.00	95.79	F
E200900432	N	10.00	8.76	F
	TCV	100.00	96.20	F
Total Samples Failed:				2
Total Samples Submitted:				29
Deficiency Rate:				6.90 %

Winfield Solutions LLC - PO Box 64589 St Paul MN 55164-0589 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900133	N	10.00	8.95	F
	TCV	100.00	94.24	F
E200900274	K2O	4.00	3.52	F
E200900275	P2O5	12.00	10.64	F
	K2O	12.00	10.60	F
	TCV	100.00	93.17	F
Total Samples Failed:				3
Total Samples Submitted:				3
Deficiency Rate:				100.00 %

Pennsylvania Department of Agriculture
Bureau of Plant Industry

Failed Fertilizer Laboratory Tests

Date Range: 7/1/2009 to 6/30/2010

Woodstream Corp - 69 North Locust Street Lititz PA 17543 US

Sample ID	Component Code	Guaranteed	Found	Status
E200900144	N	1.00	0.85	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %
