

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Advanced Turf Solutions - 12955 Ford Dr Fishers IN 46038-2899 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Age Old Organics - 2001 W Main St. Mendota IL 61342-1099 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Agricultural Commodities Inc - 1585 Granite Station Rd Gettysburg PA 17325-8299 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600506	N	33.00 %	29.76 %	F
	TCV	100.00 %	90.18 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Agronomy Inc - 28 Fry Street PO Box 210 Mercersburg PA 17236 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600500	N	5.00 %	3.68 %	F
	P2O5	10.00 %	8.56 %	F
	K2O	10.00 %	8.85 %	F
	TCV	100.00 %	83.79 %	F
E201600501	P2O5	20.00 %	15.08 %	F
	TCV	100.00 %	82.22 %	F
E201600502	P2O5	30.00 %	25.81 %	F
	TCV	100.00 %	92.33 %	F
E201600503	N	15.00 %	13.06 %	F
	K2O	15.00 %	13.22 %	F
	TCV	100.00 %	89.61 %	F
E201600504	N	10.00 %	8.73 %	F
	P2O5	20.00 %	17.34 %	F
	K2O	10.00 %	7.77 %	F
	TCV	100.00 %	84.95 %	F
<b>Total Samples Failed:</b>				<b>5</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>83.33 %</b>

**Albright's Mill, LLC - 9927 Kistler Valley Road Kempton PA 19529 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Algoplus - 6833 Phillips Industrial Blvd Jacksonville FL 32256-3029 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Andersons Lawn Fertilizer Division Inc - PO BOX 119 Maumee OH 43537 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600542	TCV	100.00 %	93.65 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

**Andre & Son Inc - 17150 State Route 706 Montrose PA 18801-9771 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600014	N	10.00 %	7.48 %	F
	P2O5	20.00 %	15.31 %	F
	K2O	5.00 %	3.45 %	F
	TCV	100.00 %	75.09 %	F
E201600016	TCV	100.00 %	96.24 %	F
E201600018	N	22.00 %	19.64 %	F
	K2O	4.00 %	3.38 %	F
	TCV	100.00 %	91.59 %	F
E201600020	K2O	4.00 %	2.65 %	F
E201600193	K2O	3.00 %	2.60 %	F
E201600194	N	10.00 %	8.44 %	F
	P2O5	20.00 %	15.78 %	F
	K2O	5.00 %	2.73 %	F
	TCV	100.00 %	77.76 %	F
E201600195	N	20.00 %	15.24 %	F
	TCV	100.00 %	76.20 %	F
E201600196	TCV	100.00 %	94.77 %	F
E201600197	N	22.00 %	19.38 %	F
	P2O5	4.00 %	3.05 %	F
	K2O	4.00 %	3.13 %	F
	TCV	100.00 %	85.61 %	F
E201600243	N	18.00 %	15.39 %	F
	K2O	3.00 %	2.35 %	F
	TCV	100.00 %	84.71 %	F
E201600244	K2O	3.00 %	2.16 %	F
	TCV	100.00 %	88.55 %	F
E201600247	N	18.00 %	15.40 %	F
	TCV	100.00 %	86.38 %	F
E201600248	K2O	3.00 %	2.41 %	F
	TCV	100.00 %	87.84 %	F
	N	18.00 %	15.98 %	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Andre & Son Inc - 17150 State Route 706 Montrose PA 18801-9771 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600288	N	14.00 %	11.78 %	F
	P2O5	14.00 %	10.35 %	F
	K2O	14.00 %	11.10 %	F
	TCV	100.00 %	79.36 %	F
E201600289	P2O5	24.00 %	20.87 %	F
	TCV	100.00 %	90.17 %	F
E201600352	P2O5	14.00 %	11.46 %	F
	K2O	14.00 %	10.36 %	F
	TCV	100.00 %	87.26 %	F
E201600585	TCV	100.00 %	94.10 %	F
E201600587	K2O	30.00 %	26.80 %	F
E201600589	K2O	10.00 %	8.76 %	F
	TCV	100.00 %	90.28 %	F
<b>Total Samples Failed:</b>				<b>19</b>
<b>Total Samples Submitted:</b>				<b>28</b>
<b>Deficiency Rate:</b>				<b>67.86 %</b>

**Anuvia Florida LLC - 6751 West Jones Avenue Zellwood FL 32798 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Aurora Innovations - 29862 East Enid Road Eugene OR 97402 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Bedford Farm Bureau Co-op Somerset - 141 Maurice Lane Rockwood PA 15557 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600190	N	10.00 %	8.60 %	F
	K2O	10.00 %	8.48 %	F
	TCV	100.00 %	88.59 %	F
E201600392	TCV	100.00 %	95.33 %	F
E201600395	K2O	38.00 %	35.95 %	F
E201600396	TCV	100.00 %	95.18 %	F
<b>Total Samples Failed:</b>				<b>4</b>
<b>Total Samples Submitted:</b>				<b>11</b>
<b>Deficiency Rate:</b>				<b>36.36 %</b>

**Bedford Farm Bureau Coop Assn - 102 Industrial Ave Bedford PA 15522 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600407	K2O	9.00 %	7.86 %	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Bedford Farm Bureau Coop Assn - 102 Industrial Ave Bedford PA 15522 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600408	N	14.00 %	12.32 %	F
E201600409	N	12.00 %	10.35 %	F
	P2O5	25.00 %	22.97 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Black Gold Envirosafe Inc - Po Box 190 Oxford FL 34484-0190 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600041	P2O5	5.00 %	4.08 %	F
E201600043	K2O	5.00 %	3.75 %	F
E201600258	K2O	5.00 %	4.47 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>60.00 %</b>

**Bonide Products Inc. - 6301 Sutliff Rd Oriskany NY 13424-4341 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Bricker's Choice - 5849 Front St PO Box 174 Marion PA 17235 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600473	N	5.00 %	3.68 %	F
	P2O5	10.00 %	7.62 %	F
	K2O	10.00 %	7.37 %	F
	TCV	100.00 %	74.71 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Cameron Chemical Inc - 830 Old Dill Road Suffolk VA 23434 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600423	Fe	50.00 %	46.20 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Campbell Crops - 380 N Pine St Elizabethville PA 17023-9352 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Centerra Co-op - 2260 Church St Mill Village PA 16427 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>2</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Centerra Co-op - 3992 State Route 208 New Wilmington PA 16142-4509 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>	
E201600655	P2O5	26.00 %	23.72 %	F	
				<b>Total Samples Failed:</b>	<b>1</b>
				<b>Total Samples Submitted:</b>	<b>2</b>
				<b>Deficiency Rate:</b>	<b>50.00 %</b>

**Central Garden & Pet Garden Division - c/o Registrations By Design, Inc. 1000 Parkwood Circle, Suite 700 Atlanta GA 30339-6627 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>3</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Chamberlin & Barclay Inc - 2 Hightstown Cranbury Station Rd Cranbury NJ 08512-5007 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Chemgro Fertilizer Co Inc - 1550 State St East Petersburg PA 17520-1318 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>	
E201600491	TCV	100.00 %	95.94 %	F	
E201600492	TCV	100.00 %	96.75 %	F	
E201600495	N	12.00 %	9.98 %	F	
	P2O5	4.00 %	3.00 %	F	
	K2O	4.00 %	2.90 %	F	
	TCV	100.00 %	79.90 %	F	
				<b>Total Samples Failed:</b>	<b>3</b>
				<b>Total Samples Submitted:</b>	<b>4</b>
				<b>Deficiency Rate:</b>	<b>75.00 %</b>

**Clemens Food Group - 2700 Clemens Rd Hatfield PA 19440-4202 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>	
E201600058	P2O5	3.00 %	2.00 %	F	
	TCV	100.00 %	82.15 %	F	
				<b>Total Samples Failed:</b>	<b>1</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>100.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Coast Of Maine - 145 Newbury Street Portland ME 04101 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600209	Mg	1.00 %	0.64 %	F
E201600401	K2O	4.00 %	3.41 %	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>66.67 %</b>

**Crop Production Services Inc - 41 Greenleaf Rd Bloomsburg PA 17815-6573 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600601	Zn	0.64 %	0.37 %	F
	TCV	100.00 %	96.63 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Curwensville Feed Store Inc - 224 Filbert Street Curwensville PA 16833 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600683	K2O	10.00 %	1.45 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Darling Ingredients, Inc. - 251 O'Connor Ridge Blvd #300 Irving TX 75038 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600174	Mg	2.20 %	1.56 %	F
E201600466	K2O	4.00 %	3.13 %	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Darling Ingredients, Inc. dba Griffin Industries, - 4221 Alexandria Pike Cold Spring KY 41076 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Dayton Farm Supply - 118 Agway Ln Dayton PA 16222-4702 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600594	P2O5	19.37 %	17.12 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Delcarm, LLC - 756 Street Rd Cochranville PA 19330-9469 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
------------------	-----------------------	-------------------	--------------	---------------

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

Total Samples Failed: 0  
Total Samples Submitted: 1  
Deficiency Rate: 0.00 %

**Down To Earth Distributors Inc - Po Box 1419 Eugene OR 97440-1419 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600432	K2O	3.00 %	2.54 %	F
				Total Samples Failed: 1
				Total Samples Submitted: 4
				Deficiency Rate: 25.00 %

**Dr Earth INC - PO BOX 460 Winters CA 95694 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 11
				Deficiency Rate: 0.00 %

**E.H. Griffith, Inc - 2250 Palmer Street Pittsburgh PA 15218 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 1
				Deficiency Rate: 0.00 %

**Earthworks Nat Organic Stds - 30 Morgan Hill Rd Easton PA 18042-6930 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 1
				Deficiency Rate: 0.00 %

**Easy Gardener, Inc. - Po Box 21025 Waco TX 76702-1025 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600547	K2O	6.00 %	5.18 %	F
				Total Samples Failed: 1
				Total Samples Submitted: 10
				Deficiency Rate: 10.00 %

**EcoScraps Inc - PO Box 731 Sandy UT 84091-0731 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600119	N	4.00 %	3.51 %	F
E201600185	N	2.00 %	1.73 %	F
E201600208	N	2.00 %	1.67 %	F
				Total Samples Failed: 3
				Total Samples Submitted: 14
				Deficiency Rate: 21.43 %

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Envirokure, Inc - 5222 Comly St Philadelphia PA 19135-4315 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600140	TCV	100.00 %	93.29 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Espoma Co., The - 6 Espoma Rd Millville NJ 08332 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600250	Ca	8.00 %	6.79 %	F
E201600362	TCV	100.00 %	79.78 %	F
	P2O5	2.00 %	0.73 %	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>7</b>
<b>Deficiency Rate:</b>				<b>28.57 %</b>

**Fertrell Company, The - Po Box 265 Rt 241 & 441 Bainbridge PA 17502 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600028	N	5.00 %	3.30 %	F
	TCV	100.00 %	92.56 %	F
E201600029	K2O	1.00 %	0.27 %	F
E201600030	N	5.00 %	4.39 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>60.00 %</b>

**Fisher & Son Company Inc - 110 Summit Dr Exton PA 19341-2838 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600666	K2O	4.00 %	3.17 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**FoxFarm Soil & Fertilizer Company - Po Box 787 Arcata CA 95518-0787 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Foxfarm Soil and Fertilizer - PO BOX 787 1220 5th St Arcata CA 95518 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>



**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Green Acres Garden Center - 2469 New Holland Pike Lancaster PA 17601-5935 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600186	K2O	1.00 %	0.76 %	F
	TCV	100.00 %	96.08 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Gro Tec Inc - P.O. Box 290 Madison GA 30650 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600273	P2O5	10.00 %	8.88 %	F
	K2O	10.00 %	8.30 %	F
	TCV	100.00 %	87.63 %	F
E201600568	N	8.00 %	6.83 %	F
	P2O5	12.00 %	9.10 %	F
	TCV	100.00 %	82.96 %	F
E201600631	TCV	100.00 %	92.56 %	F
	P2O5	24.00 %	21.52 %	F
E201600707	K2O	12.00 %	10.65 %	F
<b>Total Samples Failed:</b>				<b>4</b>
<b>Total Samples Submitted:</b>				<b>16</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

**Gro-mor Plant Food Co - 281 Farmland Rd Leola PA 17540 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Growmark FS LLC - 656 Tarrtown Rd Adrian PA 16210-1218 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600578	K2O	16.00 %	14.12 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Growmark FS LLC - 200 Packer Ave PO Box 71 Towanda PA 18848 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600412	TCV	100.00 %	96.60 %	F
E201600413	N	18.00 %	16.07 %	F
E201600416	TCV	100.00 %	95.52 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Growmark FS LLC - 308 NE Front St Milford DE 19963-1434 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600212	K2O	8.00 %	6.30 %	F
E201600414	TCV	100.00 %	95.12 %	F
E201600690	K2O	20.00 %	17.17 %	F
	TCV	100.00 %	94.45 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>18</b>
<b>Deficiency Rate:</b>				<b>16.67 %</b>

**Growmark FS LLC - 520 E North St Carlisle PA 17013-2638 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Growmark FS LLC - 308 NE Front St Milford DE 19963-1434 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600342	P2O5	20.00 %	17.98 %	F
	K2O	20.00 %	17.07 %	F
	TCV	100.00 %	91.15 %	F
E201600343	K2O	19.00 %	16.90 %	F
E201600426	P2O5	20.00 %	17.52 %	F
E201600427	P2O5	17.00 %	15.08 %	F
E201600428	P2O5	24.00 %	19.95 %	F
	TCV	100.00 %	90.31 %	F
<b>Total Samples Failed:</b>				<b>5</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>83.33 %</b>

**Growmark FS LLC - 1633 Curryville Rd PO Box 125 Curryville PA 16662 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Growmark FS LLC - 152 Railroad ST Bedford PA 15522 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Growmark FS LLC - 1016 Route 519 Eighty Four PA 15330-2812 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600551	N	3.00 %	2.19 %	F
	P2O5	9.00 %	5.91 %	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Growmark FS LLC - 1016 Route 519 Eighty Four PA 15330-2812 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600552	K2O	27.00 %	22.12 %	F
	TCV	100.00 %	76.94 %	F
	N	6.70 %	4.42 %	F
	P2O5	13.40 %	8.21 %	F
	K2O	13.40 %	10.87 %	F
E201600555	TCV	100.00 %	69.36 %	F
	K2O	40.00 %	36.00 %	F
	TCV	100.00 %	95.30 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>60.00 %</b>

**Growmark FS LLC - 1694 North Center Ave Somerset PA 15501 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Growmark FS, LLC bda Codorus Fertilizer Service - 4 Kraft Mill Rd Po Box 220 Codorus PA 17311 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600235	P2O5	15.00 %	13.44 %	F
E201600236	N	10.00 %	5.96 %	F
	P2O5	10.00 %	5.40 %	F
	K2O	10.00 %	6.87 %	F
E201600528	TCV	100.00 %	60.32 %	F
	TCV	100.00 %	96.70 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>11</b>
<b>Deficiency Rate:</b>				<b>27.27 %</b>

**Growmark Inc - 1701 Towanda Ave PO Box 2500 Bloomington IL 61701-2057 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Growmark, Inc. - 1701 Towanda Ave Bloomington IL 61701 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600382	P2O5	25.00 %	22.19 %	F
	TCV	100.00 %	94.95 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>20.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Harrell's LLC - Po Box 807 Lakeland FL 33802-0807 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600125	P2O5	20.00 %	17.66 %	F
E201600443	K2O	5.00 %	2.59 %	F
	TCV	100.00 %	92.28 %	F
E201600445	TCV	100.00 %	94.83 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>60.00 %</b>

**Harsco Metals and Minerals - 359 N Pike Rd Sarver PA 16055-8633 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600109	Ca	24.00 %	21.44 %	F
	Mg	5.00 %	2.96 %	F
E201600110	Ca	28.00 %	24.26 %	F
	Mg	5.00 %	3.64 %	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>66.67 %</b>

**Helena Chemical - 2413 Pennington Rd PO Box 131 Warriors Mark PA 16877-0131 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600321	N	5.00 %	4.20 %	F
	P2O5	11.00 %	8.40 %	F
E201600322	P2O5	30.00 %	26.81 %	F
	TCV	100.00 %	93.28 %	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Helena Chemical Co. - 225 Shilling Boulevard Collierville TN 38017 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Helena Chemical Company - 611 Ridge Rd New Enterprise PA 16664-8526 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600512	TCV	100.00 %	96.74 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Hildenbrand Lime & Fertilizer - 848 Waltz Mill Road Ruffsedale PA 15679 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Total Samples Submitted: 1**  
**Deficiency Rate: 0.00 %**

**Holganix LLC - 54 Conchester Rd Glen Mills PA 19342-1506 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600672	P2O5	3.00 %	2.31 %	F
				<b>Total Samples Failed: 1</b>
				<b>Total Samples Submitted: 3</b>
				<b>Deficiency Rate: 33.33 %</b>

**Hoopes Fertilizer Works, Inc - 24104 U S Rt 30 E. Rochester OH 44625 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				<b>Total Samples Failed: 0</b>
				<b>Total Samples Submitted: 1</b>
				<b>Deficiency Rate: 0.00 %</b>

**Hostetter Farm Supply Inc - 4855 Hanover Road Hanover PA 17331 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				<b>Total Samples Failed: 0</b>
				<b>Total Samples Submitted: 3</b>
				<b>Deficiency Rate: 0.00 %</b>

**International Mulch Company, Inc. - PO Box 31366 Des Peres MO 63131 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				<b>Total Samples Failed: 0</b>
				<b>Total Samples Submitted: 11</b>
				<b>Deficiency Rate: 0.00 %</b>

**John Deere Landscapes / Lesco Inc. - 1385 E 36th Street Cleveland OH 44114-1849 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600626	P2O5	2.00 %	1.64 %	F
	K2O	11.00 %	9.34 %	F
				<b>Total Samples Failed: 1</b>
				<b>Total Samples Submitted: 1</b>
				<b>Deficiency Rate: 100.00 %</b>

**Jonathan Green, Inc. - Po Box 326 Farmingdale NJ 07727 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600222	P2O5	3.00 %	0.21 %	F
	K2O	4.00 %	3.13 %	F
	TCV	100.00 %	94.18 %	F
				<b>Total Samples Failed: 1</b>
				<b>Total Samples Submitted: 1</b>
				<b>Deficiency Rate: 100.00 %</b>

**JR Peters Inc. - 6656 Grant Way Allentown PA 18106 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
------------------	-----------------------	-------------------	--------------	---------------

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Total Samples Failed: 0**  
**Total Samples Submitted: 12**  
**Deficiency Rate: 0.00 %**

**Judsons Inc - 6872 Austinville Rd Columbia Cross Roads PA 16914 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600469	N	30.00 %	27.77 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Kellogg Garden Products - 350 W Sepulveda Blvd Carson CA 90745 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Kepner Farm Supply LLC - 429 Maple Lane Muncy PA 17756 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600602	TCV	100.00 %	94.37 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Kirby Agri Inc - 2313 Norman Rd Lancaster PA 17601 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600149	N	18.00 %	16.02 %	F
	K2O	5.00 %	4.25 %	F
	TCV	100.00 %	88.31 %	F
E201600166	N	10.00 %	7.04 %	F
	P2O5	6.00 %	5.00 %	F
	TCV	100.00 %	78.76 %	F
E201600170	P2O5	6.00 %	5.01 %	F
	K2O	4.00 %	3.42 %	F
	TCV	100.00 %	92.77 %	F
E201600344	P2O5	24.00 %	21.48 %	F
	K2O	5.00 %	4.19 %	F
	TCV	100.00 %	91.42 %	F
E201600662	N	10.00 %	8.78 %	F
	K2O	15.00 %	12.20 %	F
	TCV	100.00 %	87.26 %	F
<b>Total Samples Failed:</b>				<b>5</b>
<b>Total Samples Submitted:</b>				<b>13</b>
<b>Deficiency Rate:</b>				<b>38.46 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Kirby Agri, Inc. - 500 Running Pump Road Lancaster PA 17607-6277 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600007	N	19.00 %	13.59 %	F
	K2O	5.00 %	3.25 %	F
	TCV	100.00 %	70.46 %	F
E201600009	K2O	8.00 %	5.68 %	F
	TCV	100.00 %	95.49 %	F
E201600012	N	5.00 %	4.26 %	F
	K2O	10.00 %	8.66 %	F
	TCV	100.00 %	86.04 %	F
E201600013	N	8.00 %	6.78 %	F
	P2O5	24.00 %	21.19 %	F
	TCV	100.00 %	88.90 %	F
E201600033	TCV	100.00 %	95.77 %	F
E201600039	TCV	100.00 %	92.54 %	F
E201600046	N	10.00 %	8.44 %	F
	P2O5	6.00 %	4.93 %	F
	TCV	100.00 %	87.58 %	F
E201600057	N	10.00 %	8.69 %	F
	P2O5	10.00 %	8.92 %	F
	TCV	100.00 %	94.56 %	F
E201600182	P2O5	10.00 %	8.86 %	F
E201600240	TCV	100.00 %	96.40 %	F
	P2O5	10.00 %	8.69 %	F
E201600336	K2O	10.00 %	7.00 %	F
	TCV	100.00 %	93.59 %	F
E201600341	K2O	8.00 %	6.91 %	F
E201600347	N	15.00 %	12.28 %	F
	K2O	15.00 %	12.53 %	F
	TCV	100.00 %	89.59 %	F
E201600348	N	10.00 %	8.30 %	F
	K2O	10.00 %	8.21 %	F
	TCV	100.00 %	85.61 %	F
E201600349	K2O	10.00 %	8.53 %	F
	TCV	100.00 %	90.01 %	F
E201600350	K2O	10.00 %	7.75 %	F
	TCV	100.00 %	90.22 %	F
E201600351	TCV	100.00 %	94.14 %	F
E201600356	P2O5	10.00 %	8.42 %	F
	K2O	10.00 %	7.56 %	F
	TCV	100.00 %	85.75 %	F
E201600376	TCV	100.00 %	94.37 %	F
E201600419	P2O5	6.00 %	5.09 %	F
	K2O	6.00 %	5.10 %	F
	TCV	100.00 %	90.19 %	F
E201600526	TCV	100.00 %	94.84 %	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Kirby Agri, Inc. - 500 Running Pump Road Lancaster PA 17607-6277 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600539	K2O	3.00 %	2.67 %	F
	TCV	100.00 %	91.55 %	F
E201600681	N	20.00 %	16.21 %	F
	P2O5	10.00 %	3.94 %	F
	TCV	100.00 %	72.91 %	F
E201600686	TCV	100.00 %	95.95 %	F
E201600688	K2O	40.00 %	35.55 %	F
	TCV	100.00 %	91.42 %	F
<b>Total Samples Failed:</b>				<b>25</b>
<b>Total Samples Submitted:</b>				<b>85</b>
<b>Deficiency Rate:</b>				<b>29.41 %</b>

**Knox Fertilizer Company Inc - Po Box 248 Knox IN 46534 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600206	N	24.00 %	19.52 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>20.00 %</b>

**Kreider, Franklin H. - 2400 Dairy Rd Lancaster PA 17601-2310 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600115	K2O	20.00 %	17.14 %	F
E201600646	P2O5	20.00 %	15.42 %	F
	K2O	20.00 %	13.33 %	F
	TCV	100.00 %	94.05 %	F
E201600647	P2O5	15.00 %	10.46 %	F
	K2O	15.00 %	9.22 %	F
	TCV	100.00 %	95.21 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>7</b>
<b>Deficiency Rate:</b>				<b>42.86 %</b>

**KSI - 350 W Sepulveda Blvd Carson CA 90745-6389 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Lakeview Fertilizer Inc - 4870 Sandy Lake Greenville Rd Sandy Lake PA 16145-2032 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>



**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Lancaster Ag Products - 60 N Ronks Road Ronks PA 17572 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600112	N	2.00 %	1.66 %	F
E201600114	N	15.00 %	12.38 %	F
	K2O	5.00 %	3.54 %	F
	TCV	100.00 %	83.00 %	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>66.67 %</b>

**Lebanon Seaboard Corp - 1600 E Cumberland St Lebanon PA 17042 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600215	K2O	14.00 %	11.77 %	F
	TCV	100.00 %	95.47 %	F
E201600216	K2O	10.00 %	8.85 %	F
	TCV	100.00 %	93.89 %	F
E201600217	N	20.00 %	16.76 %	F
	TCV	100.00 %	89.20 %	F
E201600218	K2O	5.00 %	4.27 %	F
E201600281	K2O	5.00 %	3.36 %	F
	Fe	1.00 %	0.66 %	F
E201600284	K2O	13.00 %	10.27 %	F
E201600355	N	18.00 %	15.82 %	F
	TCV	100.00 %	96.12 %	F
<b>Total Samples Failed:</b>				<b>7</b>
<b>Total Samples Submitted:</b>				<b>15</b>
<b>Deficiency Rate:</b>				<b>46.67 %</b>

**Lilly Miller Brands - 1000 Parkwood Circle Ste 700 Atlanta GA 30339 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Lilly Miller Brands - 2030 Powers Ferry Rd Ste 370 Atlanta GA 30339 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Loveland Products Inc - Po Box 1286 Greeley CO 80632-1286 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600002	K2O	12.00 %	10.35 %	F
E201600003	K2O	10.00 %	8.10 %	F
	TCV	100.00 %	89.60 %	F
E201600004	K2O	19.00 %	16.02 %	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Loveland Products Inc - Po Box 1286 Greeley CO 80632-1286 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600005	P2O5	20.00 %	17.16 %	F
	K2O	20.00 %	15.53 %	F
	TCV	100.00 %	87.16 %	F
E201600069	Fe	2.00 %	1.23 %	F
E201600211	K2O	10.00 %	7.26 %	F
	Fe	2.00 %	0.69 %	F
<b>Total Samples Failed:</b>				<b>6</b>
<b>Total Samples Submitted:</b>				<b>10</b>
<b>Deficiency Rate:</b>				<b>60.00 %</b>

**Mainville Ag Services Inc - 360 Main Mifflin Road Bloomsburg PA 17815-6753 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600558	K2O	7.00 %	6.03 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

**Mausdale Farm Supply, LLC - 10 Old Valley School Rd Danville PA 17821 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600145	N	10.00 %	8.75 %	F
	K2O	20.00 %	15.53 %	F
E201600147	N	20.00 %	16.36 %	F
	P2O5	10.00 %	8.56 %	F
	TCV	100.00 %	87.52 %	F
E201600496	N	10.00 %	8.16 %	F
	P2O5	20.00 %	17.49 %	F
	K2O	10.00 %	8.14 %	F
	TCV	100.00 %	84.48 %	F
E201600498	N	10.00 %	8.72 %	F
	K2O	20.00 %	16.35 %	F
	TCV	100.00 %	87.94 %	F
E201600499	N	15.00 %	11.08 %	F
	K2O	15.00 %	13.04 %	F
	TCV	100.00 %	84.23 %	F
<b>Total Samples Failed:</b>				<b>5</b>
<b>Total Samples Submitted:</b>				<b>10</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Mcgeary Organics - 941 Wheatland Avenue PO BOX 299 Lancaster PA 17608-0299 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600178	K2O	3.00 %	2.14 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Meherrin Fertilizer, Inc. - PO Box 310 4136 Severn Road Severn NC 27877 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600104	K2O	12.00 %	10.40 %	F
E201600572	P2O5	12.00 %	10.75 %	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>66.67 %</b>

**Mifflinburg Farmers Exchange Inc - 660 Mulberry Street PO Box 26 Mifflinburg PA 17844 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Milwaukee Metropolitan Sewerage Distr - 260 West Seeboth Street Milwaukee WI 53204 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Miracle Gro Lawn Products Inc/dba Scotts - 14111 Scottslawn Road Marysville OH 43041 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**New England Fertilizer - 97 East Howard Street Quincy MA 02169 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Nolt Spreading, LLC - 155 E Wood Corner Rd Lititz PA 17543 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**North East Fruit Growers Inc - 2297 Klomp Road North East PA 16428 US**

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Nutrients Plus LLC - 2133 Upton Dr Ste 126-509 Virginia Beach VA 23454 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600155	N	16.00 %	13.96 %	F
	TCV	100.00 %	95.69 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Ocean County Utilities - 501 Hickory Ln Bayville NJ 08721-2157 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Ocean Crest Seafoods Inc - 88 Commercial St Gloucester MA 01930-5025 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600711	K2O	1.00 %	0.65 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Ocean Organics - Po Box 1448 Waldoboro ME 04572-1448 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Ostara USA LLC - Unit 690 1199 West Pender Street Vancouver BC V6E 2R1 CA**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**P L Rohrer & Bro Inc - 2472 Old Philadelphia Pike Po Box 250 Smoketown PA 17576 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600657	N	10.00 %	8.78 %	F
	P2O5	20.00 %	17.25 %	F
	K2O	10.00 %	7.73 %	F
	TCV	100.00 %	84.78 %	F
E201600660	P2O5	10.00 %	8.59 %	F
	K2O	10.00 %	8.70 %	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**P L Rohrer & Bro Inc - 2472 Old Philadelphia Pike Po Box 250 Smoketown PA 17576 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
	TCV	100.00 %	88.73 %	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>40.00 %</b>

**PCS Sales (USA) Inc - 1101 Skokie Blvd Suite 400 Northbrook IL 60062 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Pearl Valley Organix Inc - 968 South Kent Road Pearl City IL 61062 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600378	Fe	1.00 %	0.69 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Perdue Agri Business, DBA Upper Dauphin Grain - 287 Kocher Ln Elizabethville PA 17023-8771 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600317	K2O	10.00 %	8.14 %	F
	TCV	100.00 %	89.50 %	F
E201600318	K2O	20.00 %	15.10 %	F
	TCV	100.00 %	85.78 %	F
E201600674	N	10.00 %	6.79 %	F
	P2O5	10.00 %	8.64 %	F
	TCV	100.00 %	82.10 %	F
E201600675	TCV	100.00 %	93.92 %	F
E201600676	TCV	100.00 %	85.16 %	F
	N	20.00 %	15.08 %	F
<b>Total Samples Failed:</b>				<b>5</b>
<b>Total Samples Submitted:</b>				<b>10</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Philadelphia Renewable Biofules LLC - 7800 Penrose Ferry Rd Philadelphia PA 19153-3880 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Plant Food Company, Inc - 38 Hightstown Cranbury Station Rd Cranbury NJ 08512-5099 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

---

**Plant Science Inc - 2934 Vandorf Side Road Gormley ON L0H 1G0 CA**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

---

**Purely Organic Products, LLC - 1 New Hampshire Ave, Suite 125 Portsmouth NH 03801 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>	
				Total Samples Failed:	0
				Total Samples Submitted:	2
				Deficiency Rate:	0.00 %

---

**Raymond D Eck & Sons Inc - 112 Harris St PO Box 344 Jersey Shore PA 17740-1112 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>	
				Total Samples Failed:	0
				Total Samples Submitted:	6
				Deficiency Rate:	0.00 %

---

**Red Lion Grain Center - 1000 Delta Road Red Lion PA 17356 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>	
				Total Samples Failed:	0
				Total Samples Submitted:	3
				Deficiency Rate:	0.00 %

---

**Reed & Perrine - Po Box 100 Tennent NJ 07763 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>	
E201600202	K2O	12.00 %	10.14 %	F	
E201600204	K2O	6.00 %	4.40 %	F	
E201600375	K2O	12.00 %	10.44 %	F	
E201600433	Fe	1.25 %	0.76 %	F	
				Total Samples Failed:	4
				Total Samples Submitted:	8
				Deficiency Rate:	50.00 %

---

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Risser Grain - Turbotville - 440 Beaver Run Rd Turbotville PA 17772-8513 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600652	K2O	20.00 %	17.99 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Scotts Company,The - 14111 Scottslawn Rd Marysville OH 43041 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>7</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Scotts Miracle Gro Products Inc - 14111 Scottslawn Road Marysville OH 43041 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600022	K2O	16.00 %	13.57 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>16.67 %</b>

**SiteOne Landscape Supply, dba Lesco Inc - Kay Licht - Regulatory Affairs 1385 East 36th Street  
Cleveland OH 44114-4114 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600051	K2O	3.00 %	2.47 %	F
E201600052	K2O	6.00 %	4.96 %	F
	TCV	100.00 %	91.23 %	F
E201600053	N	18.00 %	14.46 %	F
	K2O	3.00 %	2.27 %	F
	TCV	100.00 %	79.82 %	F
E201600214	N	18.00 %	14.53 %	F
	P2O5	24.00 %	20.86 %	F
	TCV	100.00 %	87.78 %	F
E201600282	K2O	4.00 %	3.34 %	F
E201600725	N	14.00 %	12.26 %	F
	TCV	100.00 %	92.40 %	F
E201700006	N	20.00 %	17.47 %	F
	TCV	100.00 %	93.13 %	F
	Fe	1.00 %	0.00	F
<b>Total Samples Failed:</b>				<b>7</b>
<b>Total Samples Submitted:</b>				<b>15</b>
<b>Deficiency Rate:</b>				<b>46.67 %</b>

**Solu-Cal USA,LTD - PO Box 278 22 Cranberry Highway W Wareham MA 02576 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

Deficiency Rate: **0.00 %**

**Southern States Coop Inc - 6606 West Broad Street Richmond VA 23230 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600368	N	5.00 %	4.15 %	F
	P2O5	10.00 %	8.62 %	F
	K2O	10.00 %	8.23 %	F
	TCV	100.00 %	84.07 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**SQM North America - 2727 Paces Ferry Rd- Bldg 2-Ste1425 Atlanta GA 30339 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Sun Bulb Co - 1615 S.W. Hwy 17 PO Box 698 Arcadia FL 34266 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Sustane Natural Fertilizer, Inc. - 310 Holiday Ave E Cannon Falls MN 55009-1198 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600429	N	15.00 %	13.09 %	F
	Fe	2.00 %	1.74 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Swiss Farms Products Inc dba Scotts Co - 3993 Howard Hughes Pky Ste250 Las Vegas NV 89169 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Synatek, LP - 737 Hagey Center Dr Unit A Souderton PA 18964-2404 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600444	K2O	6.00 %	4.97 %	F
	TCV	100.00 %	96.05 %	F
	Fe	1.60 %	0.95 %	F



**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Synatek, LP - 737 Hagey Center Dr Unit A Souderton PA 18964-2404 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600484	Fe	1.60 %	1.02 %	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>66.67 %</b>

**T R Shearer Ag Commodities, Inc. - 4691 Sandy Lake Road Carlton PA 16311 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**The Agronomy Center - 12039 Wm. Penn Highway Thompsettown PA 17094 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600581	K2O	20.00 %	16.58 %	F
	TCV	100.00 %	92.93 %	F
E201600582	TCV	100.00 %	84.70 %	F
	N	19.00 %	16.25 %	F
	P2O5	19.00 %	9.27 %	F
E201600584	N	10.00 %	5.77 %	F
	TCV	100.00 %	91.29 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**The Andersons, Inc. - PO Box 119 Maumee OH 43537 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600074	TCV	100.00 %	95.37 %	F
E201600087	N	3.00 %	2.54 %	F
	P2O5	14.00 %	12.00 %	F
E201600313	TCV	100.00 %	95.31 %	F
E201600367	P2O5	32.00 %	29.45 %	F
	TCV	100.00 %	95.86 %	F
E201600457	TCV	100.00 %	96.50 %	F
E201600458	TCV	100.00 %	96.96 %	F
E201600569	TCV	100.00 %	95.76 %	F
E201600636	TCV	100.00 %	96.48 %	F
<b>Total Samples Failed:</b>				<b>8</b>
<b>Total Samples Submitted:</b>				<b>27</b>
<b>Deficiency Rate:</b>				<b>29.63 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**The Andersons, Lordstown - 6161 Muth Rd Lordstown OH 44481 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600461	TCV	100.00 %	96.68 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**The Hawthorne Gardening Company - 800 Port Washington Blvd Port Washington NY 11050-3720 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600308	P2O5	4.00 %	3.37 %	F
E201600455	P2O5	4.00 %	3.21 %	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>40.00 %</b>

**The Master Gardner Co. - 5770 N Blackstock Rd Spartanburg SC 29303-6301 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600246	K2O	12.00 %	10.49 %	F
	TCV	100.00 %	89.53 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Turf Care Supply Corp - 50 Pearl Rd Ste 200 Brunswick OH 44212-5703 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600101	N	16.00 %	14.19 %	F
	P2O5	20.00 %	15.52 %	F
	TCV	100.00 %	85.45 %	F
E201600102	K2O	5.00 %	3.46 %	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Turf Care Supply Corp - 50 PEARL RD Ste 200 ATT BRAD KEEFER BRUNSWICK OH 44212 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600417	Fe	2.00 %	0.49 %	F
E201600560	P2O5	20.00 %	16.30 %	F
	TCV	100.00 %	91.54 %	F
E201600562	K2O	5.00 %	4.23 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>75.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Turf Chemicals Plus Inc/dba Bio plex - 114 Manheim St Mount Joy PA 17552 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600231	K2O	6.00 %	5.34 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Union Mill Div. Of Chemgro - 316 Applehouse Rd Belleville PA 17004-8628 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600275	N	10.00 %	8.64 %	F
	P2O5	10.00 %	8.76 %	F
	TCV	100.00 %	88.17 %	F
E201600278	P2O5	21.00 %	18.10 %	F
	TCV	100.00 %	91.03 %	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>40.00 %</b>

**Vogel Seed & Fertilizer, Inc. - 1891 Spring Valley Road Jackson WI 53037 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Voluntary Purchasing Groups, Inc. - 230 FM 87 Bonham TX 75418-8629 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Webb's Super-Gro Products, Inc - 30 Pennsylvania Avenue PO Box C Mill Hall PA 17751-0090 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600132	P2O5	10.00 %	8.46 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>16.67 %</b>

**Western Reserve Farm Cooperative Inc - 225 E Main Street PO Box 1030 Andover OH 44003 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600090	K2O	24.00 %	21.17 %	F
E201600094	N	5.00 %	4.39 %	F
	P2O5	20.00 %	17.29 %	F
	TCV	100.00 %	95.73 %	F
E201600097	N	10.00 %	8.95 %	F
	TCV	100.00 %	95.87 %	F
E201600098	TCV	100.00 %	96.30 %	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2016 to 6/30/2017

**Western Reserve Farm Cooperative Inc - 225 E Main Street PO Box 1030 Andover OH 44003 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600297	TCV	100.00 %	95.27 %	F
	P2O5	20.00 %	17.23 %	F
E201600385	N	20.00 %	17.69 %	F
	TCV	100.00 %	93.42 %	F
E201600489	N	10.00 %	6.84 %	F
	P2O5	10.00 %	7.57 %	F
	TCV	100.00 %	85.15 %	F
E201600490	N	18.00 %	15.92 %	F
E201600515	N	15.00 %	13.31 %	F
E201600516	N	20.00 %	17.85 %	F
	TCV	100.00 %	94.72 %	F
E201600579	N	10.00 %	7.31 %	F
	P2O5	10.00 %	8.77 %	F
	TCV	100.00 %	89.13 %	F
E201600580	K2O	20.00 %	17.93 %	F
E201600694	N	19.00 %	16.93 %	F
E201600696	Fe	1.00 %	0.50 %	F
<b>Total Samples Failed:</b>				<b>14</b>
<b>Total Samples Submitted:</b>				<b>58</b>
<b>Deficiency Rate:</b>				<b>24.14 %</b>

**Winfield Solutions LLC - PO Box 64589 St Paul MN 55164-0589 US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201600054	K2O	16.00 %	14.23 %	F
E201600418	K2O	11.00 %	9.07 %	F
E201600724	K2O	10.00 %	8.69 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>75.00 %</b>