

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2012 to 6/30/2013

Agricultural Commodities Inc - 1585 Granite Station Rd Gettysburg PA 17325-8299 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0.00 %

Agriliance LLC D/B/A Land of Lakes - Po Box 64089 St Paul MN 55164 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Agronomy Inc - 28 Fry Street PO Box 210 Mercersburg PA 17236 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200510	N	16.00 %	11.55 %	F
	P2O5	8.00 %	6.34 %	F
	K2O	8.00 %	6.61 %	F
	TCV	100.00 %	76.48 %	F
E201200511	K2O	15.00 %	12.96 %	F
E201200512	N	10.00 %	8.09 %	F
	P2O5	20.00 %	15.23 %	F
	TCV	100.00 %	86.77 %	F
Total Samples Failed:				3
Total Samples Submitted:				3
Deficiency Rate:				100.00 %

All Star Products Group LLC - PO Box 3179 Wallingford CT 06494 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Andersons Inc, Lordstown - 6161 Muth Rd Lordstown OH 44481 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200074	N	5.00 %	3.59 %	F
	P2O5	10.00 %	8.01 %	F
	K2O	10.00 %	8.91 %	F
	TCV	100.00 %	81.70 %	F
E201200075	N	12.00 %	9.30 %	F
	P2O5	12.00 %	10.69 %	F
	K2O	12.00 %	10.59 %	F
	TCV	100.00 %	84.97 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2012 to 6/30/2013

Andersons Inc, Lordstown - 6161 Muth Rd Lordstown OH 44481 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200520	N	19.00 %	16.04 %	F
Total Samples Failed:				3
Total Samples Submitted:				7
Deficiency Rate:				42.86 %

Andersons Lawn, Inc. - PO Box 119 Maumee OH 43537 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Andre & Son Inc - 17150 State Route 706 Montrose PA 18801-9771 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200374	N	15.00 %	9.40 %	F
	TCV	100.00 %	79.49 %	F
Total Samples Failed:				1
Total Samples Submitted:				5
Deficiency Rate:				20.00 %

Ball DPF, LLC - 401 N Walnut Street Sherman TX 75090 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200157	N	10.00 %	8.50 %	F
	P2O5	4.00 %	3.34 %	F
	K2O	3.00 %	2.56 %	F
	TCV	100.00 %	84.67 %	F
E201200548	P2O5	4.00 %	3.45 %	F
	K2O	4.00 %	2.88 %	F
	TCV	100.00 %	86.40 %	F
Total Samples Failed:				2
Total Samples Submitted:				2
Deficiency Rate:				100.00 %

Bedford Farm Bureau Co-op Somerset - 141 Maurice Lane Rockwood PA 15557 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0.00 %

Black Gold Envirosafe Inc - Po Box 190 Oxford FL 34484-0190 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2012 to 6/30/2013

Bonide Plants - 1727 Highway 223 Union Springs AL 36089 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200451	P2O5	4.00 %	3.19 %	F
	K2O	4.00 %	2.66 %	F
	TCV	100.00 %	82.00 %	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Bonide Products Inc. - 6301 Sutliff Rd Oriskany NY 13424-4341 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				5
Deficiency Rate:				0.00 %

Bricker's Choice - 5849 Front St PO Box 174 Marion PA 17235 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200393	K2O	10.00 %	8.24 %	F
E201200394	N	10.00 %	8.60 %	F
	K2O	10.00 %	8.52 %	F
	TCV	100.00 %	88.68 %	F
E201200395	TCV	100.00 %	94.80 %	F
E201200397	N	20.00 %	17.16 %	F
	TCV	100.00 %	92.96 %	F
Total Samples Failed:				4
Total Samples Submitted:				6
Deficiency Rate:				66.67 %

Chemgro Fertilizer Co Inc - 1550 State St East Petersburg PA 17520-1318 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200312	P2O5	10.00 %	8.91 %	F
E201200313	P2O5	14.00 %	11.69 %	F
	TCV	100.00 %	91.89 %	F
Total Samples Failed:				2
Total Samples Submitted:				3
Deficiency Rate:				66.67 %

Chemsico - Po Box 142642 Saint Louis MO 63114-0642 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Cornell Brothers Inc - 84 Milk Plant Rd PO Box 101 Middlebury Center PA 16935 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200539	K2O	20.00 %	17.41 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2012 to 6/30/2013

Cornell Brothers Inc - 84 Milk Plant Rd PO Box 101 Middlebury Center PA 16935 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200540	K2O	15.00 %	13.29 %	F
	TCV	100.00 %	96.11 %	F
E201200541	K2O	10.00 %	8.20 %	F
	TCV	100.00 %	96.25 %	F
Total Samples Failed:				3
Total Samples Submitted:				3
Deficiency Rate:				100.00 %

Crop Production Services Inc - 41 Greenleaf Rd Bloomsburg PA 17815-6573 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200460	Zn	0.47 %	0.37 %	F
Total Samples Failed:				1
Total Samples Submitted:				5
Deficiency Rate:				20.00 %

Csi Chemical Corp - Po Box 39 Bondurant IA 50035 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200551	N	6.00 %	0.00	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Cumberland Valley Coop. Assn - Po Box 350 Shippensburg PA 17257 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200216	K2O	60.00 %	39.87 %	F
	TCV	100.00 %	66.45 %	F
E201200217	N	10.00 %	7.84 %	F
	P2O5	10.00 %	8.94 %	F
	K2O	10.00 %	8.91 %	F
	TCV	100.00 %	85.64 %	F
E201200257	K2O	10.00 %	8.66 %	F
	TCV	100.00 %	89.76 %	F
E201200258	N	10.00 %	8.05 %	F
	TCV	100.00 %	86.97 %	F
E201200274	K2O	19.00 %	16.54 %	F
E201200438	P2O5	25.00 %	21.12 %	F
	TCV	100.00 %	95.56 %	F
E201200525	P2O5	5.00 %	4.09 %	F
	TCV	100.00 %	92.36 %	F
Total Samples Failed:				7
Total Samples Submitted:				11
Deficiency Rate:				63.64 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2012 to 6/30/2013

Deerfield Farms Service Inc - 193 Black Rd Volant PA 16156-4601 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200339	K2O	25.00 %	22.78 %	F
E201200340	K2O	24.00 %	19.45 %	F
E201200342	K2O	25.00 %	20.08 %	F
Total Samples Failed:				3
Total Samples Submitted:				7
Deficiency Rate:				42.86 %

Doggett Corp,The - 30 Cherry St Lebanon NJ 08833 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200490	K2O	8.00 %	3.80 %	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Domestic Fertilizer Inc. - c/o Registrations By Design Box 1019 Salem VA 21483 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Dr Earth INC - PO BOX 460 Winters CA 95694 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200151	P2O5	2.00 %	0.00	F
Total Samples Failed:				1
Total Samples Submitted:				5
Deficiency Rate:				20.00 %

Dramm Corporation - 2000 N 18th St Attention: Tim Tetzlaff Po Box 1960 Manitowoc WI 54221-1960 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Dyna-Gro - 2775 Giant Rd Richmond CA 94806 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2012 to 6/30/2013

Easy Gardener - PO BOX 1025 Waco TX 76702 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Easy Gardener Inc - PO BOX 21025 Waco TX 76702 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200239	K2O	4.00 %	3.20 %	F
Total Samples Failed:				1
Total Samples Submitted:				21
Deficiency Rate:				4.76 %

Encap LLC - 3921 Algoma Road Green Bay WI 54311 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200387	Ca	22.00 %	19.27 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Espoma Co., The - 6 Espoma Rd Millville NJ 08332 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200127	N	5.00 %	4.19 %	F
E201200128	TCV	100.00 %	94.67 %	F
E201200131	N	2.00 %	1.64 %	F
E201200245	P2O5	2.00 %	0.00	F
	TCV	100.00 %	95.44 %	F
E201200497	P2O5	4.00 %	2.69 %	F
Total Samples Failed:				5
Total Samples Submitted:				19
Deficiency Rate:				26.32 %

Ferti Technologies Nutrite - 560 Rheahme C P 129 St Michael QC JOL 2JO CA

Sample ID	Component Code	Guaranteed	Found	Status
E201200067	N	5.00 %	3.97 %	F
	P2O5	4.00 %	2.95 %	F
	K2O	3.00 %	2.25 %	F
	TCV	100.00 %	76.37 %	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Fisher & Son Company Inc - 110 Summit Dr Exton PA 19341-2838 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200072	N	24.00 %	20.23 %	F
	K2O	5.00 %	4.06 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2012 to 6/30/2013

Fisher & Son Company Inc - 110 Summit Dr Exton PA 19341-2838 US

Sample ID	Component Code	Guaranteed	Found	Status
	TCV	100.00 %	87.59 %	F
Total Samples Failed:				1
Total Samples Submitted:				4
Deficiency Rate:				25.00 %

Florikan E.S.A. LLC - 1579 Barber Road Sarasota FL 34240 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200143	P2O5	5.00 %	4.13 %	F
	Ca	4.50 %	3.72 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Foster Turf Products LLC - 88-200 Ave 58 Thermal CA 92274 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Good Earth/dba/ Hoffman,A H - 5960 Broadway Po Box 290 Lancaster NY 14086-0290 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200567	N	4.00 %	3.04 %	F
	TCV	100.00 %	93.29 %	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33 %

Green Light Company - 1600 Riviera Avenue Suite 200 Walnut Creek CA 94596 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Green Light Company - PO Box 17985 San Antonio TX 78217 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Green Light, A Valent USA Company - 1600 Riviera Avenue #200 Walnut Creek CA 94596-8025 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200519	N	5.00 %	4.43 %	F
Total Samples Failed:				1
Total Samples Submitted:				4

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2012 to 6/30/2013

Deficiency Rate: 25.00 %

Gro Tec Inc - P.O. Box 290 Madison GA 30650 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200011	P2O5	6.00 %	5.27 %	F
E201200123	N	6.00 %	5.31 %	F
	P2O5	10.00 %	8.14 %	F
	K2O	10.00 %	8.89 %	F
	TCV	100.00 %	85.65 %	F
E201200220	P2O5	6.00 %	4.83 %	F
	K2O	6.00 %	4.51 %	F
	TCV	100.00 %	88.75 %	F
E201200230	TCV	100.00 %	92.30 %	F
E201200516	P2O5	10.00 %	8.23 %	F
	K2O	10.00 %	7.44 %	F
	TCV	100.00 %	82.65 %	F
Total Samples Failed:				5
Total Samples Submitted:				12
Deficiency Rate:				41.67 %

Gro-mor Plant Food Co - 281 Farmland Rd Leola PA 17540 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200047	TCV	100.00 %	95.61 %	F
E201200048	TCV	100.00 %	95.88 %	F
Total Samples Failed:				2
Total Samples Submitted:				4
Deficiency Rate:				50.00 %

Growmark FS LLC - Packer Ave., PO Box 71 Towanda PA 18848 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200329	N	17.00 %	14.91 %	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Growmark FS LLC - 308 NE Front St Milford DE 19963-1434 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200228	TCV	100.00 %	85.51 %	F
	P2O5	34.00 %	27.15 %	F
E201200331	K2O	8.00 %	7.02 %	F
Total Samples Failed:				2
Total Samples Submitted:				8
Deficiency Rate:				25.00 %

Growmark FS LLC - 1016 Route 519 Eighty Four PA 15330-2812 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200362	K2O	19.00 %	15.59 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2012 to 6/30/2013

Total Samples Failed: 1
Total Samples Submitted: 2
Deficiency Rate: 50.00 %

Growmark FS, LLC D/B/A Codorus Fertilizer Service - 4 Kraft Mill Rd Po Box 220 Codorus PA 17311 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200289	P2O5	10.00 %	7.86 %	F
	TCV	100.00 %	93.27 %	F
E201200292	P2O5	10.00 %	6.41 %	F
	TCV	100.00 %	90.77 %	F
Total Samples Failed:				2
Total Samples Submitted:				11
Deficiency Rate:				18.18 %

Growmark Inc - 1701 Towanda Ave Bloomington IL 61701-2057 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200035	K2O	10.00 %	8.09 %	F
	TCV	100.00 %	96.82 %	F
E201200178	K2O	20.00 %	17.68 %	F
E201200199	P2O5	5.00 %	4.37 %	F
	K2O	10.00 %	8.26 %	F
	TCV	100.00 %	88.08 %	F
E201200255	N	10.00 %	8.82 %	F
	P2O5	10.00 %	8.23 %	F
	K2O	10.00 %	8.54 %	F
	TCV	100.00 %	85.20 %	F
E201200256	K2O	15.00 %	12.97 %	F
	TCV	100.00 %	96.95 %	F
E201200345	TCV	100.00 %	91.90 %	F
E201200371	K2O	12.00 %	10.49 %	F
	TCV	100.00 %	95.91 %	F
E201200372	P2O5	10.00 %	8.89 %	F
	K2O	10.00 %	8.87 %	F
	TCV	100.00 %	89.34 %	F
E201200402	P2O5	20.00 %	9.93 %	F
	K2O	20.00 %	10.72 %	F
	TCV	100.00 %	72.69 %	F
E201200404	TCV	100.00 %	92.58 %	F
E201200585	K2O	12.00 %	10.79 %	F
	TCV	100.00 %	95.21 %	F
Total Samples Failed:				11
Total Samples Submitted:				34
Deficiency Rate:				32.35 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2012 to 6/30/2013

Growmark Inc - 1701 Towanda Ave Bloomington IL 61701 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200484	N	20.00 %	17.26 %	F
	TCV	100.00 %	88.64 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Growmark Inc - 1080 Elmwood St East Liverpool OH 43920 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Growmark, Inc. - Po Box 2500 Bloomington IL 61702-2500 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200061	TCV	100.00 %	94.58 %	F
E201200062	P2O5	32.00 %	28.67 %	F
	TCV	100.00 %	92.71 %	F
E201200364	TCV	100.00 %	94.24 %	F
E201200365	N	10.00 %	8.59 %	F
	P2O5	10.00 %	8.88 %	F
	TCV	100.00 %	88.56 %	F
Total Samples Failed:				4
Total Samples Submitted:				15
Deficiency Rate:				26.67 %

Harrells LLC - 720 Kraft Rd Lakeland FL 33815-3244 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200437	N	18.00 %	14.33 %	F
	TCV	100.00 %	84.55 %	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33 %

Helena Chemical - 2413 Pennington Rd PO Box 131 Warriors Mark PA 16877-0131 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200500	P2O5	10.00 %	8.31 %	F
	K2O	10.00 %	8.99 %	F
	TCV	100.00 %	89.22 %	F
E201200501	TCV	100.00 %	95.47 %	F
Total Samples Failed:				2
Total Samples Submitted:				2
Deficiency Rate:				100.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Fertilizer Laboratory Tests

Date Range: 7/1/2012 to 6/30/2013

Helena Chemical Co - 225 Shilling Boulevard Collierville TN 38017 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200060	N	10.00 %	8.51 %	F
	P2O5	10.00 %	7.76 %	F
	TCV	100.00 %	91.72 %	F
E201200546	P2O5	28.00 %	24.47 %	F
	TCV	100.00 %	92.31 %	F
Total Samples Failed:				2
Total Samples Submitted:				2
Deficiency Rate:				100.00 %

Hostetter Farm Supply Inc - 4855 Hanover Road Hanover PA 17331 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				4
Deficiency Rate:				0.00 %

Infinity Fertilizers Inc - 6300 75Th Ave Milan IL 61264-3267 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200560	K2O	20.00 %	16.22 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

J & J Agri Prod & Serv Inc - 220 S Second Street Dillsburg PA 17019 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

J R Peters Inc - 6656 Grant Way Allentown PA 18106 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200158	K2O	22.00 %	18.95 %	F
	TCV	100.00 %	96.23 %	F
E201200491	N	12.00 %	9.98 %	F
Total Samples Failed:				2
Total Samples Submitted:				6
Deficiency Rate:				33.33 %

Jobe's Easy Gardener, Inc - Po Box 21025 Waco TX 76702-1025 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2012 to 6/30/2013

**John Deere Landscape DBA Lesco Inc - Lynn Roberts- Regulatory Affairs 1385 East 36th Street
Cleveland OH 44114-4114 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201200042	N	24.00 %	20.35 %	F
	P2O5	5.00 %	4.29 %	F
	Fe	2.00 %	1.65 %	F
	Mn	1.00 %	0.83 %	F
E201200043	N	24.00 %	20.89 %	F
	TCV	100.00 %	94.08 %	F
E201200044	K2O	4.00 %	3.34 %	F
E201200079	Fe	0.70 %	0.35 %	F
E201200080	K2O	6.00 %	4.98 %	F
	Fe	5.00 %	2.64 %	F
E201200185	Fe	2.00 %	1.02 %	F
Total Samples Failed:				6
Total Samples Submitted:				14
Deficiency Rate:				42.86 %

Jonathan Green, Inc. - Po Box 326 Farmingdale NJ 07727 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200092	K2O	8.00 %	7.15 %	F
	TCV	100.00 %	91.72 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Judsons Inc - 6872 Austinville Rd Columbia Cross Roads PA 16914 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Jungle Growth LLC - 1771 Broad Street Statham GA 30666 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Kepner Farm Supply LLC - 429 Maple Lane Muncy PA 17756 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200324	N	15.00 %	12.97 %	F
	TCV	100.00 %	93.52 %	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2012 to 6/30/2013

Key State Ag Service - 611 Ridge Rd New Enterprise PA 16664-8526 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Kirby Agri Inc - 2313 Norman Rd Lancaster PA 17601 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200243	K2O	20.00 %	17.46 %	F
	TCV	100.00 %	94.48 %	F
E201200535	N	10.00 %	8.57 %	F
	TCV	100.00 %	95.69 %	F
E201200536	K2O	20.00 %	16.57 %	F
	TCV	100.00 %	94.14 %	F
E201200537	N	20.00 %	17.28 %	F
	K2O	10.00 %	7.06 %	F
	TCV	100.00 %	85.04 %	F
Total Samples Failed:				4
Total Samples Submitted:				10
Deficiency Rate:				40.00 %

Kirby Agri Inc - 500 Running Pump Road Lancaster PA 17607-6277 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200003	P2O5	10.00 %	8.81 %	F
E201200005	Zn	1.00 %	0.70 %	F
E201200201	K2O	10.00 %	8.77 %	F
	TCV	100.00 %	95.24 %	F
E201200234	K2O	19.00 %	15.85 %	F
E201200236	K2O	10.00 %	8.88 %	F
	TCV	100.00 %	93.37 %	F
E201200262	K2O	10.00 %	8.15 %	F
	TCV	100.00 %	91.28 %	F
E201200314	TCV	100.00 %	91.05 %	F
E201200321	K2O	20.00 %	17.07 %	F
	TCV	100.00 %	94.29 %	F
E201200326	N	10.00 %	8.58 %	F
	P2O5	20.00 %	17.33 %	F
	K2O	10.00 %	8.26 %	F
	TCV	100.00 %	85.55 %	F
E201200327	N	20.00 %	15.37 %	F
	K2O	10.00 %	6.22 %	F
	TCV	100.00 %	81.48 %	F
E201200336	K2O	20.00 %	13.18 %	F
	TCV	100.00 %	91.90 %	F
E201200347	N	10.00 %	8.62 %	F
	P2O5	10.00 %	8.89 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2012 to 6/30/2013

Kirby Agri Inc - 500 Running Pump Road Lancaster PA 17607-6277 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200348	TCV	100.00 %	88.57 %	F
	K2O	10.00 %	8.08 %	F
E201200413	TCV	100.00 %	92.59 %	F
	K2O	20.00 %	17.74 %	F
E201200414	N	15.00 %	12.71 %	F
	K2O	15.00 %	12.68 %	F
E201200415	TCV	100.00 %	89.51 %	F
	P2O5	20.00 %	16.98 %	F
	K2O	20.00 %	17.86 %	F
E201200416	TCV	100.00 %	86.89 %	F
	K2O	10.00 %	7.82 %	F
	TCV	100.00 %	89.52 %	F
E201200481	N	10.00 %	8.27 %	F
	K2O	10.00 %	6.84 %	F
	TCV	100.00 %	84.69 %	F
E201200483	K2O	20.00 %	16.83 %	F
	TCV	100.00 %	90.07 %	F
E201200542	K2O	20.00 %	16.47 %	F
	TCV	100.00 %	95.00 %	F
Total Samples Failed:				20
Total Samples Submitted:				33
Deficiency Rate:				60.61 %

Knox Fertilizer Company Inc - Po Box 248 Knox IN 46534 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200120	TCV	100.00 %	96.19 %	F
	P2O5	54.00 %	48.53 %	F
E201200392	P2O5	54.00 %	51.41 %	F
E201200557	K2O	16.00 %	14.08 %	F
E201200563	TCV	100.00 %	93.92 %	F
E201200565	N	12.00 %	10.45 %	F
Total Samples Failed:				5
Total Samples Submitted:				14
Deficiency Rate:				35.71 %

Kreider, Franklin H. - 2400 Dairy Road Lancaster PA 17601 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Lakeview Fertilizer Inc - 4870 Sandy Lake Greenville Rd Sandy Lake PA 16145-2032 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200211	N	10.00 %	8.99 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2012 to 6/30/2013

Lakeview Fertilizer Inc - 4870 Sandy Lake Greenville Rd Sandy Lake PA 16145-2032 US

Sample ID	Component Code	Guaranteed	Found	Status
	TCV	100.00 %	95.88 %	F
Total Samples Failed:				1
Total Samples Submitted:				4
Deficiency Rate:				25.00 %

Laminations Inc - Earthbox, Inc. 1350 Von Storch Ave Scranton PA 18509 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200116	Ca	5.00 %	4.10 %	F
	Fe	4.00 %	3.37 %	F
E201200486	Ca	5.00 %	4.20 %	F
Total Samples Failed:				2
Total Samples Submitted:				5
Deficiency Rate:				40.00 %

Lebanon Seaboard Corp - 1600 E Cumberland St Lebanon PA 17042 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200078	N	24.00 %	19.33 %	F
E201200261	N	20.00 %	17.99 %	F
	TCV	100.00 %	96.64 %	F
E201200507	P2O5	7.00 %	6.15 %	F
Total Samples Failed:				3
Total Samples Submitted:				8
Deficiency Rate:				37.50 %

Lilly Miller Brands - 1000 Parkwood Circle Ste 700 Atlanta GA 30339 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200304	N	15.00 %	11.58 %	F
	P2O5	30.00 %	0.00	F
	K2O	15.00 %	9.08 %	F
	TCV	100.00 %	32.25 %	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33 %

Lilly Miller Brands - 1340 Treat Blvd Ste 650 Suite 650 Walnut Creek CA 94597-2136 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200032	K2O	16.00 %	12.49 %	F
E201200147	K2O	16.00 %	10.45 %	F
Total Samples Failed:				2
Total Samples Submitted:				8
Deficiency Rate:				25.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Fertilizer Laboratory Tests

Date Range: 7/1/2012 to 6/30/2013

Little Britain Ag Supply, Inc - 398 Little Britain Rd N Quarryville PA 17566-9644 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200420	N	9.00 %	7.95 %	F
E201200424	TCV	100.00 %	92.85 %	F
Total Samples Failed:				2
Total Samples Submitted:				5
Deficiency Rate:				40.00 %

Mainville Ag Services Inc - 360 Main Mifflin Road Bloomsburg PA 17815-6753 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200466	TCV	100.00 %	96.93 %	F
Total Samples Failed:				1
Total Samples Submitted:				4
Deficiency Rate:				25.00 %

Mars Fishcare North America, Inc - 50 Hamilton St Chalfont PA 18914-2908 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Martins Ag Service - 338 Grist Mill Rd New Holland PA 17557-9776 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200355	TCV	100.00 %	95.48 %	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Martins Elevator Inc - 13219 Maugansville Rd Hagerstown MD 21740-2448 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Master Nursery Garden Centers - 2151 Salvio St 225 Concord CA 94520 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Master Nursery Garden Centers - 190 S. Orchard Ave, Suite B230 Vacaville CA 95688 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2012 to 6/30/2013

Mausdale Farm Supply, LLC - 10 Old Valley School Rd Danville PA 17821 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200202	N	5.00 %	3.96 %	F
	P2O5	10.00 %	8.67 %	F
	TCV	100.00 %	86.54 %	F
E201200203	TCV	100.00 %	95.29 %	F
E201200204	TCV	100.00 %	95.40 %	F
E201200248	TCV	100.00 %	95.10 %	F
E201200249	TCV	100.00 %	94.49 %	F
E201200250	TCV	100.00 %	94.21 %	F
E201200252	K2O	15.00 %	11.94 %	F
	TCV	100.00 %	95.26 %	F
E201200253	K2O	20.00 %	17.07 %	F
	TCV	100.00 %	94.80 %	F
E201200403	N	20.00 %	9.49 %	F
E201200583	K2O	20.00 %	17.83 %	F
	TCV	100.00 %	92.16 %	F
Total Samples Failed:				10
Total Samples Submitted:				18
Deficiency Rate:				55.56 %

Meherrin Industries - PO Box 310 4136 Severn Road Severn NC 27877 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200367	N	10.00 %	8.56 %	F
	TCV	100.00 %	91.55 %	F
E201200368	N	12.00 %	9.71 %	F
	P2O5	12.00 %	10.65 %	F
	TCV	100.00 %	89.48 %	F
Total Samples Failed:				2
Total Samples Submitted:				2
Deficiency Rate:				100.00 %

Mifflinburg Farmers Exchange Inc - 660 Mulberry Street PO Box 26 Mifflinburg PA 17844 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Miller Chemical & Fertilizer Corp - Po Box 333 Hanover PA 17331 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Fertilizer Laboratory Tests

Date Range: 7/1/2012 to 6/30/2013

Miracle Gro Lawn Products Inc/dba Scotts - 14111 Scottslawn Road Marysville OH 43041 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200307	P2O5	4.00 %	3.50 %	F
	TCV	100.00 %	95.50 %	F
Total Samples Failed:				1
Total Samples Submitted:				8
Deficiency Rate:				12.50 %

Morrall Companies Llc - 132 Postle Street Po Box 26 Morral OH 43337 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200350	K2O	12.00 %	10.43 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Pennington Seed Inc - 1280 Atlanta Hwy P O Box 290 Madison GA 30650 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Perfectly Natural Solution Inc - Po Box 955 Pittsburgh PA 15230-0955 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Plantation Products - 202 S Washington St Norton MA 02766 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Raymond D Eck & Sons Inc - 112 Harris St PO Box 344 Jersey Shore PA 17740-1112 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Red Lion Grain Center - 1000 Delta Road Red Lion PA 17356 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2012 to 6/30/2013

Reed & Perrine - Po Box 100 Tennent NJ 07763 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200170	Fe	1.00 %	0.84 %	F
E201200171	K2O	10.00 %	8.60 %	F
Total Samples Failed:				2
Total Samples Submitted:				4
Deficiency Rate:				50.00 %

Risser Grain - Turbotville - 440 Beaver Run Rd Turbotville PA 17772-8513 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				4
Deficiency Rate:				0.00 %

Rod McLellan Company - Po Box 70 Independence OR 97351-0070 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200316	P2O5	2.00 %	1.04 %	F
E201200488	P2O5	2.00 %	1.29 %	F
Total Samples Failed:				2
Total Samples Submitted:				4
Deficiency Rate:				50.00 %

Saltwater Farms - Po Box 307 South Freeport ME 04078-0307 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Sanco Industries, Inc - P.O. Box 11617 1819 S Calhoun St Fort Wayne IN 46859 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200138	TCV	100.00 %	95.29 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Schultz Co. - PO BOX 4406 Bridgeton MO 63044 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200493	TCV	100.00 %	95.41 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2012 to 6/30/2013

Scotts Company,The - 14111 Scottslawn Rd Marysville OH 43041 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	13
				Deficiency Rate:	0.00 %

Scotts Miracle Gro Products Inc - 14111 Scottslawn Road Marysville OH 43041 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	5
				Deficiency Rate:	0.00 %

Scotts Sierra Hort Prod Co - 14111 Scottslawn Road Marysville OH 43041 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	3
				Deficiency Rate:	0.00 %

Solu-Cal USA,LTD - P O Box 278 22 Cranberry Highway W Wareham MA 02576 US

Sample ID	Component Code	Guaranteed	Found	Status	
E201200068	N	6.00 %	5.10 %	F	
	P2O5	12.00 %	9.90 %	F	
	K2O	6.00 %	4.91 %	F	
	TCV	100.00 %	82.96 %	F	
				Total Samples Failed:	1
				Total Samples Submitted:	1
				Deficiency Rate:	100.00 %

Southern States Coop Inc - 6606 West Broad Street Richmond VA 23230 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	2
				Deficiency Rate:	0.00 %

Spectrum Group - PO BOX 142642 St Louis MO 63114 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Sun Bulb Co - 1615 S.W. Hwy 17 PO Box 698 Arcadia FL 34266 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200018	P2O5	14.00 %	11.77 %	F
	K2O	13.00 %	10.03 %	F
	TCV	100.00 %	96.14 %	F
	Fe	0.20 %	0.15 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2012 to 6/30/2013

Sun Bulb Co - 1615 S.W. Hwy 17 PO Box 698 Arcadia FL 34266 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200167	TCV	100.00 %	94.31 %	F
	P2O5	14.00 %	10.85 %	F
Total Samples Failed:				2
Total Samples Submitted:				9
Deficiency Rate:				22.22 %

Sunleaves Garden Products - 7854 N State Road 37 Bloomington IN 47404 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Swiss Farms Products Inc%Scotts Co - 3993 Howard Hughes Pky Ste250 Las Vegas NV 89169 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200002	N	10.00 %	7.74 %	F
	TCV	100.00 %	90.44 %	F
E201200102	K2O	8.00 %	6.09 %	F
E201200195	N	15.00 %	13.05 %	F
	P2O5	30.00 %	25.69 %	F
E201200431	TCV	100.00 %	91.43 %	F
	N	9.00 %	7.46 %	F
Total Samples Failed:				4
Total Samples Submitted:				21
Deficiency Rate:				19.05 %

Sylco Service & Terminal Co - 6395 State Rte 103 N Bldg 63 Lewistown PA 17044 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Synatek - 737 Hagey Center Drive Unit A Souderton PA 18964 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200082	K2O	6.00 %	5.17 %	F
	TCV	100.00 %	92.25 %	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

The Agronomy Center - 12039 Wm. Penn Highway Thompsontown PA 17094 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200317	TCV	100.00 %	91.50 %	F
Total Samples Failed:				1
Total Samples Submitted:				1

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2012 to 6/30/2013

Deficiency Rate: 100.00 %

The Lawn Depot Inc - 275 Edison Furlong Road Doylestown PA 18901 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200081	TCV	100.00 %	96.70 %	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

The Scotts Company - 14111 Scottslawn Rd Marysville OH 43041 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0.00 %

The Whitney Farms - Po Box 190 Marysville OH 43040-0190 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Tri State Turf Supply - 1544 A Campus Dr Warminster PA 18974-3971 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200064	P2O5	24.00 %	21.97 %	F
	K2O	10.00 %	8.71 %	F
	TCV	100.00 %	91.95 %	F
E201200069	K2O	5.00 %	4.21 %	F
	TCV	100.00 %	90.40 %	F
Total Samples Failed:				2
Total Samples Submitted:				4
Deficiency Rate:				50.00 %

Union Mill Div. Of Chemgro - 316 Applehouse Rd Belleville PA 17004-8628 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200050	TCV	100.00 %	95.29 %	F
E201200471	TCV	100.00 %	92.18 %	F
	P2O5	21.00 %	18.62 %	F
Total Samples Failed:				2
Total Samples Submitted:				6
Deficiency Rate:				33.33 %

United Compost & Organics Inc - Po Box 787 Arcata CA 95518-0787 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2012 to 6/30/2013

Upper Dauphin Grain - 287 Kocher Rd Elizabethville PA 17023 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200278	TCV	100.00 %	94.89 %	F
E201200279	K2O	20.00 %	15.56 %	F
E201200282	N	10.00 %	8.00 %	F
	TCV	100.00 %	91.25 %	F
Total Samples Failed:				3
Total Samples Submitted:				5
Deficiency Rate:				60.00 %

Voluntary Purchasing Groups - 230 FM 87 Bonham TX 75418 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200246	N	6.00 %	5.11 %	F
	P2O5	8.00 %	7.04 %	F
	K2O	6.00 %	4.90 %	F
	TCV	100.00 %	85.45 %	F
Total Samples Failed:				1
Total Samples Submitted:				10
Deficiency Rate:				10.00 %

W Atlee Burpee Co - 300 Park Ave Warminster PA 18974 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Warburton Greenhouses Inc - 6005 Schoolhouse Rd Elizabethtown PA 17022-8302 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Webb's Super-Gro Products, Inc - 30 Pennsylvania Avenue PO Box C Mill Hall PA 17751-0090 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200053	K2O	20.00 %	17.59 %	F
	TCV	100.00 %	90.90 %	F
E201200054	N	10.00 %	8.38 %	F
	P2O5	10.00 %	7.50 %	F
	K2O	20.00 %	16.77 %	F
	TCV	100.00 %	81.36 %	F
E201200057	K2O	27.00 %	21.78 %	F
	TCV	100.00 %	95.98 %	F
E201200457	K2O	13.00 %	11.62 %	F
E201200554	K2O	13.00 %	11.67 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2012 to 6/30/2013

Webb's Super-Gro Products, Inc - 30 Pennsylvania Avenue PO Box C Mill Hall PA 17751-0090 US

Sample ID	Component Code	Guaranteed	Found	Status
	TCV	100.00 %	95.61 %	F
Total Samples Failed:				5
Total Samples Submitted:				14
Deficiency Rate:				35.71 %

Western Reserve Farm Cooperative Inc - 225 E Main Street PO Box 1030 Andover OH 44003 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200058	K2O	9.00 %	8.00 %	F
	TCV	100.00 %	96.93 %	F
E201200475	K2O	20.00 %	17.72 %	F
E201200476	TCV	100.00 %	96.48 %	F
E201200478	P2O5	32.00 %	29.57 %	F
E201200533	TCV	100.00 %	96.25 %	F
E201200566	K2O	15.00 %	12.95 %	F
Total Samples Failed:				6
Total Samples Submitted:				13
Deficiency Rate:				46.15 %

Willard Agri Service Inc - PO Box 321 5325 3rd Street Marion PA 17235 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200509	TCV	100.00 %	94.68 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Winfield Solutions LLC - PO Box 64589 St Paul MN 55164-0589 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200039	N	24.00 %	21.56 %	F
	K2O	4.00 %	3.05 %	F
	TCV	100.00 %	88.05 %	F
E201200040	P2O5	6.00 %	5.32 %	F
	K2O	16.00 %	13.50 %	F
	TCV	100.00 %	93.10 %	F
E201200100	P2O5	10.00 %	7.72 %	F
	K2O	10.00 %	7.62 %	F
	TCV	100.00 %	84.76 %	F
E201200222	P2O5	10.00 %	8.42 %	F
E201200346	Fe	2.00 %	1.59 %	F
E201200409	K2O	16.00 %	12.20 %	F
	TCV	100.00 %	88.68 %	F
E201200410	K2O	4.00 %	2.83 %	F
E201200411	TCV	100.00 %	95.67 %	F
E201200439	N	20.00 %	16.24 %	F
	TCV	100.00 %	87.33 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2012 to 6/30/2013

Winfield Solutions LLC - PO Box 64589 St Paul MN 55164-0589 US

Sample ID	Component Code	Guaranteed	Found	Status
E201200526	P2O5	6.00 %	4.71 %	F
E201200527	N	18.00 %	14.54 %	F
E201200529	P2O5	24.00 %	20.99 %	F
	K2O	6.00 %	4.21 %	F
	TCV	100.00 %	91.76 %	F
E201200549	N	10.00 %	8.57 %	F
	TCV	100.00 %	94.59 %	F
E201200550	K2O	4.00 %	3.43 %	F
E201200584	N	24.00 %	21.56 %	F
	TCV	100.00 %	92.35 %	F
Total Samples Failed:				15
Total Samples Submitted:				22
Deficiency Rate:				68.18 %
