

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

A H HOFFMAN - 167 Greenfield Rd Lancaster PA 17601-5814 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	2
				Deficiency Rate:	0.00 %

Agriliance LLC D/B/A Land of Lakes - Po Box 64089 St Paul MN 55164 US

Sample ID	Component Code	Guaranteed	Found	Status	
E200800417	TCV	100.00	96.26	F	
	P2O5	3.00	2.05	F	
E200800418	TCV	100.00	83.04	F	
	N	12.00	10.78	F	
	P2O5	12.00	8.42	F	
E200800420	K2O	4.00	3.01	F	
				Total Samples Failed:	3
				Total Samples Submitted:	3
				Deficiency Rate:	100.00 %

Agronomy Center, The - Old Route 22 322 Thompsettown PA 17094 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Agronomy Inc - 28 Fry Street PO Box 210 Mercersburg PA 17236 US

Sample ID	Component Code	Guaranteed	Found	Status	
E200800508	K2O	15.00	13.44	F	
				Total Samples Failed:	1
				Total Samples Submitted:	2
				Deficiency Rate:	50.00 %

AgStar Agronomy Inc - 210 Milford St Port Royal PA 17082 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	2
				Deficiency Rate:	0.00 %

Alaska Fish Fertilizer Co - 865 Land Ave SW PO Box 737 Reuton WA 98057 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

Albrights Mill LLC - 9927 Kistler Valley Road PO Box 195 Kempton PA 19529 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				4
Deficiency Rate:				0.00 %

Alljack - PO BOX 142642 St Louis MO 63114 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Amsoil Inc - 925 Tower Ave Superior WI 54880 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800158	P2O5	3.00	2.50	F
	TCV	100.00	95.21	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Anderson Fertilizer Lordstown - 6161 Muth Rd Lordstown OH 44481 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800059	N	20.00	15.52	F
	P2O5	10.00	7.73	F
	TCV	100.00	81.33	F
E200800060	TCV	100.00	96.58	F
E200800061	K2O	42.00	39.33	F
Total Samples Failed:				3
Total Samples Submitted:				3
Deficiency Rate:				100.00 %

Andersons Inc, Lordstown - 6161 Muth Rd Lordstown OH 44481 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800588	N	5.00	4.22	F
	P2O5	10.00	8.85	F
	K2O	10.00	8.63	F
	TCV	100.00	86.90	F
E200800589	TCV	100.00	96.79	F
E200800591	K2O	42.00	39.16	F
Total Samples Failed:				3
Total Samples Submitted:				7
Deficiency Rate:				42.86 %

Andersons Inc,The - 521 Illinois Ave Po Box 119 Maumee OH 43537 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800442	TCV	100.00	96.39	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Fertilizer Laboratory Tests

Date Range: 7/1/2008 to 6/30/2009

Andersons Inc,The - 521 Illinois Ave Po Box 119 Maumee OH 43537 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800570	P2O5	10.00	7.91	F
	TCV	100.00	93.09	F
E200800573	TCV	100.00	95.44	F
	P2O5	15.00	12.87	F
E200800576	N	8.00	6.31	F
	P2O5	32.00	23.46	F
	TCV	100.00	89.97	F
Total Samples Failed:				4
Total Samples Submitted:				15
Deficiency Rate:				26.67 %

Andersons Lawn Fertilizer Division Inc - PO BOX 119 Maumee OH 43537 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800075	Mn	0.50	0.37	F
E200800322	N	12.00	9.81	F
	P2O5	12.00	10.75	F
	TCV	100.00	87.15	F
E200800402	Cu	0.30	0.00	F
Total Samples Failed:				3
Total Samples Submitted:				8
Deficiency Rate:				37.50 %

Andre & Son Inc - 17150 State Route 706 Montrose PA 18801 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800314	K2O	8.00	6.80	F
Total Samples Failed:				1
Total Samples Submitted:				8
Deficiency Rate:				12.50 %

Bedford Farm Bureau; New Enterprise - 449 Cave Road New Enterprise PA 16664 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800474	N	17.00	14.65	F
E200800475	K2O	11.00	7.52	F
Total Samples Failed:				2
Total Samples Submitted:				3
Deficiency Rate:				66.67 %

Bioz Agri Products Inc - RR #1 9551-306 th Ave S.40 C17 Oliver -Canada BC VOH 1-TO CA

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

Bonide Plants - 1727 Highway 223 Union Springs AL 36089 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Bonide Products Inc. - 6301 Sutliff Rd Oriskany NY 13424-4341 US

Sample ID	Component Code	Guaranteed	Found	Status	
E200800137	K2O	5.00	2.80	F	
	TCV	100.00	95.29	F	
E200800151	N	8.00	6.81	F	
	TCV	100.00	94.55	F	
				Total Samples Failed:	2
				Total Samples Submitted:	6
				Deficiency Rate:	33.33 %

Cameron Chemical Inc - 830 Old Dill Road Suffolk VA 23434 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Carolina Eastern Inc - Po Box 30008 Charleston SC 29417 US

Sample ID	Component Code	Guaranteed	Found	Status	
E200800636	N	46.00	0.00	F	
				Total Samples Failed:	1
				Total Samples Submitted:	2
				Deficiency Rate:	50.00 %

Chemgro Fertilizer Co Inc - 1550 State St East Petersburg PA 17520-1318 US

Sample ID	Component Code	Guaranteed	Found	Status	
E200800069	P2O5	4.00	2.69	F	
	K2O	4.00	3.51	F	
E200800070	K2O	10.00	8.30	F	
				Total Samples Failed:	2
				Total Samples Submitted:	5
				Deficiency Rate:	40.00 %

Chemsico - Po Box 142642 Saint Louis MO 63114-0642 US

Sample ID	Component Code	Guaranteed	Found	Status	
E200800321	Fe	1.00	0.10	F	
				Total Samples Failed:	1
				Total Samples Submitted:	5
				Deficiency Rate:	20.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

Crop Production Services Inc - 41 Greenleaf Rd Bloomsburg PA 17815 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800617	TCV	100.00	94.88	F
	P2O5	34.00	31.12	F
Total Samples Failed:				1
Total Samples Submitted:				6
Deficiency Rate:				16.67 %

Cumberland Valley Coop. Assn - Po Box 350 Shippensburg PA 17257 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800330	K2O	10.00	8.74	F
	TCV	100.00	95.54	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Doggett Corp,The - 30 Cherry St Lebanon NJ 08833 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800013	TCV	100.00	93.60	F
	P2O5	52.00	44.95	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Domestic Fertilizer Inc. - 1750 17th Street Paris KY 40361 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0.00 %

DP Foods LLC Daniels Plant Food - 401 N Walnut ST PO BOX 875 Sherman TX 75090 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800109	P2O5	4.00	3.54	F
	K2O	4.00	3.26	F
	TCV	100.00	89.78	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Dr Earth INC - PO BOX 460 Winters CA 95694 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

Dyna-Gro - 2775 Giant Rd Richmond CA 94806 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

E B Stone & Son, Inc. - 6111 Lambie Road Po Box 550 Suisun CA 94585 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Earthworks Nat Organic Stds - 1500 Uhler Road Easton PA 18040 US

Sample ID	Component Code	Guaranteed	Found	Status	
E200800078	K2O	5.00	4.48	F	
E200800272	K2O	5.00	3.85	F	
				Total Samples Failed:	2
				Total Samples Submitted:	4
				Deficiency Rate:	50.00 %

Easy Gardener Inc - PO BOX 21025 Waco TX 76702 US

Sample ID	Component Code	Guaranteed	Found	Status	
E200800243	P2O5	18.00	14.04	F	
				Total Samples Failed:	1
				Total Samples Submitted:	21
				Deficiency Rate:	4.76 %

Enviro-safe Laboratories Inc - Po Box 190 Oxford FL 34484-0190 US

Sample ID	Component Code	Guaranteed	Found	Status	
E200800014	Cu	0.05	0.03	F	
E200800219	K2O	14.00	12.22	F	
				Total Samples Failed:	2
				Total Samples Submitted:	12
				Deficiency Rate:	16.67 %

Espoma Co., The - 6 Espoma Rd Millville NJ 08332 US

Sample ID	Component Code	Guaranteed	Found	Status	
E200800235	Mn	0.50	0.03	F	
E200800237	N	4.00	3.42	F	
E200800238	P2O5	3.00	2.50	F	
	Ca	3.00	2.36	F	
				Total Samples Failed:	3
				Total Samples Submitted:	16
				Deficiency Rate:	18.75 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

Ferry Morse Seed Company - 601 Stephen Beale Dr Fulton KY 42041 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Fisher & Son Company Inc - 110 Summit Dr Exton PA 19341-2838 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800398	N	10.00	8.97	F
	P2O5	20.00	17.99	F
	TCV	100.00	90.32	F
	Fe	2.00	1.60	F
Total Samples Failed:				1
Total Samples Submitted:				7
Deficiency Rate:				14.29 %

Forman's Grain & Fert LLC - 440 Beaver Run Road Turbotville PA 17772 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800602	K2O	19.00	7.55	F
	TCV	100.00	83.88	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33 %

Free Flow Fertilizer Co - Po Box 119 Maumee OH 43537 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800461	P2O5	24.00	20.47	F
	TCV	100.00	94.40	F
E200800462	TCV	100.00	93.07	F
	P2O5	10.00	8.70	F
Total Samples Failed:				2
Total Samples Submitted:				4
Deficiency Rate:				50.00 %

Good Earth/dba/ Hoffman,A H - 167 Greenfield Road PO Box 290 Lancaster NY 14086 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800231	P2O5	20.00	16.85	F
	TCV	100.00	89.81	F
E200800437	P2O5	4.00	3.27	F
	K2O	6.00	5.38	F
	TCV	100.00	88.96	F
Total Samples Failed:				2
Total Samples Submitted:				3
Deficiency Rate:				66.67 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

Green Light Company - Po Box 17985 San Antonio TX 78217 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0.00 %

Griffith, E.h. Inc - 2250 Palmer Street Pittsburgh PA 15218 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Gro Tec Inc - P.O. Box 290 Madison GA 30650 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800206	TCV	100.00	96.70	F
E200800661	P2O5	6.00	5.16	F
	TCV	100.00	95.02	F
Total Samples Failed:				2
Total Samples Submitted:				9
Deficiency Rate:				22.22 %

Gro-Green Inc - 717 Elk Street Buffalo NY 14210 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800319	N	10.00	8.85	F
	TCV	100.00	91.78	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Grow More Inc. - 15600 New Century Dr Gardena CA 90248-2129 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Growmark Fs - Po Box 129 Cochranville PA 19330 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				4
Deficiency Rate:				0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

Growmark FS LLC - PO Box 71 Towanda PA 18848 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	2
				Deficiency Rate:	0.00 %

Growmark FS LLC - 3150 Stony Point Road East Berlin PA 17316 US

Sample ID	Component Code	Guaranteed	Found	Status	
E200800515	K2O	17.00	15.14	F	
				Total Samples Failed:	1
				Total Samples Submitted:	3
				Deficiency Rate:	33.33 %

Growmark FS LLC - 308 NE Front St Milford DE 19963-1434 US

Sample ID	Component Code	Guaranteed	Found	Status	
E200800480	P2O5	10.00	8.40	F	
	K2O	10.00	8.64	F	
	TCV	100.00	96.84	F	
E200800510	TCV	100.00	93.22	F	
	P2O5	34.00	29.71	F	
E200800511	TCV	100.00	94.63	F	
E200800580	TCV	100.00	95.47	F	
				Total Samples Failed:	4
				Total Samples Submitted:	20
				Deficiency Rate:	20.00 %

Growmark FS LLC - 1633 Curryville Rd Martinsburg PA 16662 US

Sample ID	Component Code	Guaranteed	Found	Status	
E200800095	N	10.00	7.34	F	
	P2O5	20.00	16.26	F	
	TCV	100.00	87.37	F	
E200800621	N	6.93	5.53	F	
E200800622	K2O	19.86	17.57	F	
				Total Samples Failed:	3
				Total Samples Submitted:	3
				Deficiency Rate:	100.00 %

Growmark FS LLC - 1016 Route 519 Eighty Four PA 15330-2812 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

**Growmark FS, LLC D/B/A Codorus Fertilizer Service - 4 Kraft Mill Rd Po Box 400 Codorus PA
17311 US**

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				5
Deficiency Rate:				0.00 %

Growmark Inc - 1701 Towanda Ave Bloomington IL 61701-2057 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800002	P2O5	10.00	8.85	F
	TCV	100.00	96.26	F
E200800003	P2O5	24.00	20.83	F
	TCV	100.00	96.63	F
E200800004	P2O5	19.00	16.23	F
E200800007	TCV	100.00	95.64	F
E200800010	TCV	100.00	96.12	F
E200800040	Fe	1.00	0.77	F
E200800041	P2O5	10.00	8.72	F
	TCV	100.00	90.63	F
E200800123	N	10.00	6.20	F
	P2O5	20.00	14.81	F
	K2O	20.00	17.94	F
	TCV	100.00	75.59	F
E200800163	N	10.00	6.84	F
	P2O5	20.00	15.66	F
	K2O	20.00	16.89	F
	TCV	100.00	77.67	F
E200800228	P2O5	32.00	29.71	F
E200800304	K2O	10.00	8.68	F
E200800338	N	15.00	12.57	F
	TCV	100.00	95.59	F
E200800339	TCV	100.00	92.15	F
E200800341	P2O5	52.00	49.67	F
E200800345	N	10.00	8.83	F
E200800352	P2O5	8.00	6.79	F
	K2O	8.00	7.09	F
E200800355	N	10.00	8.73	F
	TCV	100.00	93.07	F
E200800356	N	5.00	3.98	F
	P2O5	10.00	8.47	F
	TCV	100.00	88.40	F
E200800376	N	10.00	8.60	F
	TCV	100.00	93.60	F
E200800539	N	5.00	4.29	F
	P2O5	10.00	8.60	F
	K2O	10.00	8.46	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Fertilizer Laboratory Tests

Date Range: 7/1/2008 to 6/30/2009

Growmark Inc - 1701 Towanda Ave Bloomington IL 61701-2057 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800540	TCV	100.00	85.56	F
	N	15.00	12.28	F
E200800542	TCV	100.00	91.41	F
	TCV	100.00	96.63	F
E200800559	TCV	100.00	90.58	F
E200800562	P2O5	20.00	17.40	F
	TCV	100.00	95.23	F
E200800579	N	10.00	7.94	F
	P2O5	10.00	8.93	F
	K2O	10.00	8.17	F
E200800581	TCV	100.00	83.75	F
	P2O5	20.00	16.11	F
	TCV	100.00	88.56	F
E200800582	N	15.00	11.31	F
	P2O5	15.00	13.11	F
E200800593	TCV	100.00	87.15	F
	N	10.00	7.20	F
	P2O5	10.00	8.97	F
	K2O	10.00	8.17	F
E200800594	TCV	100.00	81.04	F
	N	20.00	13.75	F
	TCV	100.00	83.17	F
Total Samples Failed:				29
Total Samples Submitted:				70
Deficiency Rate:				41.43 %

Helena Chemical - 2413 Pennington Rd PO Box 131 Warriors Mark PA 16877 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800627	K2O	19.00	16.97	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33 %

Helena Chemical Co - 225 Schilling Blvd Ste 300 Collierville TN 38017-6937 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800409	K2O	20.00	17.92	F
	TCV	100.00	94.69	F
E200800623	N	10.00	7.99	F
	P2O5	20.00	16.72	F
	TCV	100.00	88.06	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

Helena Chemical Co - 225 Schilling Blvd Ste 300 Collierville TN 38017-6937 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800625	K2O	10.00	8.12	F
Total Samples Failed:				3
Total Samples Submitted:				7
Deficiency Rate:				42.86 %

Howard Johnsons Enterprises - 700 W Virginia St Suite 222 Milwaukee WI 53204 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Hyponex Corp - 14111 Scottslawn Road Marysville OH 43041 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				6
Deficiency Rate:				0.00 %

Ironite Products Company - P O BOX 16006 Phoenix AZ 85011 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

J & J Agri Prod & Serv Inc - 220 S Second Street Dillsburg PA 17019 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

J R Peters Inc - 6656 Grant Way Allentown PA 18106 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800179	P2O5	9.00	7.62	F
E200800195	Mn	0.05	0.03	F
	Zn	0.05	0.03	F
	P2O5	10.00	8.62	F
	K2O	10.00	8.41	F
	Cu	0.05	0.03	F
Total Samples Failed:				2
Total Samples Submitted:				10
Deficiency Rate:				20.00 %

John Deere Landscapes/Lesco Inc - 1385 E 36Th St Cleveland OH 44114-4114 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800100	K2O	5.00	3.83	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

John Deere Landscapes/Lesco Inc - 1385 E 36Th St Cleveland OH 44114-4114 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800466	K2O	20.00	15.18	F
Total Samples Failed:				2
Total Samples Submitted:				13
Deficiency Rate:				15.38 %

Judsons Inc - 1 Austinville Rd PO Box 67 Columbia Cross Roads PA 16914 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Kepner Spreader Service - 429 Maple Lane Muncy PA 17756 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800501	P2O5	23.00	20.32	F
E200800633	P2O5	22.00	17.74	F
Total Samples Failed:				2
Total Samples Submitted:				9
Deficiency Rate:				22.22 %

Kirby Agri Inc - 2313 Norman Rd Lancaster PA 17601 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800302	N	5.00	3.35	F
	P2O5	10.00	6.73	F
	TCV	100.00	72.96	F
E200800307	K2O	20.00	13.17	F
	N	10.00	8.41	F
E200800379	P2O5	20.00	17.50	F
	TCV	100.00	88.61	F
	N	10.00	7.56	F
E200800380	P2O5	10.00	8.05	F
	TCV	100.00	81.82	F
	N	10.00	7.56	F
E200800381	TCV	100.00	94.02	F
E200800383	P2O5	24.00	21.69	F
	TCV	100.00	93.14	F
Total Samples Failed:				6
Total Samples Submitted:				13
Deficiency Rate:				46.15 %

Kirby Agri Inc - 500 Running Pump Road PO Box 6277 Lancaster PA 17607-6277 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800084	K2O	10.00	8.45	F
E200800310	N	10.00	8.90	F
	TCV	100.00	93.33	F
E200800360	K2O	20.00	16.05	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

Kirby Agri Inc - 500 Running Pump Road PO Box 6277 Lancaster PA 17607-6277 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800361	N	5.00	3.59	F
	P2O5	10.00	7.61	F
	TCV	100.00	78.80	F
E200800362	P2O5	10.00	8.99	F
	K2O	10.00	8.53	F
	TCV	100.00	90.51	F
E200800368	P2O5	15.00	13.41	F
	K2O	15.00	12.59	F
	TCV	100.00	90.16	F
E200800393	N	10.00	7.78	F
	P2O5	10.00	7.50	F
	TCV	100.00	82.99	F
E200800403	N	10.00	8.06	F
	P2O5	6.00	4.57	F
	TCV	100.00	81.52	F
E200800404	P2O5	10.00	8.90	F
	TCV	100.00	93.59	F
E200800405	P2O5	8.00	6.44	F
	K2O	8.00	7.09	F
	TCV	100.00	88.15	F
E200800407	N	10.00	8.60	F
	P2O5	6.00	5.36	F
	K2O	4.00	3.34	F
	TCV	100.00	86.77	F
E200800424	K2O	19.00	13.87	F
E200800463	TCV	100.00	88.56	F
E200800464	N	20.00	17.15	F
	K2O	10.00	8.48	F
E200800465	TCV	100.00	90.63	F
	N	10.00	8.31	F
E200800482	TCV	100.00	92.36	F
	N	5.00	3.91	F
	P2O5	10.00	7.99	F
E200800483	TCV	100.00	82.46	F
	TCV	100.00	95.27	F
E200800485	TCV	100.00	95.51	F
E200800492	P2O5	24.00	21.00	F
	TCV	100.00	91.18	F
E200800493	N	15.00	11.66	F
	P2O5	15.00	10.36	F
	TCV	100.00	89.35	F
E200800495	TCV	100.00	94.67	F
E200800549	N	10.00	8.94	F
	TCV	100.00	94.52	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

Kirby Agri Inc - 500 Running Pump Road PO Box 6277 Lancaster PA 17607-6277 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800607	TCV	100.00	95.39	F
Total Samples Failed:				23
Total Samples Submitted:				45
Deficiency Rate:				51.11 %

Lakeview Fertilizer Inc - 4870 Sandy Lake Greenville Rd Sandy Lake PA 16145-2032 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800223	N	5.00	3.19	F
	P2O5	10.00	6.76	F
	K2O	10.00	7.07	F
	TCV	100.00	67.57	F
E200800224	N	10.00	7.92	F
	P2O5	10.00	8.22	F
	K2O	10.00	7.33	F
	TCV	100.00	79.01	F
E200800647	TCV	100.00	95.53	F
E200800649	K2O	20.00	17.50	F
	TCV	100.00	91.25	F
Total Samples Failed:				4
Total Samples Submitted:				6
Deficiency Rate:				66.67 %

Lawn And Garden Products Inc - P.O. BOX 35000 FRESNO CA 93745 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Lebanon Seaboard Corp - 1600 E Cumberland St Lebanon PA 17042 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Lilly Miller Brands - 1340 Treat Blvd ste 650 Walnut Creek CA 94597 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800079	N	9.00	7.40	F
Total Samples Failed:				1
Total Samples Submitted:				7
Deficiency Rate:				14.29 %

Little Britain Ag Supply, Inc - 398 Little Britain Rd N Quarryville PA 17566-9644 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800629	Zn	0.14	0.05	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

Little Britain Ag Supply, Inc - 398 Little Britain Rd N Quarryville PA 17566-9644 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800630	K2O	24.00	21.69	F
Total Samples Failed:				2
Total Samples Submitted:				3
Deficiency Rate:				66.67 %

Mainville Ag Services Inc - 360 Main Mifflin Road Bloomsburg PA 17815-6753 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0.00 %

Mausdale Farm Supply - 10 Old Valley School Rd Danville PA 17821 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800364	N	10.00	8.37	F
	P2O5	10.00	8.31	F
	TCV	100.00	85.43	F
E200800366	N	10.00	8.61	F
	TCV	100.00	91.94	F
E200800526	K2O	18.00	16.01	F
Total Samples Failed:				3
Total Samples Submitted:				17
Deficiency Rate:				17.65 %

Meherrin Industries - PO Box 310 4136 Severn Road Severn NC 27877 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Mifflinburg Farmers Exchange Inc - 660 Mulberry Street PO Box 26 Mifflinburg PA 17844 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800551	N	12.00	10.77	F
Total Samples Failed:				1
Total Samples Submitted:				5
Deficiency Rate:				20.00 %

Miller Chemical & Fertilizer Corp - Po Box 333 Hanover PA 17331 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

Milwaukee Metropolitan Sewage Distr - 260 West Seeboth Street Milwaukee WI 53204 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	2
				Deficiency Rate:	0.00 %

Miracle Gro Lawn Products Inc/dba Scotts - 14111 Scottslawn Road Marysville OH 43041 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Ocean Crest Seafoods Inc - 88 Commercial Street Gloucester MA 01930 US

Sample ID	Component Code	Guaranteed	Found	Status	
E200800157	K2O	1.00	0.85	F	
				Total Samples Failed:	1
				Total Samples Submitted:	1
				Deficiency Rate:	100.00 %

Organic-X(Nature's Perfect Blend) - 1100 Hammond Dr Ste 410-206 Atlanta GA 30428 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Ortho Group - PO Box 190 Marysville OH 43040 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Plant Health Care Inc - 285 Kappa Dr Suite 100 Pittsburgh PA 15238 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Plant Sure Products Llc - 1500 Uhler Road Easton PA 18040 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

Plantabbs Corp - 10957 McCormick Rd Timonium MD 21031 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Plantabbs Products - 8839H Kelso Dr Baltimore MD 21221 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800048	TCV	100.00	92.70	F
	Mn	0.39	0.27	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Pokon & Chrysal USA - 3063 NW 107th Ave Miami FL 33172 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800127	TCV	100.00	95.33	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Pursell Technologies - Po Box 1187 Sylacauga AL 35150 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Raymond D Eck & Sons Inc - 112 Harris St PO Box 344 Jersey Shore PA 17740-1112 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				4
Deficiency Rate:				0.00 %

Reed & Perrine - Po Box 100 Tennent NJ 07763 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800265	TCV	100.00	96.85	F
	P2O5	24.00	21.67	F
E200800596	P2O5	24.00	20.63	F
	TCV	100.00	96.32	F
E200800597	N	10.00	6.20	F
	P2O5	10.00	8.04	F
	K2O	10.00	8.55	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

Reed & Perrine - Po Box 100 Tennent NJ 07763 US

Sample ID	Component Code	Guaranteed	Found	Status
	TCV	100.00	74.46	F
Total Samples Failed:				3
Total Samples Submitted:				5
Deficiency Rate:				60.00 %

Safer-Gro %J H Biotech Inc - PO BOX 6194 4951 Olivas Park Dr Ventura CA 93003 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Schultz Co. - PO BOX 4406 Bridgeton MO 63044 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800012	P2O5	31.00	27.64	F
	K2O	17.00	13.69	F
E200800054	P2O5	12.00	10.76	F
E200800142	N	10.00	8.04	F
	P2O5	6.00	3.52	F
	K2O	8.00	6.21	F
	TCV	100.00	73.48	F
E200800256	Cu	0.10	0.00	F
E200800259	K2O	30.00	27.25	F
	TCV	100.00	93.43	F
Total Samples Failed:				5
Total Samples Submitted:				19
Deficiency Rate:				26.32 %

Scotts Company,The - 14111 Scottslawn Rd Marysville OH 80651 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800129	P2O5	3.00	2.46	F
	TCV	100.00	94.26	F
Total Samples Failed:				1
Total Samples Submitted:				11
Deficiency Rate:				9.09 %

Scotts Miracle Gro Products Inc - Attn Sheri Bukovec c/o Scotts 14111 Scottslawn Road Marysville OH 43041 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800050	TCV	100.00	96.90	F
E200800068	Mg	0.05	0.00	F
Total Samples Failed:				2
Total Samples Submitted:				19
Deficiency Rate:				10.53 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

Scotts Sierra Hort Prod Co - Sheri McElroy - 14111 Scottslawn Road Marysville OH 43041 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	6
				Deficiency Rate:	0.00 %

Solaris Group of Monsanto Co - PO Box 5008 San Ramon CA 94583 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Southern States Co Op - 1 Commerce St Taneytown MD 21787 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Southern States Coop Inc - 6606 West Broad Street PO BOX 26234 Richmond VA 23230 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Southern States Frederick Cooperative Inc - 500 E South St Frederick MD 21701 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Spectrum Group - PO BOX 142642 St Louis MO 63114 US

Sample ID	Component Code	Guaranteed	Found	Status	
E200800110	P2O5	10.00	8.71	F	
	K2O	5.00	4.37	F	
	TCV	100.00	95.26	F	
E200800117	P2O5	17.00	13.35	F	
E200800159	P2O5	9.00	7.63	F	
				Total Samples Failed:	3
				Total Samples Submitted:	22
				Deficiency Rate:	13.64 %

Sun Bulb Co - 1615 S.W. Hwy 17 PO Box 698 Arcadia FL 34265 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800024	P2O5	14.00	12.55	F
	K2O	13.00	11.31	F
E200800162	P2O5	14.00	10.32	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Fertilizer Laboratory Tests

Date Range: 7/1/2008 to 6/30/2009

Sun Bulb Co - 1615 S.W. Hwy 17 PO Box 698 Arcadia FL 34265 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800659	K2O	13.00	7.44	F
	P2O5	14.00	11.94	F
	K2O	13.00	10.61	F
Total Samples Failed:				3
Total Samples Submitted:				7
Deficiency Rate:				42.86 %

Susquehanna Rail Works, LLC - 7133 State Route 147 Herndon PA 17830 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Swiss Farms Products Inc%Scotts Co - 3993 Howard Hughes Pky Ste250 Las Vegas NV 89169 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800049	K2O	15.00	12.96	F
Total Samples Failed:				1
Total Samples Submitted:				4
Deficiency Rate:				25.00 %

Sylco Service & Terminal Co - 6395 State Rte 103 N Bldg 63 Lewistown PA 17044 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				4
Deficiency Rate:				0.00 %

SYLVITE SALES (USA) - 6395 STATE RT 103 NORTH LEWISTOWN PA 17044 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Synatek - 737 Hagey Center Drive Unit A Souderton PA 18964 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800101	N	19.00	16.62	F
	TCV	100.00	93.15	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

Terracycle Inc - 121 New York Ave Trenton NJ 08638-5201 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

The Direct Root - 15955 Dial Blvd. Suite 3 Scottsdale AZ 85260 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Timac Agro Usa Inc - Rt 724 & I76 Po Box 888 Reading PA 19607 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	2
				Deficiency Rate:	0.00 %

Union Mill Div. Of Chemgro - 316 Applehouse Rd Belleville PA 17004-8628 US

Sample ID	Component Code	Guaranteed	Found	Status	
E200800287	TCV	100.00	95.18	F	
E200800289	TCV	100.00	95.63	F	
E200800291	TCV	100.00	94.36	F	
E200800504	P2O5	10.00	8.84	F	
	TCV	100.00	91.70	F	
				Total Samples Failed:	4
				Total Samples Submitted:	8
				Deficiency Rate:	50.00 %

United Industries Corp - Attn: Brad Kollath Po Box 15842 St Louis MO 63114 US

Sample ID	Component Code	Guaranteed	Found	Status	
E200800039	TCV	100.00	93.96	F	
	P2O5	30.00	26.36	F	
E200800140	K2O	15.00	12.17	F	
				Total Samples Failed:	2
				Total Samples Submitted:	2
				Deficiency Rate:	100.00 %

Upper Dauphin Grain - 287 Kocher Rd Elizabethville PA 17023 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800469	K2O	10.00	8.71	F
	TCV	100.00	96.56	F
E200800472	TCV	100.00	95.39	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

Upper Dauphin Grain - 287 Kocher Rd Elizabethville PA 17023 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800473	TCV	100.00	96.94	F
Total Samples Failed:				3
Total Samples Submitted:				5
Deficiency Rate:				60.00 %

Webb's Super-Gro Products Inc - 30 Pennsylvania Avenue PO Box C Mill Hall PA 17751-0090 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800082	TCV	100.00	95.04	F
E200800091	N	7.00	5.62	F
	P2O5	21.00	18.03	F
	TCV	100.00	86.34	F
E200800092	TCV	100.00	92.18	F
	P2O5	24.00	21.00	F
E200800487	TCV	100.00	91.63	F
E200800552	N	10.00	8.94	F
	P2O5	20.00	16.79	F
	TCV	100.00	89.01	F
E200800555	N	18.00	15.51	F
	TCV	100.00	94.88	F
E200800556	K2O	10.00	8.76	F
Total Samples Failed:				7
Total Samples Submitted:				13
Deficiency Rate:				53.85 %

Western Reserve Farm Cooperative Inc - 225 E Main Street PO Box 1030 Andover OH 44003 US

Sample ID	Component Code	Guaranteed	Found	Status
E200800293	N	10.00	8.76	F
	P2O5	20.00	16.58	F
	TCV	100.00	90.59	F
E200800294	TCV	100.00	94.03	F
E200800371	N	10.00	7.91	F
	TCV	100.00	87.95	F
E200800385	N	10.00	8.17	F
	P2O5	10.00	8.97	F
	K2O	10.00	8.90	F
	TCV	100.00	86.45	F
E200800425	N	10.00	8.83	F
	TCV	100.00	96.49	F
E200800584	TCV	100.00	96.59	F
Total Samples Failed:				6
Total Samples Submitted:				44
Deficiency Rate:				13.64 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2008 to 6/30/2009

Wetsel Inc - Po Box 791 Harrisonburg VA 22803 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	2
				Deficiency Rate:	0.00 %

Willard Agri Service Inc - Po Box 321 Marion PA 17235 US

Sample ID	Component Code	Guaranteed	Found	Status	
E200800653	TCV	100.00	96.50	F	
				Total Samples Failed:	1
				Total Samples Submitted:	1
				Deficiency Rate:	100.00 %

Winfield Solutions LLC - PO Box 64589 St Paul MN 55164-0589 US

Sample ID	Component Code	Guaranteed	Found	Status	
E200800416	K2O	12.00	8.04	F	
	TCV	100.00	90.62	F	
E200800419	P2O5	6.00	4.92	F	
				Total Samples Failed:	2
				Total Samples Submitted:	3
				Deficiency Rate:	66.67 %