

Fertilizer Laboratory Samples
Date Range 7/1/2004 through 6/30/2005

AGRIUM U S INC - FT003993

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 2
				Deficiency Rate: 0%

AGRO DIST/AGRILIANCE LLC - FT004718

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400718	P2O5	3.00	2.49	F
				Total Samples Failed: 1
				Total Samples Submitted: 8
				Deficiency Rate: 12.50%

AGRONOMY INC - FT000008

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400365	P2O5	19.00	16.88	F
E200400366	P2O5	30.00	25.70	F
E200400366	TCV	97.00	90.94	F
E200400367	N	15.00	12.28	F
E200400367	P2O5	5.00	3.97	F
E200400367	TCV	97.00	84.21	F
				Total Samples Failed: 3
				Total Samples Submitted: 5
				Deficiency Rate: 60.00%

ALBRIGHTS MILL - FT004645

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 3
				Deficiency Rate: 0%

ANDERSONS - FT000022

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400001	K2O	10.00	8.96	F
E200400001	TCV	97.00	94.07	F
E200400045	TCV	97.00	95.39	F
E200400046	K2O	16.00	14.33	F
E200400049	K2O	20.00	17.29	F
E200400112	K2O	10.00	8.80	F
E200400125	P2O5	15.00	12.20	F
E200400125	TCV	97.00	91.94	F
E200400241	K2O	24.00	21.76	F
E200400605	TCV	97.00	95.17	F
				Total Samples Failed: 8
				Total Samples Submitted: 59
				Deficiency Rate: 13.56%

ANDERSONS - FT004110

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400141	P2O5	24.00	20.52	F
E200400141	TCV	97.00	94.39	F
				Total Samples Failed: 1
				Total Samples Submitted: 7

Fertilizer Laboratory Samples
Date Range 7/1/2004 through 6/30/2005

Deficiency Rate: 14.29%

ANDRE & SON INC. - FT000024

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400499	TCV	97.00	93.31	F
E200400502	N	10.00	8.36	F
E200400502	TCV	97.00	94.07	F
E200400503	P2O5	21.00	18.77	F
E200400503	TCV	97.00	96.16	F
E200400505	P2O5	6.00	3.74	F
E200400507	K2O	20.00	15.20	F
E200400508	K2O	13.00	11.47	F

Total Samples Failed: 6
Total Samples Submitted: 10
Deficiency Rate: 60.00%

BRICKERS CHOICE - FT000456

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400262	N	10.00	8.79	F
E200400262	TCV	97.00	92.20	F

Total Samples Failed: 1
Total Samples Submitted: 3
Deficiency Rate: 33.33%

CODORUS FERTILIZER SERVICE - FT000068

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400114	TCV	97.00	96.76	F
E200400297	K2O	10.00	8.93	F
E200400299	TCV	97.00	94.14	F

Total Samples Failed: 3
Total Samples Submitted: 10
Deficiency Rate: 30.00%

CORNELL BROS INC - FT000373

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400495	P2O5	10.00	8.55	F

Total Samples Failed: 1
Total Samples Submitted: 4
Deficiency Rate: 25.00%

CROP PRODUCTION SERVICES INC - FT003968

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>

Total Samples Failed: 0
Total Samples Submitted: 3
Deficiency Rate: 0%

CROP PRODUCTION SERVICES INC - FT004073

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400573	N	5.00	4.34	F

Total Samples Failed: 1
Total Samples Submitted: 2
Deficiency Rate: 50.00%

CUMBERLAND VLY COOP. ASSN - FT000076

Fertilizer Laboratory Samples
Date Range 7/1/2004 through 6/30/2005

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400374	N	10.00	8.93	F
E200400374	TCV	97.00	95.30	F
E200400525	N	8.00	7.06	F
E200400525	P2O5	24.00	21.93	F
E200400525	TCV	97.00	93.74	F
E200400526	P2O5	19.00	14.63	F
E200400526	TCV	97.00	95.33	F
Total Samples Failed:				3
Total Samples Submitted:				10
Deficiency Rate:				30.00%

DEERFIELD FARMS SERVICE INC - FT004906

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400695	TCV	97.00	94.96	F
Total Samples Failed:				1
Total Samples Submitted:				6
Deficiency Rate:				16.67%

ECK, RAYMOND D & SONS INC - FT004063

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0%

ESPOMA CO, THE - FT000094

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0%

FERTRELL CO, THE - FT000103

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0%

FISHER & SON COMPANY INC - FT004036

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400259	TCV	97.00	96.46	F
E200400260	N	25.00	21.40	F
E200400260	TCV	97.00	91.05	F
Total Samples Failed:				2
Total Samples Submitted:				2
Deficiency Rate:				100.00%

FORMANS GRAIN & FERTILIZER - FT004637

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0%

FREE FLOW FERTILIZER CO - FT000107

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
-----------------	-----------------------	-------------------	--------------	---------------

Fertilizer Laboratory Samples
Date Range 7/1/2004 through 6/30/2005

Total Samples Failed: 0
Total Samples Submitted: 1
Deficiency Rate: 0%

GOOD EARTH/DBA HOFFMAN INC - FT003934

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400012	TCV	97.00	90.97	F
E200400018	TCV	97.00	93.84	F
E200400023	P2O5	12.00	10.57	F
E200400023	TCV	97.00	96.73	F
E200400024	N	5.00	4.23	F
E200400024	P2O5	10.00	8.29	F
E200400024	TCV	97.00	86.87	F
E200400026	K2O	10.00	8.61	F
E200400026	TCV	97.00	94.96	F
E200400758	K2O	7.00	4.94	F
E200400758	N	10.00	7.79	F
E200400758	P2O5	7.00	3.73	F
E200400758	TCV	97.00	68.72	F

Total Samples Failed: 6
Total Samples Submitted: 21
Deficiency Rate: 28.57%

GRO GREEN INC - FT004335

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400100	P2O5	3.00	1.98	F

Total Samples Failed: 1
Total Samples Submitted: 2
Deficiency Rate: 50.00%

GRO TEC INC - FT004714

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400707	K2O	10.00	8.96	F

Total Samples Failed: 1
Total Samples Submitted: 6
Deficiency Rate: 16.67%

GROWMARK F S LLC - FT004852

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400056	K2O	20.00	17.62	F
E200400169	K2O	8.00	6.79	F

Total Samples Failed: 2
Total Samples Submitted: 19
Deficiency Rate: 10.53%

GROWMARK F S LLC - FT004855

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
-----------------	-----------------------	-------------------	--------------	---------------

Total Samples Failed: 0
Total Samples Submitted: 4
Deficiency Rate: 0%

GROWMARK F S LLC - FT004858

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400286	N	26.00	22.45	F

Fertilizer Laboratory Samples
Date Range 7/1/2004 through 6/30/2005

E200400287	P2O5	10.00	7.46	F
E200400288	N	7.00	6.18	F
E200400288	P2O5	18.00	16.16	F
Total Samples Failed:				3
Total Samples Submitted:				3
Deficiency Rate:				100.00%

GROWMARK F S LLC - FT004860

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0%

GROWMARK FS LLC - FT004880

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400290	K2O	20.00	16.28	F
E200400292	K2O	17.00	13.84	F
E200400391	P2O5	8.00	6.79	F
E200400440	TCV	97.00	94.67	F
E200400441	TCV	97.00	96.17	F
E200400600	K2O	10.00	8.22	F
E200400600	P2O5	20.00	17.84	F
E200400600	TCV	97.00	91.65	F
Total Samples Failed:				6
Total Samples Submitted:				12
Deficiency Rate:				50.00%

GROWMARK FS LLC - FT004882

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0%

GROWMARK FS LLC - FT004954

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0%

GROWMARK FS LLC - FT004956

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400617	K2O	39.98	37.19	F
E200400619	K2O	15.75	13.21	F
E200400621	K2O	13.00	11.27	F
Total Samples Failed:				3
Total Samples Submitted:				7
Deficiency Rate:				42.86%

GROWMARK INC - FT004901

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400257	K2O	19.00	16.95	F
E200400310	TCV	97.00	96.70	F
E200400312	TCV	97.00	94.13	F
E200400541	P2O5	19.00	14.98	F

Fertilizer Laboratory Samples
Date Range 7/1/2004 through 6/30/2005

E200400541	TCV	97.00	96.42	F
E200400613	P2O5	14.00	12.45	F
E200400613	TCV	97.00	93.85	F
E200400632	N	21.00	2.26	F
E200400653	K2O	19.00	16.26	F
E200400684	K2O	16.00	13.89	F
Total Samples Failed:				8
Total Samples Submitted:				110
Deficiency Rate:				7.27%

HELENA CHEMICAL COMPANY - FT000128

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				10
Deficiency Rate:				0%

HELENA CHEMICAL COMPANY - FT004168

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0%

HOOPES FERTILIZER WORKS INC - FT004150

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400035	N	10.00	7.73	F
E200400035	P2O5	10.00	8.72	F
E200400035	TCV	97.00	89.04	F
E200400036	TCV	97.00	95.27	F
E200400041	TCV	97.00	96.08	F
E200400043	TCV	97.00	94.64	F
E200400044	K2O	19.00	16.56	F
E200400609	N	10.00	8.69	F
E200400609	P2O5	20.00	17.30	F
E200400609	TCV	97.00	90.01	F
E200400627	N	6.00	4.65	F
E200400627	P2O5	24.00	20.55	F
E200400627	TCV	97.00	94.56	F
E200400628	N	5.00	3.90	F
E200400628	P2O5	10.00	8.96	F
E200400628	TCV	97.00	93.99	F
E200400728	TCV	97.00	94.87	F
E200400729	TCV	97.00	96.35	F
E200400730	N	10.00	8.15	F
E200400730	P2O5	20.00	16.68	F
E200400730	TCV	97.00	93.45	F
Total Samples Failed:				11
Total Samples Submitted:				18
Deficiency Rate:				61.11%

IRONITE PRODUCTS COMPANY - FT003999

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0%

Fertilizer Laboratory Samples
Date Range 7/1/2004 through 6/30/2005

J R PETERS INC - FT004631

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400137	K2O	25.00	22.06	F
E200400137	P2O5	5.00	4.18	F
E200400139	K2O	17.00	13.64	F
E200400139	P2O5	17.00	13.29	F
E200400140	K2O	14.00	12.39	F
Total Samples Failed:				3
Total Samples Submitted:				14
Deficiency Rate:				21.43%

J R SIMPLOT CO CANADA WHSLE - FT004763

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0%

J R SIMPLOT COMPANY - FT004726

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400149	K2O	9.00	6.57	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00%

JUDSONS INC - FT004722

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0%

KEPNER FARM SUPPLY - PD060911

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400720	TCV	97.00	96.76	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00%

KEPNER SPREADER SERVICE - FT000150

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400163	N	10.00	8.89	F
E200400163	P2O5	20.00	17.31	F
E200400163	TCV	97.00	94.62	F
E200400320	N	10.00	8.44	F
E200400320	P2O5	20.00	16.75	F
E200400320	TCV	97.00	91.99	F
E200400322	TCV	97.00	94.42	F
Total Samples Failed:				3
Total Samples Submitted:				8
Deficiency Rate:				37.50%

KEYMAR FERTILIZER INC - FT004410

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				3

Fertilizer Laboratory Samples
Date Range 7/1/2004 through 6/30/2005

Deficiency Rate: 0%

KIRBY AGRI INC - FT004271

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400591	P2O5	19.00	17.07	F
Total Samples Failed:				1
Total Samples Submitted:				5
Deficiency Rate:				20.00%

KIRBY AGRI INC - FT004272

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400084	K2O	8.00	6.45	F
E200400084	P2O5	8.00	6.02	F
E200400084	TCV	97.00	88.47	F
E200400086	P2O5	10.00	8.67	F
E200400086	TCV	97.00	91.98	F
Total Samples Failed:				2
Total Samples Submitted:				7
Deficiency Rate:				28.57%

KIRBY AGRI INC LANC FACILITY - FT004270

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400060	K2O	10.00	7.51	F
E200400060	TCV	97.00	93.56	F
E200400064	N	10.00	8.75	F
E200400064	TCV	97.00	96.64	F
E200400093	N	10.00	8.70	F
E200400093	P2O5	10.00	8.95	F
E200400093	TCV	97.00	88.66	F
E200400127	TCV	97.00	96.27	F
E200400131	N	10.00	8.24	F
E200400131	P2O5	20.00	17.30	F
E200400131	TCV	97.00	94.14	F
E200400135	TCV	97.00	92.86	F
E200400136	K2O	10.00	7.24	F
E200400136	TCV	97.00	96.61	F
E200400153	N	5.00	3.78	F
E200400153	P2O5	10.00	8.28	F
E200400153	TCV	97.00	91.43	F
E200400154	N	10.00	8.12	F
E200400154	P2O5	10.00	7.85	F
E200400154	TCV	97.00	86.27	F
E200400155	P2O5	10.00	8.80	F
E200400155	TCV	97.00	94.06	F
E200400157	TCV	97.00	95.82	F
E200400161	N	2.00	1.62	F
E200400161	P2O5	10.00	8.41	F
E200400252	N	20.00	17.15	F
E200400252	TCV	97.00	89.93	F
E200400314	N	10.00	8.60	F
E200400314	P2O5	10.00	8.20	F
E200400314	TCV	97.00	90.08	F
E200400315	N	5.00	4.39	F
E200400315	P2O5	10.00	7.91	F
E200400315	TCV	97.00	86.05	F

Fertilizer Laboratory Samples

Date Range 7/1/2004 through 6/30/2005

E200400316	K2O	15.00	12.59	F
E200400316	TCV	97.00	96.64	F
E200400325	P2O5	10.00	8.86	F
E200400327	K2O	20.00	17.78	F
E200400329	TCV	97.00	95.42	F
E200400372	P2O5	20.00	16.49	F
E200400372	TCV	97.00	93.64	F
E200400420	K2O	20.00	17.32	F
E200400430	K2O	5.00	4.38	F
E200400430	N	5.00	3.75	F
E200400430	P2O5	10.00	6.05	F
E200400430	TCV	97.00	69.04	F
E200400431	N	10.00	8.74	F
E200400431	P2O5	20.00	17.48	F
E200400431	TCV	97.00	94.23	F
E200400445	N	10.00	8.84	F
E200400445	TCV	97.00	94.47	F
E200400448	N	10.00	8.79	F
E200400448	TCV	97.00	90.47	F
E200400453	N	15.00	13.10	F
E200400453	TCV	97.00	92.19	F
E200400455	P2O5	20.00	17.40	F
E200400455	TCV	97.00	96.83	F
E200400458	TCV	97.00	96.62	F
E200400461	N	2.00	1.67	F
E200400491	N	10.00	8.29	F
E200400491	P2O5	20.00	16.85	F
E200400491	TCV	97.00	93.03	F
E200400565	N	10.00	8.70	F
E200400565	P2O5	10.00	8.41	F
E200400565	TCV	97.00	87.25	F
E200400566	N	10.00	8.45	F
E200400566	P2O5	20.00	16.21	F
E200400566	TCV	97.00	93.58	F
E200400570	N	5.00	4.08	F
E200400570	P2O5	10.00	8.83	F
E200400570	TCV	97.00	90.22	F
E200400571	N	10.00	7.61	F
E200400571	TCV	97.00	94.52	F
E200400572	P2O5	6.00	5.26	F
E200400572	TCV	97.00	95.15	F
E200400584	N	10.00	8.61	F
E200400584	P2O5	10.00	8.62	F
E200400584	TCV	97.00	87.88	F
E200400589	TCV	97.00	96.16	F
E200400636	TCV	97.00	96.00	F
E200400637	K2O	20.00	17.31	F
E200400637	TCV	97.00	95.46	F
E200400645	TCV	97.00	95.83	F
E200400646	N	10.00	7.85	F
E200400646	P2O5	10.00	8.25	F
E200400646	TCV	97.00	89.65	F
E200400647	N	5.00	3.47	F
E200400647	P2O5	10.00	7.99	F
E200400647	TCV	97.00	80.23	F
E200400751	N	10.00	7.23	F

Fertilizer Laboratory Samples
Date Range 7/1/2004 through 6/30/2005

E200400751	P2O5	10.00	8.42	F
E200400751	TCV	97.00	83.62	F
E200400752	N	15.00	12.65	F
E200400752	P2O5	15.00	13.45	F
E200400752	TCV	97.00	92.29	F
Total Samples Failed:				44
Total Samples Submitted:				93
Deficiency Rate:				47.31%

LAKEVIEW FERTILIZER INC - FT000378

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0%

LE BOEUF PLANT FOODS - FT000162

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400699	K2O	38.00	34.20	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33%

LEBANON SEABOARD CORP. - FT000161

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400221	N	20.00	16.95	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33%

LESCO INC - FT000157

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400531	K2O	7.00	4.14	F
E200400531	P2O5	5.00	3.35	F
E200400534	K2O	10.00	8.82	F
Total Samples Failed:				2
Total Samples Submitted:				28
Deficiency Rate:				7.14%

MAINVILLE AG SERVICES INC - FT000412

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400560	K2O	10.00	8.68	F
E200400560	TCV	97.00	91.95	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33%

MAUSDALE FARM SUPPLY - FT004089

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400378	N	8.00	7.00	F
E200400378	TCV	97.00	95.13	F
E200400423	TCV	97.00	92.49	F
E200400425	N	10.00	7.78	F
E200400425	P2O5	10.00	8.62	F
E200400425	TCV	97.00	83.98	F

Fertilizer Laboratory Samples
Date Range 7/1/2004 through 6/30/2005

E200400474	N	15.00	12.07	F
E200400474	TCV	97.00	87.39	F
E200400639	K2O	10.00	7.88	F
E200400639	N	5.00	3.68	F
E200400639	P2O5	10.00	7.42	F
E200400639	TCV	97.00	75.24	F
E200400640	N	10.00	7.97	F
E200400640	P2O5	10.00	8.43	F
E200400640	TCV	97.00	85.26	F
E200400641	N	20.00	16.55	F
E200400641	TCV	97.00	88.22	F
E200400705	K2O	10.00	8.79	F
E200400705	TCV	97.00	94.14	F
Total Samples Failed:				8
Total Samples Submitted:				21
Deficiency Rate:				38.10%

MIRACLE GRO LAWN PRODUCTS INC - FT000261

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0%

PBI/GORDON CORP - FT000418

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400756	TCV	97.00	96.52	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00%

PCS SALES (USA) INC - FT004536

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0%

PRO SOL - FT004353

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0%

ROYSTER CLARK INC - FT004436

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0%

ROYSTER CLARK INC - FT004743

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400678	N	20.00	16.23	F
E200400679	N	19.00	16.77	F
Total Samples Failed:				2
Total Samples Submitted:				8

Fertilizer Laboratory Samples
Date Range 7/1/2004 through 6/30/2005

Deficiency Rate: 25.00%

ROYSTER CLARK INC - FT004744

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400058	N	19.00	16.16	F
E200400076	K2O	10.00	6.17	F
E200400076	N	5.00	3.00	F
E200400076	P2O5	10.00	6.54	F
E200400076	TCV	97.00	63.00	F
Total Samples Failed:				2
Total Samples Submitted:				4
Deficiency Rate:				50.00%

ROYSTER CLARK INC - FT004745

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0%

SCOTTS MIRACLE GRO PRODS INC - FT004557

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400644	N	30.00	27.35	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00%

SCOTTS SIERRA HORT PROD CO - FT000241

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				5
Deficiency Rate:				0%

SOUTHERN STATES COOP INC - FT000117

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400426	K2O	5.00	4.14	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00%

SPECTRUM GROUP - FT004328

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400368	P2O5	24.00	21.41	F
E200400368	TCV	97.00	95.57	F
Total Samples Failed:				1
Total Samples Submitted:				6
Deficiency Rate:				16.67%

SQM NORTH AMERICA - FT000062

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0%

SWISS FARMS PRODUCTS INC - FT004662

Fertilizer Laboratory Samples
Date Range 7/1/2004 through 6/30/2005

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 3
				Deficiency Rate: 0%

SYLCO SERVICE & TERMINAL CO - FT000447

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 3
				Deficiency Rate: 0%

SYNATEK - FT004980

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 2
				Deficiency Rate: 0%

T R SHEARER - FT004868

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400096	N	11.00	9.48	F
E200400662	K2O	19.00	16.23	F
				Total Samples Failed: 2
				Total Samples Submitted: 2
				Deficiency Rate: 100.00%

TIMAC USA INC - FT004706

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400339	TCV	97.00	96.18	F
				Total Samples Failed: 1
				Total Samples Submitted: 4
				Deficiency Rate: 25.00%

TRI COUNTY FARM SERVICES INC - FT004609

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400733	N	16.00	13.35	F
E200400733	P2O5	8.00	6.74	F
E200400733	TCV	97.00	85.39	F
E200400734	TCV	97.00	94.80	F
				Total Samples Failed: 2
				Total Samples Submitted: 2
				Deficiency Rate: 100.00%

UNION MILL DIV. OF CHEMGRO - FT000277

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400078	N	5.00	4.27	F
E200400078	TCV	97.00	90.87	F
E200400265	P2O5	40.00	36.03	F
E200400265	TCV	97.00	94.92	F
E200400266	N	5.00	4.37	F
E200400266	TCV	97.00	95.49	F
E200400267	TCV	97.00	94.76	F
E200400268	P2O5	10.00	7.90	F
E200400268	TCV	97.00	95.50	F
E200400552	TCV	97.00	94.95	F

Fertilizer Laboratory Samples
Date Range 7/1/2004 through 6/30/2005

E200400553	K2O	10.00	8.65	F
E200400553	N	10.00	7.88	F
E200400553	TCV	97.00	87.73	F
Total Samples Failed:				7
Total Samples Submitted:				10
Deficiency Rate:				70.00%

UPPER DAUPHIN GRAIN - FT004576

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400090	P2O5	10.00	8.85	F
E200400090	TCV	97.00	94.48	F
Total Samples Failed:				1
Total Samples Submitted:				6
Deficiency Rate:				16.67%

VOGEL SEED & FERTILIZER - FT004386

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0%

WALKERS FARM SERVICE INC - FT000450

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400274	P2O5	15.00	13.44	F
E200400274	TCV	97.00	96.01	F
E200400275	P2O5	20.00	16.76	F
E200400275	TCV	97.00	91.11	F
Total Samples Failed:				2
Total Samples Submitted:				8
Deficiency Rate:				25.00%

WEBBS SUPER-GRO PRODUCTS INC - FT000289

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400357	P2O5	20.00	17.88	F
E200400357	TCV	97.00	92.62	F
E200400358	P2O5	13.00	10.03	F
E200400358	TCV	97.00	91.72	F
E200400359	TCV	97.00	95.08	F
E200400360	K2O	15.10	13.30	F
E200400362	P2O5	15.00	12.25	F
E200400362	TCV	97.00	93.25	F
Total Samples Failed:				5
Total Samples Submitted:				10
Deficiency Rate:				50.00%

WESTERN RESERVE COOP INC - FT004336

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200400003	N	10.00	8.80	F
E200400003	TCV	97.00	91.83	F
E200400174	K2O	20.00	16.75	F
E200400227	TCV	97.00	93.54	F
E200400247	N	5.00	4.13	F
E200400247	P2O5	10.00	6.26	F
E200400247	TCV	97.00	92.24	F

Fertilizer Laboratory Samples
Date Range 7/1/2004 through 6/30/2005

E200400251	N	10.00	7.98	F
E200400251	P2O5	10.00	6.08	F
E200400251	TCV	97.00	87.55	F
E200400306	N	10.00	6.47	F
E200400306	P2O5	10.00	7.35	F
E200400306	TCV	97.00	74.29	F
E200400308	P2O5	30.00	27.73	F
E200400308	TCV	97.00	94.37	F
E200400409	TCV	97.00	94.25	F
E200400444	P2O5	20.00	17.93	F
E200400444	TCV	97.00	93.68	F
E200400546	N	18.00	15.30	F
E200400546	TCV	97.00	88.42	F
E200400672	N	10.00	8.59	F
E200400672	P2O5	10.00	8.12	F
E200400672	TCV	97.00	85.72	F
Total Samples Failed:				11
Total Samples Submitted:				72
Deficiency Rate:				15.28%

WILLARD AGRI SERVICE INC - FT000384

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0%

YARA NORTH AMERICA INC - FT000273

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0%