

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2006 to 6/30/2007

**Agricultural Commodities Inc - 1585 Granite Station Rd Gettysburg PA 17325 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600375	P2O5	18.00	14.82	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Agriliance Llc/dba/Land of Lakes - Po Box 64089 St Paul MN 55164 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600094	N	16.00	11.55	F
	P2O5	16.00	3.42	F
	TCV	100.00	61.99	F
E200600095	N	23.00	17.75	F
	P2O5	3.00	2.50	F
	TCV	100.00	83.01	F
E200600157	K2O	10.00	8.42	F
	TCV	100.00	89.54	F
E200600158	P2O5	16.00	6.37	F
	K2O	16.00	14.37	F
	TCV	100.00	80.94	F
E200600159	K2O	7.00	3.13	F
<b>Total Samples Failed:</b>				<b>5</b>
<b>Total Samples Submitted:</b>				<b>11</b>
<b>Deficiency Rate:</b>				<b>45.45 %</b>

**Agro Dist/Agriliance LLC - Po Box 64089 St Paul MN 55164-0089 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Agronomy Center, The - Old Route 22 322 Thompsontown PA 17094 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Agronomy Inc - 28 Fry Street PO Box 210 Mercersburg PA 17236 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600490	TCV	100.00	92.89	F
	P2O5	20.00	17.67	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2006 to 6/30/2007

**AgStar Agronomy Inc - 4382 East Main Street Belleville PA 17004 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Agway Prolawn - 980 Loucks Mill Rd York PA 17406 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Alaska Fish Fertilizer Co. - 1340 Treat Blvd Suite 650 Walnut Creek CA 94597 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Albrights Mill LLC - 9927 Kistler Valley Road PO Box 195 Kempton PA 19529 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>6</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Andersons,The - 521 Illinois Ave Po Box 119 Maumee OH 43537 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600059	K2O	15.00	12.39	F
E200600060	P2O5	5.00	4.45	F
E200600069	N	10.00	8.34	F
	P2O5	20.00	17.11	F
	TCV	97.00	94.62	F
E200600072	N	15.00	12.10	F
	P2O5	30.00	22.31	F
	TCV	97.00	94.92	F
E200600181	K2O	20.00	17.29	F
	TCV	100.00	92.16	F
E200600339	K2O	40.00	36.70	F
E200600473	K2O	10.00	5.08	F
	TCV	100.00	80.41	F
E200600474	N	10.00	8.32	F
	P2O5	10.00	8.37	F
	TCV	100.00	88.36	F
E200600550	P2O5	10.00	8.92	F
	K2O	10.00	8.67	F
	TCV	100.00	89.71	F
E200600559	N	10.00	8.02	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2006 to 6/30/2007

**Andersons,The - 521 Illinois Ave Po Box 119 Maumee OH 43537 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600560	TCV	100.00	87.96	F
	N	10.00	8.97	F
	P2O5	20.00	17.64	F
E200600561	TCV	100.00	94.92	F
	N	5.00	4.43	F
	P2O5	10.00	8.87	F
E200600562	TCV	100.00	90.48	F
	N	20.00	16.82	F
	TCV	100.00	90.15	F
E200600564	TCV	100.00	90.85	F
	N	5.00	4.48	F
E200600572	TCV	100.00	96.46	F
<b>Total Samples Failed:</b>				<b>15</b>
<b>Total Samples Submitted:</b>				<b>30</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Andre & Son - 2 Mill Street Montrose PA 18801 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600330	K2O	14.00	10.80	F
E200600334	K2O	13.00	10.63	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Bonide Products Inc. - 6301 Sutliff Rd Oriskany NY 13424-4341 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Bricker's Choice - 5849 Front St PO Box 174 Marion PA 17235 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Chemsico - Po Box 142642 Saint Louis MO 63114-0642 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2006 to 6/30/2007

**Crop Production Services Inc - 41 Greenleaf Rd Bloomsburg PA 17815 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Cumberland Vly Coop. Assn - Po Box 350 Shippensburg PA 17257 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600479	TCV	100.00	96.93	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Deerfield Farms Service Inc - 3992 State Route 208 New Wilmington PA 16142-4510 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Domestic Fertilizer Inc. - 1750 17th Street Paris KY 40361 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Earthworks Nat Organic Stds - 1500 Uhler Road Easton PA 18040 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Easy Gardener Inc - PO BOX 21025 Waco TX 76702 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600557	K2O	12.00	8.58	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Enviro-safe Laboratories Inc - 1579 Barber Road Sarasota FL 34240 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2006 to 6/30/2007

**Espoma Co., The - 6 Espoma Rd Millville NJ 08332 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Fisher And Son Company Inc - 110 Summit Dr Exton PA 19341-2838 US**

Sample ID	Component Code	Guaranteed	Found	Status	
E200600056	K2O	10.00	8.26	F	
				<b>Total Samples Failed:</b>	<b>1</b>
				<b>Total Samples Submitted:</b>	<b>2</b>
				<b>Deficiency Rate:</b>	<b>50.00 %</b>

**Gro Tec Inc - P.O. Box 290 Madison GA 30650 US**

Sample ID	Component Code	Guaranteed	Found	Status	
E200600413	TCV	100.00	95.68	F	
				<b>Total Samples Failed:</b>	<b>1</b>
				<b>Total Samples Submitted:</b>	<b>6</b>
				<b>Deficiency Rate:</b>	<b>16.67 %</b>

**Gro-green Inc - 717 Elk Street Buffalo NY 14210 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Grow More Inc. - 15600 New Century Dr Gardena CA 90248-2129 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Growmark FS LLC - 852 Tulpehocken Rd Myerstown PA 17067-2246 US**

Sample ID	Component Code	Guaranteed	Found	Status	
E200600263	TCV	100.00	95.56	F	
E200600411	P2O5	20.00	17.36	F	
E200600412	P2O5	13.00	10.00	F	
				<b>Total Samples Failed:</b>	<b>3</b>
				<b>Total Samples Submitted:</b>	<b>9</b>
				<b>Deficiency Rate:</b>	<b>33.33 %</b>

**Growmark F S LLC - 1016 Route 519 Eighty Four PA 15330-2812 US**

Sample ID	Component Code	Guaranteed	Found	Status	
E200600528	K2O	6.00	4.90	F	
				<b>Total Samples Failed:</b>	<b>1</b>
				<b>Total Samples Submitted:</b>	<b>1</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2006 to 6/30/2007

**Deficiency Rate: 100.00 %**

**Growmark FS LLC - Rr 1 Box 22A Adrian PA 16210-9711 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600430	N	19.00	16.91	F
E200600431	N	5.50	4.28	F
	P2O5	26.00	20.03	F
	TCV	100.00	95.71	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>7</b>
<b>Deficiency Rate:</b>				<b>28.57 %</b>

**Growmark FS LLC - Packer Ave Towanda PA 18848 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Growmark FS LLC - 306 S Park Avenue Quarryville PA 17566 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Growmark FS LLC - 3150 Stony Point Road East Berlin PA 17316 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600119	K2O	10.00	8.35	F
	TCV	100.00	96.04	F
E200600260	N	25.00	22.39	F
	TCV	100.00	93.52	F
E200600261	N	5.00	4.20	F
	P2O5	10.00	6.36	F
	K2O	10.00	7.52	F
	TCV	100.00	72.60	F
E200600262	K2O	10.00	8.76	F
<b>Total Samples Failed:</b>				<b>4</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Growmark FS LLC - East Street Seven Valleys PA 17360-8598 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2006 to 6/30/2007

**Growmark FS LLC - 308 NE Front St Milford DE 19963-1434 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600064	K2O	36.00	32.05	F
E200600065	N	3.00	2.64	F
	P2O5	15.00	12.26	F
	TCV	97.00	95.09	F
E200600254	N	8.00	7.14	F
E200600312	K2O	20.00	16.50	F
E200600518	N	10.00	8.78	F
	P2O5	20.00	17.17	F
<b>Total Samples Failed:</b>				<b>5</b>
<b>Total Samples Submitted:</b>				<b>13</b>
<b>Deficiency Rate:</b>				<b>38.46 %</b>

**Growmark FS LLC - 1016 Route 519 Eighty Four PA 15330-2812 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Growmark FS,LLC/dba/Codorus Fertilizer Service - 4 Kraft Mill Rd Po Box 400 Codorus PA 17311 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>29</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Growmark Inc - 1701 Towanda Ave Bloomington IL 61701-2057 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600031	K2O	10.00	8.31	F
E200600125	N	5.00	3.45	F
	P2O5	10.00	7.24	F
E200600167	N	10.00	8.86	F
E200600168	P2O5	10.00	8.92	F
E200600169	P2O5	19.00	16.42	F
E200600176	P2O5	10.00	7.16	F
E200600177	P2O5	10.00	6.09	F
	TCV	100.00	92.50	F
E200600179	N	12.00	9.64	F
	P2O5	24.00	14.82	F
	TCV	100.00	92.16	F
E200600296	K2O	10.00	8.72	F
E200600358	TCV	100.00	94.93	F
E200600360	N	12.00	10.62	F
	P2O5	24.00	20.05	F
E200600361	K2O	15.00	13.19	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2006 to 6/30/2007

**Growmark Inc - 1701 Towanda Ave Bloomington IL 61701-2057 US**

Sample ID	Component Code	Guaranteed	Found	Status
	TCV	100.00	96.13	F
E200600389	N	10.00	8.90	F
E200600391	N	10.00	8.53	F
	P2O5	20.00	17.76	F
E200600397	K2O	20.00	17.29	F
E200600424	TCV	100.00	92.46	F
	P2O5	10.00	6.61	F
E200600426	TCV	100.00	95.89	F
E200600446	K2O	10.00	8.60	F
E200600448	N	15.00	12.82	F
	P2O5	15.00	11.61	F
	TCV	100.00	85.40	F
E200600450	TCV	100.00	96.13	F
E200600460	TCV	100.00	94.39	F
E200600462	K2O	18.00	15.78	F
E200600467	K2O	12.00	10.53	F
E200600469	N	5.00	4.48	F
	TCV	100.00	92.92	F
E200600538	TCV	100.00	95.12	F
	N	10.00	8.44	F
	P2O5	20.00	17.52	F
E200600554	K2O	20.00	17.85	F
<b>Total Samples Failed:</b>				<b>26</b>
<b>Total Samples Submitted:</b>				<b>97</b>
<b>Deficiency Rate:</b>				<b>26.80 %</b>

**Growmark Inc %Universal Cooperatives Inc - 1701 Towanda Ave Bloomington IL 61701 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Harrells LLC - PO BOX 807 Lakeland FL 31765 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600183	K2O	20.00	17.22	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Helena Chemical Co - 225 Schilling Blvd Ste 300 Collierville TN 38017-6937 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600267	TCV	100.00	93.94	F
E200600416	N	10.00	8.78	F
E200600417	N	19.00	16.31	F



**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2006 to 6/30/2007

**Helena Chemical Co - 225 Schilling Blvd Ste 300 Collierville TN 38017-6937 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600418	K2O	26.00	20.38	F
E200600420	TCV	100.00	95.95	F
<b>Total Samples Failed:</b>				<b>5</b>
<b>Total Samples Submitted:</b>				<b>7</b>
<b>Deficiency Rate:</b>				<b>71.43 %</b>

**Hoffman, A.h. Inc. - Po Box 290 Lancaster NY 14086 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Hoopes Fertilizer Works Inc - 24104 U S Rt 30 E. Rochester OH 44625 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600003	TCV	97.00	96.29	F
E200600004	N	12.00	9.14	F
	P2O5	12.00	10.00	F
	TCV	97.00	91.02	F
E200600005	N	19.00	16.55	F
E200600006	P2O5	10.00	8.82	F
E200600007	K2O	20.00	14.47	F
	N	5.00	4.33	F
	TCV	97.00	90.56	F
E200600442	N	5.00	4.30	F
	P2O5	10.00	8.98	F
	TCV	100.00	92.04	F
E200600443	TCV	100.00	94.83	F
E200600568	P2O5	12.00	10.16	F
	K2O	12.00	9.40	F
	TCV	100.00	89.24	F
E200600569	TCV	100.00	95.86	F
E200600578	N	5.00	3.87	F
	P2O5	10.00	7.40	F
	TCV	100.00	86.68	F
E200600579	TCV	100.00	96.92	F
<b>Total Samples Failed:</b>				<b>11</b>
<b>Total Samples Submitted:</b>				<b>14</b>
<b>Deficiency Rate:</b>				<b>78.57 %</b>

**J R Peters Inc - 6656 Grant Way Allentown PA 18106 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600100	K2O	6.00	4.79	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2006 to 6/30/2007

**J R Peters Inc - 6656 Grant Way Allentown PA 18106 US**

Sample ID	Component Code	Guaranteed	Found	Status
	TCV	100.00	96.15	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>7</b>
<b>Deficiency Rate:</b>				<b>14.29 %</b>

**Kepner Spreader Service - 429 Maple Lane Muncy PA 17756 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Kirby Agri Inc - PO Box 27 Richland PA 17087 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600305	TCV	100.00	95.76	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

**Kirby Agri Inc - 2313 Norman Rd Lancaster PA 17601 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600049	N	10.00	8.29	F
	P2O5	10.00	8.51	F
	TCV	97.00	86.53	F
E200600050	P2O5	20.00	17.55	F
	TCV	97.00	94.57	F
E200600284	N	10.00	8.34	F
	P2O5	10.00	8.90	F
	K2O	10.00	8.65	F
	TCV	100.00	86.04	F
E200600285	N	10.00	7.70	F
	P2O5	6.00	4.84	F
	TCV	100.00	80.11	F
E200600286	N	10.00	7.14	F
	P2O5	10.00	7.58	F
	TCV	100.00	77.41	F
E200600287	N	5.00	3.36	F
	P2O5	10.00	5.65	F
	K2O	5.00	3.56	F
	TCV	100.00	62.53	F
E200600288	K2O	20.00	15.90	F
	TCV	100.00	91.47	F
E200600289	K2O	10.00	6.76	F
E200600290	K2O	20.00	16.12	F
	TCV	100.00	93.67	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2006 to 6/30/2007

**Kirby Agri Inc - 2313 Norman Rd Lancaster PA 17601 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600292	N	8.00	6.45	F
	TCV	100.00	90.58	F
<b>Total Samples Failed:</b>				<b>10</b>
<b>Total Samples Submitted:</b>				<b>15</b>
<b>Deficiency Rate:</b>				<b>66.67 %</b>

**Kirby Agri Inc - Running Pump Rd P O Box 6277 Lancaster PA 17607-6277 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600016	P2O5	10.00	8.71	F
E200600026	K2O	20.00	16.81	F
	TCV	97.00	91.28	F
E200600210	P2O5	10.00	8.72	F
	TCV	100.00	90.02	F
E200600211	P2O5	10.00	8.93	F
	K2O	10.00	8.89	F
	TCV	100.00	93.71	F
E200600212	N	10.00	7.99	F
	TCV	100.00	92.37	F
E200600213	N	10.00	7.56	F
	P2O5	10.00	8.83	F
	TCV	100.00	88.47	F
E200600216	K2O	10.00	8.54	F
E200600307	N	6.00	5.31	F
	P2O5	24.00	21.70	F
	TCV	100.00	92.95	F
E200600308	N	10.00	8.90	F
	P2O5	20.00	17.98	F
	TCV	100.00	95.95	F
E200600364	K2O	15.00	12.66	F
	TCV	100.00	92.70	F
E200600451	N	10.00	8.96	F
	TCV	100.00	91.27	F
E200600453	N	15.00	13.02	F
E200600486	K2O	10.00	7.88	F
	TCV	100.00	93.73	F
E200600496	N	10.00	7.97	F
	P2O5	10.00	8.24	F
	TCV	100.00	83.20	F
E200600500	K2O	19.00	16.20	F
<b>Total Samples Failed:</b>				<b>15</b>
<b>Total Samples Submitted:</b>				<b>65</b>
<b>Deficiency Rate:</b>				<b>23.08 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2006 to 6/30/2007

**Lakeview Fertilizer Inc - 4870 Greenville-Sandy Lake Rd Sandy Lake PA 16145-8501 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

---

**Lawn And Garden Products Inc - P.O. BOX 5317 FRESNO CA 93755 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

---

**Lebanon Seaboard Corp - 1600 E Cumberland St Lebanon PA 17042 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600019	P2O5	20.00	16.88	F
E200600041	K2O	20.00	16.27	F
	MN	1.00	0.33	F
	TCV	97.00	96.76	F
E200600044	FE	2.00	1.42	F
E200600367	K2O	10.00	8.88	F
E200600371	P2O5	4.00	3.12	F
	K2O	12.00	10.14	F
E200600580	P2O5	3.00	2.15	F
<b>Total Samples Failed:</b>				<b>6</b>
<b>Total Samples Submitted:</b>				<b>24</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

---

**Lesco Inc - 1301 E 9Th St Ste 1300 Cleveland OH 44114-1849 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600027	N	21.00	18.43	F
	TCV	97.00	95.87	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>10</b>
<b>Deficiency Rate:</b>				<b>10.00 %</b>

---

**Lilly Miller Brands - 118 1/2 E Main ST Ste 1 % Registration by Design Salem VA 24153 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

---



**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2006 to 6/30/2007

**Pennington Seed Inc - 1280 Atlanta Highway P O Box 290 Madison GA 30650 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

---

**Perfectly Natural Sol Inc - Vaudreuill Quebec closed acct Canada, Quebec QC j7V5V-5 CA**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

---

**Raymond D. Eck & Sons Inc. - 112 Harris St PO Box 344 Jersey Shore PA 17740-1112 US**

Sample ID	Component Code	Guaranteed	Found	Status	
E200600354	N	19.00	14.13	F	
	P2O5	11.00	8.50	F	
	K2O	11.00	8.07	F	
	TCV	100.00	74.93	F	
				<b>Total Samples Failed:</b>	<b>1</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>100.00 %</b>

---

**Scotts Company - Sherri McElroy - 944 Newark Rd Avondale PA 19311 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

---

**Scotts Miracle Gro Prods Inc - Attn Sheri Mcelroy 14111 Scottslawn Road Marysville OH 43041 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>7</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

---

**Scotts Sierra Hort Prod Co - Sheri McElroy - 14111 Scottslawn Road Marysville OH 43041 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>7</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

---

**Southern States Coop Inc - 6606 West Broad Street PO BOX 26234 Richmond VA 23230 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>2</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

---

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2006 to 6/30/2007

**Spectrum Group - PO BOX 142642 St Louis MO 63114 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>6</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Swiss Farms Products Inc%Scotts Co - 3993 Howard Hughes Pky Ste250 Las Vegas NV 89169 US**

Sample ID	Component Code	Guaranteed	Found	Status	
E200600172	TCV	100.00	88.44	F	
	P2O5	30.00	10.52	F	
E200600556	P2O5	30.00	9.88	F	
	TCV	100.00	86.94	F	
				<b>Total Samples Failed:</b>	<b>2</b>
				<b>Total Samples Submitted:</b>	<b>2</b>
				<b>Deficiency Rate:</b>	<b>100.00 %</b>

**Sylco Service & Terminal Co - 6395 State Rte 103 N Bldg 63 Lewistown PA 17044 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Synatek - 261 Schoolhouse Road Suite 4 Souderton PA 18964 US**

Sample ID	Component Code	Guaranteed	Found	Status	
E200600505	TCV	100.00	96.81	F	
				<b>Total Samples Failed:</b>	<b>1</b>
				<b>Total Samples Submitted:</b>	<b>4</b>
				<b>Deficiency Rate:</b>	<b>25.00 %</b>

**Terracycle Inc - 121 New York Ave Trenton NJ 08638-5201 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Timac Usa Inc - Po Box 888 Rt 724 & I76 Reading PA 19607 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2006 to 6/30/2007

**Truserv Corporation/dba/Andersons,The - PO BOX 119 Maumee OH 43537 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Tyler Grain & Fertilizer Co - 3388 Eby Road Smithville OH 44677 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Union Mill Div. Of Chemgro - 316 Applehouse Rd Belleville PA 17004-8628 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600220	N	10.00	8.82	F
	K2O	20.00	17.85	F
	TCV	100.00	93.13	F
E200600221	N	10.00	8.35	F
	P2O5	10.00	8.73	F
	TCV	100.00	87.47	F
E200600223	TCV	100.00	93.22	F
E200600244	N	10.00	8.74	F
	K2O	10.00	8.64	F
	TCV	100.00	89.95	F
E200600245	K2O	10.00	8.26	F
	TCV	100.00	94.44	F
E200600246	TCV	100.00	93.42	F
E200600247	TCV	100.00	93.95	F
E200600249	N	10.00	8.72	F
	P2O5	10.00	8.92	F
	K2O	10.00	7.84	F
	TCV	100.00	85.74	F
E200600378	TCV	100.00	91.60	F
E200600380	P2O5	10.00	8.90	F
	TCV	100.00	90.88	F
<b>Total Samples Failed:</b>				<b>10</b>
<b>Total Samples Submitted:</b>				<b>36</b>
<b>Deficiency Rate:</b>				<b>27.78 %</b>

**United Industries Corp - Attn: Brad Kollath Po Box 15842 St Louis MO 63114 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>



**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2006 to 6/30/2007

**Upper Dauphin Grain - 287 Kocher Rd Elizabethville PA 17023 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600340	P2O5	10.00	8.81	F
	K2O	10.00	8.90	F
E200600341	P2O5	19.00	16.77	F
E200600342	N	4.00	3.58	F
E200600343	P2O5	10.00	8.32	F
	TCV	100.00	91.27	F
E200600344	K2O	20.00	16.68	F
<b>Total Samples Failed:</b>				<b>5</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Walker Supply Inc - Po Box 126 Bridgeville PA 15017 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Walker's Farm Service Inc - 1694 North Center Avenue Somerset PA 15501 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600509	TCV	100.00	93.59	F
E200600511	N	19.00	16.44	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Webb's Super-Gro Products Inc - 30 Pennsylvania Avenue PO Box C Mill Hall PA 17751-0090 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600348	K2O	10.00	8.90	F
	TCV	100.00	96.51	F
E200600352	N	13.00	11.57	F
	P2O5	13.00	10.86	F
	TCV	100.00	89.62	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>7</b>
<b>Deficiency Rate:</b>				<b>28.57 %</b>

**Western Reserve Farm Inc - Po Box 339 Middlefield OH 44062-0339 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600275	N	10.00	8.93	F
	TCV	100.00	94.56	F
E200600314	K2O	20.00	17.76	F
	TCV	100.00	95.58	F
E200600319	K2O	9.00	7.52	F
E200600345	N	10.00	8.54	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2006 to 6/30/2007

**Western Reserve Farm Inc - Po Box 339 Middlefield OH 44062-0339 US**

<b>Sample ID</b>	<b>Component Code</b>	<b>Guaranteed</b>	<b>Found</b>	<b>Status</b>
	P2O5	10.00	8.66	F
	TCV	100.00	87.98	F
<b>Total Samples Failed:</b>				<b>4</b>
<b>Total Samples Submitted:</b>				<b>36</b>
<b>Deficiency Rate:</b>				<b>11.11 %</b>

---