

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2007 to 6/30/2008

**A H Hoffman - 77 Cooper Ave Landisville PA 17538 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

---

**Ag Star Agronomy - 210 Milford Street P O Box 397 Port Royal PA 17082 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>2</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

---

**Agricultural Commodities Inc - 1585 Granite Station Rd Gettysburg PA 17325 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

---

**Agriliance Llc/dba/Land of Lakes - Po Box 64089 St Paul MN 55164 US**

Sample ID	Component Code	Guaranteed	Found	Status	
E200700564	N	12.00	7.60	F	
	P2O5	12.00	6.74	F	
	K2O	12.00	8.05	F	
	TCV	100.00	61.83	F	
E200700565	P2O5	6.00	4.55	F	
	TCV	100.00	94.68	F	
E200700566	P2O5	6.00	4.51	F	
	K2O	16.00	14.38	F	
	TCV	100.00	93.19	F	
E200700567	P2O5	12.00	8.51	F	
	K2O	12.00	10.65	F	
	TCV	100.00	89.83	F	
				<b>Total Samples Failed:</b>	<b>4</b>
				<b>Total Samples Submitted:</b>	<b>4</b>
				<b>Deficiency Rate:</b>	<b>100.00 %</b>

---

**Agroblitz USA LLC - 825 N Providence Rd Media PA 19063-2538 US**

Sample ID	Component Code	Guaranteed	Found	Status	
E200700082	N	3.70	3.21	F	
				<b>Total Samples Failed:</b>	<b>1</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>100.00 %</b>

---

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2007 to 6/30/2008

**Agronomy Center, The - Old Route 22 322 Thompsettown PA 17094 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>2</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Agronomy Inc - 28 Fry Street PO Box 210 Mercersburg PA 17236 US**

Sample ID	Component Code	Guaranteed	Found	Status	
E200700297	N	10.00	8.49	F	
	P2O5	20.00	16.95	F	
	TCV	100.00	86.20	F	
E200700429	TCV	100.00	95.57	F	
				<b>Total Samples Failed:</b>	<b>2</b>
				<b>Total Samples Submitted:</b>	<b>4</b>
				<b>Deficiency Rate:</b>	<b>50.00 %</b>

**AgStar Agronomy Inc - 4382 East Main Street Belleville PA 17004 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**AgStar Agronomy Inc - 210 Milford St Port Royal PA 17082 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Albrights Mill LLC - 9927 Kistler Valley Road PO Box 195 Kempton PA 19529 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>5</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Anderson Fertilizer Lordstown - 6161 Muth Rd Lordstown OH 44481 US**

Sample ID	Component Code	Guaranteed	Found	Status	
E200700529	N	19.00	13.85	F	
	TCV	100.00	86.22	F	
E200700530	K2O	16.00	13.83	F	
				<b>Total Samples Failed:</b>	<b>2</b>
				<b>Total Samples Submitted:</b>	<b>3</b>
				<b>Deficiency Rate:</b>	<b>66.67 %</b>

**Andersons Lawn Fertilizer Division Inc - PO BOX 119-Attn Deb Ziehr Maumee OH 43537 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700604	P2O5	10.00	7.48	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2007 to 6/30/2008

**Andersons Lawn Fertilizer Division Inc - PO BOX 119-Attn Deb Ziehr Maumee OH 43537 US**

Sample ID	Component Code	Guaranteed	Found	Status
	K2O	32.00	29.39	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>20.00 %</b>

**Andersons,The - 521 Illinois Ave Po Box 119 Maumee OH 43537 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700032	P2O5	30.00	27.48	F
E200700034	N	10.00	8.16	F
	P2O5	20.00	16.75	F
	TCV	100.00	96.23	F
E200700503	P2O5	18.00	15.83	F
E200700580	P2O5	19.00	16.80	F
E200700592	P2O5	10.00	8.63	F
E200700593	N	10.00	8.06	F
	P2O5	10.00	8.00	F
	TCV	100.00	87.56	F
<b>Total Samples Failed:</b>				<b>6</b>
<b>Total Samples Submitted:</b>				<b>18</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Andre & Son - 2 Mill Street Montrose PA 18801 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Bedford Farm Bureau; New Enterprise - 449 Cave Road New Enterprise PA 16664 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700633	K2O	30.00	22.16	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Bio-Plex Organics - 2213 Huber Dr Manheim PA 17545 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2007 to 6/30/2008

**Bonide Products Inc. - 6301 Sutliff Rd Oriskany NY 13424-4341 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Bricker's Choice - 5849 Front St PO Box 174 Marion PA 17235 US**

Sample ID	Component Code	Guaranteed	Found	Status	
E200700425	N	10.00	8.04	F	
	P2O5	10.00	8.86	F	
	TCV	100.00	87.04	F	
				<b>Total Samples Failed:</b>	<b>1</b>
				<b>Total Samples Submitted:</b>	<b>2</b>
				<b>Deficiency Rate:</b>	<b>50.00 %</b>

**Chemgro Fertilizer Co Inc - Box 218 State St East Petersburg PA 17520 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>4</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Chemsico - Po Box 142642 Saint Louis MO 63114-0642 US**

Sample ID	Component Code	Guaranteed	Found	Status	
E200700208	K2O	17.00	15.09	F	
E200700607	K2O	17.00	15.16	F	
				<b>Total Samples Failed:</b>	<b>2</b>
				<b>Total Samples Submitted:</b>	<b>11</b>
				<b>Deficiency Rate:</b>	<b>18.18 %</b>

**Chevron chemical Co - street unknown San Francisco CA 94105 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Clinton Nurseries Prods Inc - Po Box 932 Clinton CT 06413 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Cornell Bros Inc - 84 Milk Plant Rd PO Box 101 Middlebury Center PA 16935 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700508	K2O	15.00	13.05	F
E200700509	K2O	40.00	37.82	F
E200700510	P2O5	9.10	7.46	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2007 to 6/30/2008

**Cornell Bros Inc - 84 Milk Plant Rd PO Box 101 Middlebury Center PA 16935 US**

Sample ID	Component Code	Guaranteed	Found	Status
	K2O	12.10	9.36	F
	TCV	100.00	95.48	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>75.00 %</b>

**Crop Production Services Inc - 41 Greenleaf Rd Bloomsburg PA 17815 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700517	TCV	100.00	96.71	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

**Cumberland Vly Coop. Assn - Po Box 350 Shippensburg PA 17257 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Domestic Fertilizer Inc. - 1750 17th Street Paris KY 40361 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700178	P2O5	13.00	9.54	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**DR EARTH INC - 2445 E 55Th St Los Angeles CA 90058-3505 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**E.B. Stone & Son, Inc. - 6111 Lambie Road Po Box 550 Suisun CA 94585 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700181	P2O5	8.00	6.85	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2007 to 6/30/2008

**Easy Gardener Inc - PO BOX 21025 Waco TX 76702 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>16</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Enviro-safe Laboratories Inc - 1579 Barber Road Sarasota FL 34240 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Espoma Co., The - 6 Espoma Rd Millville NJ 08332 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700274	Cu	0.05	0.03	F
E200700624	N	9.00	4.32	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>11</b>
<b>Deficiency Rate:</b>				<b>18.18 %</b>

**Evolved Industries - 2261 Morganza Hwy New Roads LA 70760 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700106	P2O5	1.00	0.69	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Fisher And Son Company Inc - 110 Summit Dr Exton PA 19341-2838 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700083	K2O	7.00	5.30	F
E200700172	K2O	10.00	8.81	F
E200700174	P2O5	4.00	3.30	F
	K2O	8.00	7.17	F
E200700175	P2O5	6.00	4.85	F
	K2O	4.00	3.41	F
	TCV	100.00	90.12	F
<b>Total Samples Failed:</b>				<b>4</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Forman's Grain & Fert LLC - 440 Beaver Run Road Turbotville PA 17772 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2007 to 6/30/2008

**Free Flow Fertilizer Co - Po Box 119 Maumee OH 43537 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700141	P2O5	10.00	8.63	F
	TCV	100.00	92.00	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Gardenway Llc - P.O BOX 361041 CLEVELAND OH 44136 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Good Earth/dba Hoffman Inc - 167 Greenfield Road PO Box 290 Lancaster NY 14086 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Green Light Company - Po Box 17985 San Antonio TX 78217 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700118	P2O5	55.00	52.79	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Gro Tec Inc - P.O. Box 290 Madison GA 30650 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700076	TCV	100.00	90.79	F
E200700077	TCV	100.00	96.45	F
E200700167	P2O5	7.00	4.06	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>13</b>
<b>Deficiency Rate:</b>				<b>23.08 %</b>

**Gro-Green Inc - 717 Elk Street Buffalo NY 14210 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700575	N	28.00	16.92	F
	TCV	100.00	72.09	F
E200700576	N	29.00	14.48	F
	P2O5	3.00	0.91	F
	K2O	4.00	1.26	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2007 to 6/30/2008

**Gro-Green Inc - 717 Elk Street Buffalo NY 14210 US**

Sample ID	Component Code	Guaranteed	Found	Status
	TCV	100.00	47.28	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>66.67 %</b>

---

**Grow More Inc. - 15600 New Century Dr Gardena CA 90248-2129 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

---

**Growmark FS LLC - 852 Tulpehocken Rd Myerstown PA 17067-2246 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>7</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

---

**Growmark FS LLC - 3150 Stony Point Road East Berlin PA 17316 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700321	N	20.00	15.62	F
	P2O5	10.00	7.55	F
	TCV	100.00	81.06	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

---

**Growmark FS LLC - Po Box 129 Cochranville PA 19330-0129 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

---

**Growmark FS LLC - 520 E North St Carlisle PA 17013 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

---

**Growmark FS LLC - 12916 Workinger Rd Brogue PA 17309-8924 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

---



**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2007 to 6/30/2008

**Growmark FS LLC - 308 NE Front St Milford DE 19963-1434 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700198	K2O	10.00	8.52	F
E200700200	K2O	10.00	8.75	F
E200700201	P2O5	13.00	11.60	F
	K2O	13.00	9.54	F
	TCV	100.00	95.18	F
E200700559	P2O5	10.00	8.87	F
<b>Total Samples Failed:</b>				<b>4</b>
<b>Total Samples Submitted:</b>				<b>27</b>
<b>Deficiency Rate:</b>				<b>14.81 %</b>

**Growmark FS LLC - 3024 Levans Rd Coplay PA 18037-2216 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700397	TCV	100.00	95.90	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>16.67 %</b>

**Growmark FS LLC - Route 866 Curryville PA 16631 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700610	N	19.00	16.33	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

**Growmark FS LLC - P.O. BOX 703 Leesport PA 19533-9604 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Growmark FS,LLC/dba/Codorus Fertilizer Service - 4 Kraft Mill Rd Po Box 400 Codorus PA 17311 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Growmark Inc - 1701 Towanda Ave Bloomington IL 61701-2057 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700041	TCV	100.00	94.98	F
	P2O5	20.00	17.87	F
E200700074	TCV	100.00	96.57	F
E200700092	P2O5	20.00	16.04	F
E200700284	TCV	100.00	95.15	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Fertilizer Laboratory Tests**

Date Range: 7/1/2007 to 6/30/2008

**Growmark Inc - 1701 Towanda Ave Bloomington IL 61701-2057 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700389	TCV	100.00	95.65	F
E200700392	TCV	100.00	93.04	F
	P2O5	20.00	17.24	F
E200700457	P2O5	20.00	15.52	F
	K2O	10.00	8.49	F
	TCV	100.00	89.54	F
E200700460	TCV	100.00	95.25	F
E200700492	TCV	100.00	92.19	F
E200700495	P2O5	20.00	17.47	F
	TCV	100.00	92.42	F
E200700512	TCV	100.00	94.80	F
E200700582	P2O5	20.00	17.74	F
	TCV	100.00	93.11	F
E200700587	P2O5	10.00	8.02	F
	TCV	100.00	94.22	F
E200700588	K2O	20.00	16.67	F
<b>Total Samples Failed:</b>				<b>14</b>
<b>Total Samples Submitted:</b>				<b>46</b>
<b>Deficiency Rate:</b>				<b>30.43 %</b>

**Helena Chemical - Rt 550 Mile Long Hill Warriors Mark PA 16877 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700525	P2O5	13.00	9.72	F
	TCV	100.00	94.26	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>20.00 %</b>

**Helena Chemical Co - 225 Schilling Blvd Ste 300 Collierville TN 38017-6937 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700043	N	10.00	8.54	F
	P2O5	20.00	17.60	F
	TCV	100.00	94.21	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Hyponex Corp - 14111 Scottslawn Road Marysville OH 43041 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2007 to 6/30/2008

**Ironite Products Company - P O BOX 16006 Phoenix AZ 85011 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>2</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**J R Peters Inc - 6656 Grant Way Allentown PA 18106 US**

Sample ID	Component Code	Guaranteed	Found	Status	
E200700003	P2O5	5.00	3.58	F	
				<b>Total Samples Failed:</b>	<b>1</b>
				<b>Total Samples Submitted:</b>	<b>14</b>
				<b>Deficiency Rate:</b>	<b>7.14 %</b>

**Jonathan Green & Sons Inc - Po Box 326 Farmingdale NJ 07727 US**

Sample ID	Component Code	Guaranteed	Found	Status	
E200700225	K2O	4.00	3.53	F	
				<b>Total Samples Failed:</b>	<b>1</b>
				<b>Total Samples Submitted:</b>	<b>3</b>
				<b>Deficiency Rate:</b>	<b>33.33 %</b>

**Judsons Inc - 1 Austinville Rd Columbia Cross Roads PA 16914 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>5</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Kepner Spreader Service - 429 Maple Lane Muncy PA 17756 US**

Sample ID	Component Code	Guaranteed	Found	Status	
E200700402	K2O	15.00	12.29	F	
E200700548	N	20.00	16.67	F	
	K2O	10.00	7.63	F	
	TCV	100.00	85.81	F	
				<b>Total Samples Failed:</b>	<b>2</b>
				<b>Total Samples Submitted:</b>	<b>9</b>
				<b>Deficiency Rate:</b>	<b>22.22 %</b>

**Kirby Agri Inc - PO Box 27 Richland PA 17087 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>2</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Kirby Agri Inc - 2313 Norman Rd Lancaster PA 17601 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700220	N	20.00	15.64	F
	TCV	100.00	94.95	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2007 to 6/30/2008

**Kirby Agri Inc - 2313 Norman Rd Lancaster PA 17601 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700583	K2O	15.00	9.88	F
	TCV	100.00	93.24	F
E200700584	N	10.00	7.95	F
	P2O5	20.00	16.39	F
	TCV	100.00	94.82	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>12</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

**Kirby Agri Inc - Running Pump Rd P O Box 6277 Lancaster PA 17607-6277 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200600589	N	15.00	12.45	F
	TCV	100.00	91.30	F
E200600590	N	10.00	8.85	F
	K2O	10.00	8.40	F
E200600591	TCV	100.00	91.08	F
	N	5.00	4.38	F
	P2O5	10.00	8.10	F
E200700047	K2O	10.00	8.10	F
	TCV	100.00	82.76	F
	N	10.00	8.41	F
	K2O	10.00	8.67	F
E200700245	TCV	100.00	87.02	F
	N	5.00	3.05	F
	P2O5	10.00	7.11	F
	K2O	10.00	7.66	F
E200700270	TCV	100.00	70.09	F
	N	10.00	7.73	F
	P2O5	10.00	8.82	F
E200700272	TCV	100.00	92.67	F
	P2O5	6.00	5.37	F
	TCV	100.00	92.56	F
E200700273	P2O5	8.00	6.50	F
	TCV	100.00	94.60	F
E200700279	P2O5	10.00	8.58	F
E200700292	N	10.00	7.70	F
	P2O5	10.00	8.45	F
	TCV	100.00	84.97	F
E200700326	N	15.00	12.92	F
	TCV	100.00	91.83	F
E200700335	TCV	100.00	96.49	F
E200700418	K2O	15.00	9.89	F
	TCV	100.00	91.92	F
E200700466	P2O5	10.00	8.86	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2007 to 6/30/2008

**Kirby Agri Inc - Running Pump Rd P O Box 6277 Lancaster PA 17607-6277 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700468	K2O	10.00	7.39	F
	N	8.00	7.06	F
	P2O5	24.00	21.26	F
E200700486	TCV	100.00	93.32	F
	K2O	15.00	12.35	F
E200700487	TCV	100.00	92.10	F
	K2O	15.00	13.10	F
E200700488	TCV	100.00	95.99	F
	K2O	18.00	16.00	F
E200700491	N	5.00	2.91	F
	P2O5	10.00	7.37	F
	TCV	100.00	72.46	F
E200700518	N	5.00	4.39	F
	P2O5	10.00	7.85	F
	K2O	10.00	5.82	F
E200700522	TCV	100.00	74.75	F
	TCV	100.00	93.58	F
	N	20.00	15.44	F
E200700523	N	10.00	8.45	F
E200700551	K2O	10.00	8.05	F
	TCV	100.00	84.48	F
E200700569	N	10.00	7.78	F
	TCV	100.00	94.51	F
<b>Total Samples Failed:</b>				<b>24</b>
<b>Total Samples Submitted:</b>				<b>70</b>
<b>Deficiency Rate:</b>				<b>34.29 %</b>

**Kreider, Franklin H. - 2400 Dairy Road Lancaster PA 17601 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700469	K2O	8.00	6.79	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Lakeview Fertilizer Inc - 4870 Greenville-Sandy Lake Rd Sandy Lake PA 16145-8501 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2007 to 6/30/2008

**Lawn And Garden Products Inc - P.O. BOX 5317 FRESNO CA 93755 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Lebanon Seaboard Corp - 1600 E Cumberland St Lebanon PA 17042 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700204	K2O	10.00	8.74	F
E200700205	P2O5	4.00	3.12	F
	K2O	12.00	10.58	F
E200700207	P2O5	18.00	6.08	F
	TCV	100.00	90.14	F
E200700524	N	11.00	9.68	F
	P2O5	23.00	20.69	F
	TCV	100.00	96.11	F
<b>Total Samples Failed:</b>				<b>4</b>
<b>Total Samples Submitted:</b>				<b>12</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Lesco Inc - 1301 E 9Th St Ste 1300 Cleveland OH 44114-1849 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700362	N	24.00	21.65	F
	TCV	100.00	93.31	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>16.67 %</b>

**Lilly Miller Brands - 1340 Treat Blvd ste 650 Walnut Creek CA 94597 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Liquid Products LLC - 631 Waterloo Geneva Rd Waterloo NY 13165-1258 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Little Britain Agri Sup Inc - 398 N Little Britain Rd Quarryville PA 17566 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700260	Ca	23.00	16.05	F
E200700263	Ca	6.00	5.44	F
E200700265	K2O	40.00	37.80	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Fertilizer Laboratory Tests**

Date Range: 7/1/2007 to 6/30/2008

**Little Britain Agri Sup Inc - 398 N Little Britain Rd Quarryville PA 17566 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700267	K2O	8.00	5.34	F
<b>Total Samples Failed:</b>				<b>4</b>
<b>Total Samples Submitted:</b>				<b>14</b>
<b>Deficiency Rate:</b>				<b>28.57 %</b>

**Mainville Ag Services Inc - 360 Main Mifflin Rd Bloomsburg PA 17815-6753 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700483	K2O	20.00	17.95	F
E200700484	K2O	8.00	6.74	F
E200700514	K2O	20.00	17.74	F
	TCV	100.00	95.26	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>7</b>
<b>Deficiency Rate:</b>				<b>42.86 %</b>

**Mausdale Farm Supply - 10 Old Valley School Rd Danville PA 17821 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700477	K2O	5.00	3.04	F
E200700481	Cu	0.05	0.03	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>15</b>
<b>Deficiency Rate:</b>				<b>13.33 %</b>

**McGeory Organics - PO Box 299 Lancaster PA 17608 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Meherrin Industries - PO Box 310 Severa NC 27877 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Mifflinburg Farmers Exchange Inc - 660 Mulberry ST PO Box 26 Mifflinburg PA 17844 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700304	P2O5	9.40	8.26	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2007 to 6/30/2008

**Miracle Gro Prods Inc - Attn Sheri Mcelroy %Scotts 14111 Scottslawn Road Marysville OH 43041 US**

Sample ID	Component Code	Guaranteed	Found	Status
			<b>Total Samples Failed:</b>	<b>0</b>
			<b>Total Samples Submitted:</b>	<b>5</b>
			<b>Deficiency Rate:</b>	<b>0.00 %</b>

---

**Miracle-Gro Lawn Products Inc/dba Scotts - 14111 Scottslawn Road Marysville OH 43041 US**

Sample ID	Component Code	Guaranteed	Found	Status
			<b>Total Samples Failed:</b>	<b>0</b>
			<b>Total Samples Submitted:</b>	<b>6</b>
			<b>Deficiency Rate:</b>	<b>0.00 %</b>

---

**North East Fruit Growers Inc - 2297 Klomp Road North East PA 16428 US**

Sample ID	Component Code	Guaranteed	Found	Status
			<b>Total Samples Failed:</b>	<b>0</b>
			<b>Total Samples Submitted:</b>	<b>2</b>
			<b>Deficiency Rate:</b>	<b>0.00 %</b>

---

**Ocean Crest Seafoods Inc - 88 Commercial Street Gloucester MA 01930 US**

Sample ID	Component Code	Guaranteed	Found	Status
			<b>Total Samples Failed:</b>	<b>0</b>
			<b>Total Samples Submitted:</b>	<b>2</b>
			<b>Deficiency Rate:</b>	<b>0.00 %</b>

---

**Organica Biotech - 705 General Washington Ave Norristown PA 19403 US**

Sample ID	Component Code	Guaranteed	Found	Status
			<b>Total Samples Failed:</b>	<b>0</b>
			<b>Total Samples Submitted:</b>	<b>1</b>
			<b>Deficiency Rate:</b>	<b>0.00 %</b>

---

**Organica Inc - 5 Leaf Ct Kings Park NY 11754 US**

Sample ID	Component Code	Guaranteed	Found	Status
			<b>Total Samples Failed:</b>	<b>0</b>
			<b>Total Samples Submitted:</b>	<b>1</b>
			<b>Deficiency Rate:</b>	<b>0.00 %</b>

---

**Ortho Group% Scotts Co - 14111 Scottslawn Road Marysville OH 43041 US**

Sample ID	Component Code	Guaranteed	Found	Status
			<b>Total Samples Failed:</b>	<b>0</b>
			<b>Total Samples Submitted:</b>	<b>1</b>
			<b>Deficiency Rate:</b>	<b>0.00 %</b>

---

**Pennington Seed Inc - 1280 Atlanta Highway P O Box 290 Madison GA 30650 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700044	P2O5	9.00	7.99	F



**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2007 to 6/30/2008

**Pennington Seed Inc - 1280 Atlanta Highway P O Box 290 Madison GA 30650 US**

Sample ID	Component Code	Guaranteed	Found	Status
	K2O	6.00	5.37	F
	TCV	100.00	93.89	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Plant Products Co Ltd - 314 Orenda Road Brampton Canada ON L6T1G-1 CA**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Pure Barnyard Inc - 210 W Road Unit #7 Portsmouth NH 03801 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700229	P2O5	3.00	2.49	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Raymond D. Eck & Sons Inc. - 112 Harris St PO Box 344 Jersey Shore PA 17740-1112 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Royster Clark - 717 Robinson Rd Se Washington Court House OH 43160-8630 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Schultz Co. - PO BOX 4406 Bridgeton MO 63044 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700153	N	10.00	7.18	F
	P2O5	15.00	10.46	F
	K2O	10.00	6.94	F
	TCV	100.00	70.41	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>7</b>
<b>Deficiency Rate:</b>				<b>14.29 %</b>

**Scotts Company,The - 14111 Scottslawn Rd Marysville OH 80651 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700122	P2O5	12.00	4.53	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2007 to 6/30/2008

**Scotts Company,The - 14111 Scottslawn Rd Marysville OH 80651 US**

Sample ID	Component Code	Guaranteed	Found	Status
	TCV	100.00	71.75	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>18</b>
<b>Deficiency Rate:</b>				<b>5.56 %</b>

**Scotts Sierra Hort Prod Co - Sheri McElroy - 14111 Scottslawn Road Marysville OH 43041 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Southern States Coop Inc - 6606 West Broad Street PO BOX 26234 Richmond VA 23230 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

**Spectrum Group - PO BOX 142642 St Louis MO 63114 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700026	N	15.00	12.73	F
	P2O5	30.00	22.27	F
	TCV	100.00	92.06	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>10</b>
<b>Deficiency Rate:</b>				<b>10.00 %</b>

**Sun Bulb Co - 1615 S.W. Hwy 17 PO Box 698 Arcadia FL 34265 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700121	P2O5	14.00	12.05	F
	K2O	13.00	10.54	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Sun Gro Horticulture Dist Inc - 15831 Ne 8th Street Ste 100 Bellevue WA 98008 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700190	N	16.00	14.17	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2007 to 6/30/2008

**Sylco Service & Terminal Co - 6395 State Rte 103 N Bldg 63 Lewistown PA 17044 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>2</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Synatek - 261 Schoolhouse Road Suite 4 Souderton PA 18964 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**T R Shearer - 4691 Sandy Lake Road Carlton PA 16311 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>3</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Terracycle Inc - 121 New York Ave Trenton NJ 08638-5201 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Timac Usa Inc - Po Box 888 Rt 724 & I76 Reading PA 19607 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>1</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Union Mill Div. Of Chemgro - 316 Applehouse Rd Belleville PA 17004-8628 US**

Sample ID	Component Code	Guaranteed	Found	Status	
E200700213	K2O	20.00	17.70	F	
E200700612	P2O5	27.00	23.66	F	
E200700614	TCV	100.00	95.84	F	
				<b>Total Samples Failed:</b>	<b>3</b>
				<b>Total Samples Submitted:</b>	<b>12</b>
				<b>Deficiency Rate:</b>	<b>25.00 %</b>

**Upper Dauphin Grain - 287 Kocher Rd Elizabethville PA 17023 US**

Sample ID	Component Code	Guaranteed	Found	Status	
				<b>Total Samples Failed:</b>	<b>0</b>
				<b>Total Samples Submitted:</b>	<b>4</b>
				<b>Deficiency Rate:</b>	<b>0.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Fertilizer Laboratory Tests**

Date Range: 7/1/2007 to 6/30/2008

**Upper Dauphin Grain A Division PACMA - 287 Kocher Lane Elizabethville PA 17023 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700248	P2O5	10.00	8.64	F
	TCV	100.00	94.99	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>12.50 %</b>

**Wal Mart Stores Inc - 702 Sw 8th Street Bentonville AR 72712 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700621	K2O	4.00	3.22	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Walker's Farm Service Inc - 1694 North Center Avenue Somerset PA 15501 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700444	P2O5	15.00	12.85	F
	TCV	100.00	95.22	F
E200700445	P2O5	19.00	17.03	F
	TCV	100.00	90.89	F
E200700447	P2O5	20.00	17.69	F
	TCV	100.00	94.23	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>60.00 %</b>

**Webb's Super-Gro Products Inc - 30 Pennsylvania Avenue PO Box C Mill Hall PA 17751-0090 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700037	P2O5	27.00	23.26	F
E200700038	TCV	100.00	94.38	F
	P2O5	13.00	11.59	F
E200700067	TCV	100.00	96.01	F
E200700302	P2O5	20.00	17.63	F
	TCV	100.00	94.12	F
E200700310	N	13.00	11.69	F
	P2O5	13.00	10.75	F
	TCV	100.00	94.96	F
E200700311	K2O	8.00	7.01	F
E200700314	P2O5	34.00	30.30	F
	TCV	100.00	94.07	F
E200700373	TCV	100.00	95.60	F
<b>Total Samples Failed:</b>				<b>8</b>
<b>Total Samples Submitted:</b>				<b>14</b>
<b>Deficiency Rate:</b>				<b>57.14 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Fertilizer Laboratory Tests**

Date Range: 7/1/2007 to 6/30/2008

**Western Reserve Farm Cooperative Inc - 2260 Church St Mill Village PA 16427 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700599	TCV	100.00	96.82	F
E200700631	N	5.00	4.49	F
E200700632	TCV	100.00	92.62	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>10</b>
<b>Deficiency Rate:</b>				<b>30.00 %</b>

**Western Reserve Farm Cooperative Inc - 225 E Main St PO Box 1030 Andover OH 44003 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700433	P2O5	20.00	17.12	F
	TCV	100.00	92.60	F
E200700436	P2O5	32.00	29.14	F
E200700500	TCV	100.00	96.50	F
E200700540	TCV	100.00	92.81	F
	P2O5	20.00	17.73	F
E200700636	TCV	100.00	96.66	F
E200700637	N	10.00	8.37	F
	P2O5	10.00	8.64	F
	K2O	10.00	8.70	F
	TCV	100.00	85.41	F
<b>Total Samples Failed:</b>				<b>6</b>
<b>Total Samples Submitted:</b>				<b>23</b>
<b>Deficiency Rate:</b>				<b>26.09 %</b>

**Western Reserve Farm Inc - Po Box 339 Middlefield OH 44062-0339 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700345	P2O5	30.00	27.37	F
	TCV	100.00	95.68	F
E200700353	N	10.00	7.99	F
	P2O5	10.00	7.66	F
	TCV	100.00	81.33	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>10</b>
<b>Deficiency Rate:</b>				<b>20.00 %</b>

**Wetsel Inc - Po Box 791 Harrisonburg VA 22803 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700640	N	10.00	8.86	F
	P2O5	10.00	8.56	F
	TCV	100.00	91.95	F
E200700641	N	5.00	3.95	F
	P2O5	10.00	8.11	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry  
Fertilizer Laboratory Tests**

Date Range: 7/1/2007 to 6/30/2008

**Wetsel Inc - Po Box 791 Harrisonburg VA 22803 US**

Sample ID	Component Code	Guaranteed	Found	Status
	TCV	100.00	83.14	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

---

**Willard Agri Service Inc - Po Box 321 Marion PA 17235 US**

Sample ID	Component Code	Guaranteed	Found	Status
E200700426	TCV	100.00	95.80	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

---

**Winfield Solutions LLC - PO Box 64589 St Paul MN 55164-0589 US**

Sample ID	Component Code	Guaranteed	Found	Status
<b>Total Samples Failed:</b>				<b>0</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>0.00 %</b>

---