

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2019 to 6/30/2020

Agricultural Commodities, Inc. - 1585 Granite Station Rd Gettysburg PA 17325-8299 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E202000003	N	17.00 %	15.19 %	F
	P2O5	17.00 %	15.08 %	F
E202000005	P2O5	7.60 %	5.81 %	F
Total Samples Failed:				2
Total Samples Submitted:				4
Deficiency Rate:				50.00 %

Andre & Son, Inc. - 17150 St Rt 706 Montrose PA 18801-9771 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201900079	N	17.00 %	13.72 %	F
	K2O	5.00 %	4.11 %	F
	TCV	100.00 %	80.95 %	F
E201900080	N	17.00 %	15.10 %	F
	TCV	100.00 %	94.72 %	F
E201900081	N	10.00 %	6.33 %	F
	K2O	5.00 %	4.34 %	F
	TCV	100.00 %	69.22 %	F
Total Samples Failed:				3
Total Samples Submitted:				4
Deficiency Rate:				75.00 %

Anuvia Florida, LLC - 6751 W Jones Ave Zellwood FL 32798 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Black Gold EnviroSAFE, Inc. - Po Box 190 Oxford FL 34484-0190 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Bonide Products LLC. - 6301 Sutliff Rd Oriskany NY 13424-4341 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Centerra Co-op - 225 E Main St Andover OH 44003-9480 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201900060	N	10.00 %	8.94 %	F
E201900063	P2O5	10.00 %	8.37 %	F
E201900066	K2O	10.00 %	8.84 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2019 to 6/30/2020

Centerra Co-op - 225 E Main St Andover OH 44003-9480 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201900118	K2O	15.00 %	12.28 %	F
E201900182	N	10.00 %	8.80 %	F
Total Samples Failed:				5
Total Samples Submitted:				20
Deficiency Rate:				25.00 %

Centerra Co-op Volant - 193 Black Rd Volant PA 16156-4601 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Central Garden & Pet, Garden Division - 1000 Parkwood Cir Se Ste 700 Atlanta GA 30339-6627 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201900191	Fe	2.00 %	1.56 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Chemgro Fertilizer Co., Inc. - 1550 State St East Petersburg PA 17520-1318 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201900138	TCV	100.00 %	94.38 %	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33 %

Darling Ingredients, Inc. - 251 O Connor Ridge Blvd Irving TX 75038-6532 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Dr Earth, Inc - Po Box 460 Winters CA 95694-0460 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0.00 %

Easy Gardener, Inc. - Po Box 21025 Waco TX 76702-1025 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				8
Deficiency Rate:				0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2019 to 6/30/2020

FoxFarm Soil & Fertilizer Company - Po Box 787 Arcata CA 95518-0787 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Gro Tec, Inc. - Po Box 290 Madison GA 30650-0290 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>	
E201900049	K2O	8.00 %	7.16 %	F	
				Total Samples Failed:	1
				Total Samples Submitted:	8
				Deficiency Rate:	12.50 %

Growmark FS LLC - 308 NE Front St Milford DE 19963-1434 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>	
E201900047	N	10.00 %	8.79 %	F	
	P2O5	20.00 %	17.11 %	F	
	TCV	100.00 %	92.58 %	F	
E201900052	N	19.00 %	16.14 %	F	
				Total Samples Failed:	2
				Total Samples Submitted:	5
				Deficiency Rate:	40.00 %

Growmark FS LLC - 1016 Route 519 Eighty Four PA 15330-2812 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Growmark Inc - 1701 Towanda Ave Bloomington IL 61701-2050 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>	
E201900141	Fe	5.00 %	1.46 %	F	
	P2O5	5.00 %	4.17 %	F	
				Total Samples Failed:	1
				Total Samples Submitted:	2
				Deficiency Rate:	50.00 %

GUARANTOR/MANUFACTURER - Guarantor not on PaPlants - PA 00000 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Harrell's, LLC - Po Box 807 Lakeland FL 33802-0807 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>	
				Total Samples Failed:	0

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2019 to 6/30/2020

Total Samples Submitted: 3
Deficiency Rate: 0.00 %

Helena Chemical Co. - 225 Schilling Blvd Ste 300 Collierville TN 38017-7177 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201900017	TCV	100.00 %	87.75 %	F
	N	10.00 %	8.68 %	F
	P2O5	19.00 %	16.50 %	F
E201900018	TCV	100.00 %	93.38 %	F
	P2O5	14.00 %	11.66 %	F
E201900019	N	5.00 %	3.82 %	F
	P2O5	10.00 %	8.38 %	F
	K2O	10.00 %	8.27 %	F
	TCV	100.00 %	81.55 %	F

Total Samples Failed: 3
Total Samples Submitted: 3
Deficiency Rate: 100.00 %

International Mulch Co., Inc. - Po Box 31366 Saint Louis MO 63131-0366 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201900110	Ca	5.00 %	4.11 %	F

Total Samples Failed: 1
Total Samples Submitted: 4
Deficiency Rate: 25.00 %

JR Peters, Inc - 6656 Grant Way Allentown PA 18106-9316 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201900151	Mn	1.30 %	0.08 %	F

Total Samples Failed: 1
Total Samples Submitted: 7
Deficiency Rate: 14.29 %

Kelly Limestone - Po Box 725 Kirksville MO 63501 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>

Total Samples Failed: 0
Total Samples Submitted: 1
Deficiency Rate: 0.00 %

Kirby Agri, Inc - 500 Running Pump Rd Lancaster PA 17607-6277 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201900043	K2O	10.00 %	7.30 %	F
E201900044	TCV	100.00 %	92.45 %	F
	K2O	10.00 %	8.39 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2019 to 6/30/2020

Kirby Agri, Inc - 500 Running Pump Rd Lancaster PA 17607-6277 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
	TCV	100.00 %	96.32 %	F
Total Samples Failed:				2
Total Samples Submitted:				19
Deficiency Rate:				10.53 %

Knox Fertilizer Co, Inc - Po Box 248 Knox IN 46534-0248 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Lebanon Seaboard Corp - 1600 E Cumberland St Lebanon PA 17042 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201900076	P2O5	7.00 %	5.73 %	F
	Mn	1.00 %	0.82 %	F
E201900078	K2O	16.00 %	14.23 %	F
	TCV	100.00 %	89.26 %	F
	Mg	1.00 %	0.55 %	F
	Fe	0.60 %	0.50 %	F
	Mn	0.45 %	0.38 %	F
Total Samples Failed:				2
Total Samples Submitted:				5
Deficiency Rate:				40.00 %

Lesco Inc - 1385 E 36Th St Cleveland OH 44114-4114 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Lilly Miller Brands - 1000 Parkwood Cir Ste 700 Atlanta GA 30339 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Loveland Products, Inc - Po Box 1286 Greeley CO 80632-1286 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2019 to 6/30/2020

Deficiency Rate: **0.00 %**

Martins Elevator, Inc. - 13219 Maugansville Rd Hagerstown MD 21740-2448 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
------------------	-----------------------	-------------------	--------------	---------------

Total Samples Failed: **0**

Total Samples Submitted: **3**

Deficiency Rate: **0.00 %**

Mausdale Farm Supply, LLC - 16 Old Valley School Rd Danville PA 17821-9510 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
------------------	-----------------------	-------------------	--------------	---------------

Total Samples Failed: **0**

Total Samples Submitted: **3**

Deficiency Rate: **0.00 %**

Meherrin Fertilizer, Inc. - PO Box 310 4136 Severn Rd Severn NC 27877-0310 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
------------------	-----------------------	-------------------	--------------	---------------

E201900135	N	12.00 %	9.97 %	F
------------	---	---------	--------	---

	P2O5	12.00 %	9.94 %	F
--	------	---------	--------	---

	TCV	100.00 %	92.98 %	F
--	-----	----------	---------	---

E201900136	N	10.00 %	8.84 %	F
------------	---	---------	--------	---

	TCV	100.00 %	94.04 %	F
--	-----	----------	---------	---

Total Samples Failed: **2**

Total Samples Submitted: **2**

Deficiency Rate: **100.00 %**

Miller Chemical & Fertilizer, LLC - 120 Radio Rd PO Box 333 Hanover PA 17331-1139 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
------------------	-----------------------	-------------------	--------------	---------------

E201900153	Zn	1.50 %	1.31 %	F
------------	----	--------	--------	---

E201900155	Zn	4.00 %	3.43 %	F
------------	----	--------	--------	---

Total Samples Failed: **2**

Total Samples Submitted: **3**

Deficiency Rate: **66.67 %**

Miracle Gro Lawn Products, Inc dba Scotts - 14111 Scottslawn Rd Marysville OH 43040-7801 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
------------------	-----------------------	-------------------	--------------	---------------

E201900187	Ca	1.80 %	1.45 %	F
------------	----	--------	--------	---

Total Samples Failed: **1**

Total Samples Submitted: **7**

Deficiency Rate: **14.29 %**

Newsom Seed, Inc. - Po Box 510 Fulton MD 20759-0510 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
------------------	-----------------------	-------------------	--------------	---------------

E201900173	K2O	3.00 %	2.68 %	F
------------	-----	--------	--------	---

Total Samples Failed: **1**

Total Samples Submitted: **1**

Deficiency Rate: **100.00 %**

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2019 to 6/30/2020

Nolt Spreading, LLC - 155 E Wood Corner Rd Lititz PA 17543-9166 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201900028	Ca	21.00 %	18.65 %	F
Total Samples Failed:				1
Total Samples Submitted:				4
Deficiency Rate:				25.00 %

Novelty Manufacturing Co - 1330 Loop Road Lancaster PA 17601-3116 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201900036	P2O5	3.00 %	2.63 %	F
	Ca	4.80 %	3.58 %	F
E201900040	Ca	5.00 %	3.67 %	F
	Fe	4.00 %	3.57 %	F
Total Samples Failed:				2
Total Samples Submitted:				2
Deficiency Rate:				100.00 %

Nutrien Ag Solutions, Inc. - 1470 Jersey Ave North Brunswick NJ 08902-1659 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Oregon Ag, LLC - 1150 E Oregon Rd Lititz PA 17543-8490 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

P L Rohrer & Bro, Inc. - 2472 Old Philadelphia Pike Lancaster PA 17602-3421 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Pearl Valley Organix, Inc. - 968 S Kent Rd Pearl City IL 61062-9170 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201900147	N	3.00 %	2.44 %	F
E201900148	N	3.00 %	2.57 %	F
Total Samples Failed:				2
Total Samples Submitted:				3
Deficiency Rate:				66.67 %

PowerAg - 2213 Leabrook Rd Lancaster PA 17601-2301 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2019 to 6/30/2020

Total Samples Submitted: 3
Deficiency Rate: 0.00 %

Red Lion Grain Center - 1000 Delta Road Red Lion PA 17356 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
------------------	-----------------------	-------------------	--------------	---------------

Total Samples Failed: 0

Total Samples Submitted: 1

Deficiency Rate: 0.00 %

Scotts Miracle Gro Products, Inc - 14111 Scottslawn Rd Marysville OH 43040-7801 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
------------------	-----------------------	-------------------	--------------	---------------

Total Samples Failed: 0

Total Samples Submitted: 6

Deficiency Rate: 0.00 %

Snyder's Crop Service, LLC - 1101 Newcomer Rd Mount Joy PA 17552-8824 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
------------------	-----------------------	-------------------	--------------	---------------

Total Samples Failed: 0

Total Samples Submitted: 2

Deficiency Rate: 0.00 %

Solu-Cal USA, Ltd - PO Box 278 22 Cranberry Hwy W Wareham MA 02576 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
------------------	-----------------------	-------------------	--------------	---------------

Total Samples Failed: 0

Total Samples Submitted: 2

Deficiency Rate: 0.00 %

Swiss Farms Products, Inc. dba Scotts Co - 3993 Howard Hughes Pkwy Ste 250 Las Vegas NV 89169-6754 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
------------------	-----------------------	-------------------	--------------	---------------

Total Samples Failed: 0

Total Samples Submitted: 2

Deficiency Rate: 0.00 %

Synatek, LP - 737 Hagey Center Dr Unit A Souderton PA 18964-2404 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
------------------	-----------------------	-------------------	--------------	---------------

E201900055	TCV	100.00 %	91.26 %	F
------------	-----	----------	---------	---

Total Samples Failed: 1

Total Samples Submitted: 1

Deficiency Rate: 100.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2019 to 6/30/2020

T and N, Inc. - 815 Highway T Foristell MO 63348-1300 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201900115	TCV	100.00 %	95.38 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Terrace Brands - 3993 Howard Hughes Pkwy Ste 250 Las Vegas NV 89169-6754 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201900041	N	10.00 %	8.19 %	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

The Andersons, Inc - Po Box 119 Maumee OH 43537-0119 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201900089	K2O	16.00 %	14.21 %	F
E201900092	N	10.00 %	8.45 %	F
	K2O	10.00 %	8.48 %	F
	TCV	100.00 %	87.77 %	F
E201900107	TCV	100.00 %	92.13 %	F
Total Samples Failed:				3
Total Samples Submitted:				16
Deficiency Rate:				18.75 %

The Doggett Corporation - 30 Cherry St Lebanon NJ 08833-2151 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

The Espoma Co. - 6 Espoma Rd Millville NJ 08332-1499 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201900146	N	6.00 %	5.24 %	F
Total Samples Failed:				1
Total Samples Submitted:				4
Deficiency Rate:				25.00 %

The Fertrell Company - Po Box 265 Rt 241 & 441 Bainbridge PA 17502 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201900032	TCV	100.00 %	90.83 %	F
	K2O	3.00 %	2.32 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2019 to 6/30/2020

**The Hawthorne Gardening Company - 800 Port Washington Blvd Port Washington NY 11050-3720
US**

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				5
Deficiency Rate:				0.00 %

The Scotts Company - 14111 Scottslawn Rd Marysville OH 43041 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0.00 %

Turf Care Supply Corp - 50 Pearl Rd Ste 200 Brunswick OH 44212-5703 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201900134	P2O5	3.00 %	2.55 %	F
	K2O	5.00 %	3.63 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Turf Chemicals Plus, Inc. dba Bio Plex - 114 Manheim St Mount Joy PA 17552-1318 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E201900037	K2O	4.00 %	3.27 %	F
	Fe	6.00 %	2.57 %	F
E201900038	Fe	3.60 %	1.47 %	F
Total Samples Failed:				2
Total Samples Submitted:				3
Deficiency Rate:				66.67 %

United Compost & Organics Inc - Po Box 787 Arcata CA 95518-0787 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Winfield Solutions, LLC - Po Box 64589 Saint Paul MN 55164-0589 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %
