

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

Agricultural Commodities Inc - 1585 Granite Station Rd Gettysburg PA 17325-8299 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0.00 %

Agrium Advanced Technologies (US) Inc - 2405 W Vassar Road(M 15) Reese MI 48757-9340 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Agrium Advanced Technologies (US) Inc - 2915 Rocky Mountain Ave Ste 400 Loveland CO 80538-9048 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Agronomy Inc - 28 Fry Street PO Box 210 Mercersburg PA 17236 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300449	N	10.00 %	7.26 %	F
	P2O5	10.00 %	6.61 %	F
	TCV	100.00 %	78.35 %	F
E201300451	N	15.00 %	12.32 %	F
	P2O5	15.00 %	10.58 %	F
	TCV	100.00 %	83.50 %	F
Total Samples Failed:				2
Total Samples Submitted:				4
Deficiency Rate:				50.00 %

Albrights Mill LLC - 9927 Kistler Valley Road Kempton PA 19529 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300462	P2O5	10.00 %	7.13 %	F
Total Samples Failed:				1
Total Samples Submitted:				8
Deficiency Rate:				12.50 %

Andersons Inc, Lordstown - 6161 Muth Rd Lordstown OH 44481 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300304	Ca	22.00 %	12.92 %	F
	Mg	10.00 %	7.36 %	F
	N	10.00 %	7.36 %	F
	P2O5	10.00 %	7.94 %	F
	K2O	10.00 %	8.59 %	F
E201300487	TCV	100.00 %	89.48 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

Andersons Inc, Lordstown - 6161 Muth Rd Lordstown OH 44481 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300712	N	5.00 %	4.48 %	F
	P2O5	10.00 %	8.46 %	F
	N	10.00 %	8.98 %	F
Total Samples Failed:				3
Total Samples Submitted:				6
Deficiency Rate:				50.00 %

Andersons Lawn Fertilizer Division Inc - PO BOX 119 Maumee OH 43537 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300308	N	5.00 %	4.43 %	F
	P2O5	10.00 %	8.65 %	F
E201300533	N	20.00 %	14.56 %	F
	TCV	100.00 %	89.19 %	F
E201300619	K2O	12.00 %	10.50 %	F
	TCV	100.00 %	90.72 %	F
E201300620	N	12.00 %	10.76 %	F
	N	5.00 %	4.41 %	F
	P2O5	10.00 %	8.32 %	F
E201300621	TCV	100.00 %	89.07 %	F
	TCV	100.00 %	88.97 %	F
	P2O5	10.00 %	8.31 %	F
Total Samples Failed:				5
Total Samples Submitted:				32
Deficiency Rate:				15.63 %

Andre & Son Inc - 17150 State Route 706 Montrose PA 18801-9771 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300614	Zn	0.50 %	0.10 %	F
Total Samples Failed:				1
Total Samples Submitted:				9
Deficiency Rate:				11.11 %

ASB-Greenworld, Inc - Po Box Q West Point VA 23181-1709 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Bedford Farm Bureau Co-Op Assoc - 1629 Curryville Road Box 93 Route 866 Curryville PA 16631 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300598	TCV	100.00 %	92.54 %	F
Total Samples Failed:				1
Total Samples Submitted:				3

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

Deficiency Rate: 33.33 %

Bedford Farm Bureau Co-op Somerset - 141 Maurice Lane Rockwood PA 15557 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300001	TCV	100.00 %	96.13 %	F
E201300003	K2O	10.00 %	8.68 %	F
	TCV	100.00 %	91.45 %	F
E201300007	TCV	100.00 %	96.17 %	F
E201300721	TCV	100.00 %	96.68 %	F
	P2O5	15.00 %	12.70 %	F
Total Samples Failed:				4
Total Samples Submitted:				7
Deficiency Rate:				57.14 %

Bedford Farm Bureau; New Enterprise - 449 Cave Road New Enterprise PA 16664 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300002	P2O5	21.00 %	16.93 %	F
	TCV	100.00 %	87.14 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Bioz Agri Products Inc - RR #1 S 40 C17 Oliver -Canada BC VOH 1TO CA

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Black Gold Envirosafe Inc - Po Box 190 Oxford FL 34484-0190 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300194	K2O	5.00 %	4.27 %	F
	TCV	100.00 %	96.43 %	F
E201300258	P2O5	5.00 %	3.83 %	F
	TCV	100.00 %	93.37 %	F
Total Samples Failed:				2
Total Samples Submitted:				2
Deficiency Rate:				100.00 %

Bonide Products Inc. - 6301 Sutliff Rd Oriskany NY 13424-4341 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300065	P2O5	5.00 %	3.96 %	F
	TCV	100.00 %	90.01 %	F
Total Samples Failed:				1
Total Samples Submitted:				6
Deficiency Rate:				16.67 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

Bricker's Choice - 5849 Front St PO Box 174 Marion PA 17235 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300491	K2O	10.00 %	8.82 %	F
	TCV	100.00 %	95.79 %	F
E201300492	TCV	100.00 %	94.46 %	F
E201300494	TCV	100.00 %	94.77 %	F
E201300839	TCV	100.00 %	96.75 %	F
Total Samples Failed:				4
Total Samples Submitted:				5
Deficiency Rate:				80.00 %

Chemgro Fertilizer Co Inc - 1550 State St East Petersburg PA 17520-1318 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				5
Deficiency Rate:				0.00 %

CHS Inc - PO Box 64089 St Paul MN 55164 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Coast Of Maine - 145 Newbury Street Portland ME 04101 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Cornell Brothers Inc - 84 Milk Plant Rd PO Box 101 Middlebury Center PA 16935 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Crop Production Services Inc - 41 Greenleaf Rd Bloomsburg PA 17815-6573 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				7
Deficiency Rate:				0.00 %

Cumberland Valley Coop. Assn - Po Box 350 Shippensburg PA 17257 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300132	TCV	100.00 %	96.02 %	F
E201300133	K2O	10.00 %	8.39 %	F
E201300226	P2O5	10.00 %	8.87 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

Cumberland Valley Coop. Assn - Po Box 350 Shippensburg PA 17257 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300821	TCV	100.00 %	91.43 %	F
	K2O	10.00 %	7.24 %	F
	TCV	100.00 %	88.64 %	F
E201300842	N	10.00 %	8.99 %	F
	P2O5	10.00 %	7.45 %	F
	TCV	100.00 %	92.44 %	F
Total Samples Failed:				5
Total Samples Submitted:				11
Deficiency Rate:				45.45 %

Darling Ingredients, Inc. dba Griffin Industries, - 4221 Alexandria Pike Cold Spring KY 41076 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Doggett Corp,The - 30 Cherry St Lebanon NJ 08833 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300186	P2O5	52.00 %	49.34 %	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Domestic Fertilizer Inc. - 1750 17th Street Paris KY 21483 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Dr Earth INC - PO BOX 460 Winters CA 95694 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300466	P2O5	4.00 %	3.28 %	F
E201300472	P2O5	3.00 %	2.16 %	F
Total Samples Failed:				2
Total Samples Submitted:				5
Deficiency Rate:				40.00 %

Earthworks Nat Organic Stds - 30 Morgan Hill Rd Easton PA 18042-6930 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

Easy Gardener Inc - PO BOX 21025 Waco TX 76702 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300084	N	4.00 %	3.42 %	F
E201300479	TCV	100.00 %	86.45 %	F
	P2O5	7.00 %	4.04 %	F
E201300571	N	10.00 %	8.81 %	F
E201300890	N	4.00 %	3.27 %	F
Total Samples Failed:				4
Total Samples Submitted:				29
Deficiency Rate:				13.79 %

EcoScraps Inc - PO Box 731 Sandy UT 84091-0731 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Encap LLC - 3921 Algoma Road Green Bay WI 54311 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Espoma Co., The - 6 Espoma Rd Millville NJ 08332 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300283	Mg	5.00 %	1.20 %	F
Total Samples Failed:				1
Total Samples Submitted:				7
Deficiency Rate:				14.29 %

Farnam Companies Inc - Po Box 34820 Phoenix AZ 85067-4820 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300273	N	1.00 %	0.89 %	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Fertrell Co, The - Po Box 265 Bainbridge PA 17502 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300071	N	3.00 %	2.48 %	F
	K2O	7.00 %	6.11 %	F
E201300182	K2O	4.00 %	3.34 %	F
E201300601	N	4.00 %	2.16 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

Fertrell Co, The - Po Box 265 Bainbridge PA 17502 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300603	K2O	7.00 %	4.36 %	F
Total Samples Failed:				4
Total Samples Submitted:				10
Deficiency Rate:				40.00 %

First Rays LLC - 3057 Yorkshire Rd Doylestown PA 18902-1628 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Fisher & Son Company Inc - 110 Summit Dr Exton PA 19341-2838 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300425	Fe	2.00 %	1.34 %	F
Total Samples Failed:				1
Total Samples Submitted:				7
Deficiency Rate:				14.29 %

Flora Corp - 675 Montee St Francois Laval QC H7C 2S8 CA

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Florikan E.S.A. LLC - 6801 Energy Court, Suite 100 Sarasota FL 34240 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Foster Turf Products LLC - 88-200 Ave 58 Thermal CA 92274 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Four Seasons Crop Care Inc - 5985 Olde Scotland Rd Shippensburg PA 17257-9248 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

General Hydroponics - Po Box 1576 Sebastopol CA 95473-1576 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Good Earth/dba/ Hoffman,A H - 5960 Broadway Po Box 290 Lancaster NY 14086-0290 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300274	N	5.00 %	4.17 %	F
	P2O5	10.00 %	8.61 %	F
	TCV	100.00 %	0.00	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Green Light Company - 1600 Riviera Avenue Suite 200 Walnut Creek CA 94596 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0.00 %

Green Light Company - PO Box 17985 San Antonio TX 78217 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Griffith, E.h. Inc - 2250 Palmer Street Pittsburgh PA 15218 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				6
Deficiency Rate:				0.00 %

Gro Tec Inc - P.O. Box 290 Madison GA 30650 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300102	K2O	16.00 %	13.93 %	F
	TCV	100.00 %	96.80 %	F
E201300301	K2O	12.00 %	10.42 %	F
Total Samples Failed:				2
Total Samples Submitted:				18
Deficiency Rate:				11.11 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

Gro-Green Inc - 717 Elk Street Buffalo NY 14210 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Growmark FS LLC - 852 Tulpehocken Rd Myerstown PA 17067-2246 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	3
				Deficiency Rate:	0.00 %

Growmark FS LLC - 200 Packer Ave PO Box 71 Towanda PA 18848 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	2
				Deficiency Rate:	0.00 %

Growmark FS LLC - 3150 Stoney Point Road East Berlin PA 17316 US

Sample ID	Component Code	Guaranteed	Found	Status	
E201300202	TCV	100.00 %	93.42 %	F	
	N	20.00 %	16.81 %	F	
E201300361	P2O5	3.00 %	2.45 %	F	
				Total Samples Failed:	2
				Total Samples Submitted:	3
				Deficiency Rate:	66.67 %

Growmark FS LLC - 552 Feidler Rd Bellefonte PA 16823-7556 US

Sample ID	Component Code	Guaranteed	Found	Status	
E201300171	Zn	1.25 %	0.48 %	F	
				Total Samples Failed:	1
				Total Samples Submitted:	1
				Deficiency Rate:	100.00 %

Growmark FS LLC - 308 Ne Front St Milford DE 19963-1434 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	5
				Deficiency Rate:	0.00 %

Growmark FS LLC - 520 E North St Carlisle PA 17013-2638 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300193	K2O	20.00 %	17.71 %	F
	TCV	100.00 %	92.25 %	F
E201300457	P2O5	9.00 %	7.79 %	F
E201300775	K2O	8.00 %	5.26 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

Growmark FS LLC - 520 E North St Carlisle PA 17013-2638 US

Sample ID	Component Code	Guaranteed	Found	Status
	TCV	100.00 %	90.17 %	F
Total Samples Failed:				3
Total Samples Submitted:				8
Deficiency Rate:				37.50 %

Growmark FS LLC - 308 NE Front St Milford DE 19963-1434 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300018	K2O	10.00 %	8.84 %	F
E201300019	K2O	15.00 %	12.76 %	F
	TCV	100.00 %	95.30 %	F
E201300078	K2O	10.00 %	8.89 %	F
E201300577	Fe	2.00 %	1.18 %	F
E201300581	K2O	10.00 %	8.27 %	F
E201300772	K2O	10.00 %	8.91 %	F
	TCV	100.00 %	95.43 %	F
Total Samples Failed:				6
Total Samples Submitted:				11
Deficiency Rate:				54.55 %

Growmark FS LLC - 1633 Curryville Rd PO Box 125 Curryville PA 16662 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Growmark FS LLC - 1694 North Center Ave Somerset PA 15501 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Growmark FS LLC - 210 Milford Street PO Box 299 Port Royal PA 17082 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300761	N	19.00 %	14.72 %	F
	P2O5	18.00 %	12.96 %	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Growmark FS, LLC D/B/A Codorus Fertilizer Service - 4 Kraft Mill Rd Po Box 220 Codorus PA 17311 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300802	TCV	100.00 %	96.87 %	F
E201300804	K2O	10.00 %	7.87 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

**Growmark FS, LLC D/B/A Codorus Fertilizer Service - 4 Kraft Mill Rd Po Box 220 Codorus PA
17311 US**

Sample ID	Component Code	Guaranteed	Found	Status
	TCV	100.00 %	95.70 %	F
Total Samples Failed:				2
Total Samples Submitted:				7
Deficiency Rate:				28.57 %

Growmark Inc - 1701 Towanda Ave PO Box 2500 Bloomington IL 61701-2057 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300011	K2O	20.00 %	17.80 %	F
	TCV	100.00 %	96.87 %	F
E201300012	TCV	100.00 %	93.75 %	F
E201300020	P2O5	10.00 %	8.35 %	F
	K2O	10.00 %	8.24 %	F
	TCV	100.00 %	87.44 %	F
E201300177	TCV	100.00 %	95.36 %	F
E201300188	K2O	20.00 %	16.55 %	F
	TCV	100.00 %	92.32 %	F
E201300189	N	19.00 %	16.92 %	F
E201300192	TCV	100.00 %	96.42 %	F
E201300406	P2O5	10.00 %	6.91 %	F
	K2O	10.00 %	7.85 %	F
	TCV	100.00 %	80.19 %	F
E201300503	K2O	20.00 %	17.46 %	F
E201300518	K2O	15.00 %	12.90 %	F
E201300668	N	15.00 %	12.88 %	F
	P2O5	15.00 %	12.56 %	F
	TCV	100.00 %	88.77 %	F
E201300671	TCV	100.00 %	95.78 %	F
E201300674	P2O5	19.00 %	16.92 %	F
E201300675	N	10.00 %	8.43 %	F
	P2O5	20.00 %	17.25 %	F
	TCV	100.00 %	88.73 %	F
E201300676	P2O5	10.00 %	8.77 %	F
	TCV	100.00 %	93.50 %	F
E201300678	P2O5	19.00 %	16.99 %	F
E201300687	P2O5	6.00 %	5.10 %	F
	TCV	100.00 %	93.45 %	F
E201300851	P2O5	20.00 %	16.21 %	F
	K2O	10.00 %	7.11 %	F
	TCV	100.00 %	90.93 %	F
E201300852	TCV	100.00 %	94.99 %	F
	P2O5	20.00 %	17.92 %	F
E201300854	K2O	10.00 %	8.22 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Fertilizer Laboratory Tests

Date Range: 7/1/2013 to 6/30/2014

Growmark Inc - 1701 Towanda Ave PO Box 2500 Bloomington IL 61701-2057 US

Sample ID	Component Code	Guaranteed	Found	Status
	TCV	100.00 %	94.44 %	F
Total Samples Failed:				20
Total Samples Submitted:				61
Deficiency Rate:				32.79 %

Growmark Inc - 1701 Towanda Ave Bloomington IL 61701 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300187	K2O	10.00 %	7.53 %	F
E201300240	K2O	10.00 %	8.61 %	F
	TCV	100.00 %	95.34 %	F
E201300284	K2O	10.00 %	8.70 %	F
E201300567	TCV	100.00 %	91.14 %	F
E201300611	K2O	10.00 %	8.91 %	F
Total Samples Failed:				5
Total Samples Submitted:				19
Deficiency Rate:				26.32 %

Harrell's LLC - 151 Gene E Stewart Ct Sylacauga AL 35151-4543 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300250	K2O	20.00 %	17.82 %	F
E201300252	N	20.00 %	16.49 %	F
	TCV	100.00 %	95.18 %	F
Total Samples Failed:				2
Total Samples Submitted:				5
Deficiency Rate:				40.00 %

Harrells LLC - 720 Kraft Rd Lakeland FL 33815-3244 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300228	TCV	100.00 %	96.25 %	F
E201300246	K2O	19.00 %	16.67 %	F
	TCV	100.00 %	95.59 %	F
Total Samples Failed:				2
Total Samples Submitted:				9
Deficiency Rate:				22.22 %

Helena Chemical - 2413 Pennington Rd PO Box 131 Warriors Mark PA 16877-0131 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300008	N	10.00 %	8.50 %	F
	TCV	100.00 %	90.79 %	F
E201300009	N	25.00 %	21.34 %	F
Total Samples Failed:				2
Total Samples Submitted:				8
Deficiency Rate:				25.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

Helena Chemical Co - 225 Shilling Boulevard Collierville TN 38017 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300254	TCV	100.00 %	93.26 %	F
	P2O5	20.00 %	17.65 %	F
E201300255	TCV	100.00 %	92.18 %	F
	N	10.00 %	8.76 %	F
E201300256	N	25.00 %	21.59 %	F
E201300530	TCV	100.00 %	89.59 %	F
	N	20.00 %	16.36 %	F
	P2O5	10.00 %	6.70 %	F
Total Samples Failed:				4
Total Samples Submitted:				6
Deficiency Rate:				66.67 %

Howard Johnsons Enterprises - 9675 S 60Th St Franklin WI 53132-9113 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300221	K2O	22.00 %	17.02 %	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Infinity Fertilizers Inc - c/o The Scotts Company 6300 75th Ave Milan IL 61264 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				6
Deficiency Rate:				0.00 %

J & J Agri Prod & Serv Inc - 220 S Second Street Dillsburg PA 17019 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

J R Peters Inc - 6656 Grant Way Allentown PA 18106 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300808	Fe	0.30 %	0.10 %	F
Total Samples Failed:				1
Total Samples Submitted:				19
Deficiency Rate:				5.26 %

John Deere Landscape DBA Lesco Inc - Lynn Roberts- Regulatory Affairs 1385 East 36th Street Cleveland OH 44114-4114 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300045	K2O	4.00 %	2.94 %	F
E201300046	N	5.00 %	4.13 %	F
E201300047	Mn	0.45 %	0.36 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

**John Deere Landscape DBA Lesco Inc - Lynn Roberts- Regulatory Affairs 1385 East 36th Street
Cleveland OH 44114-4114 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201300089	K2O	4.00 %	2.16 %	F
E201300090	P2O5	24.00 %	21.62 %	F
	K2O	12.00 %	9.82 %	F
	TCV	100.00 %	96.16 %	F
E201300092	Fe	10.00 %	7.95 %	F
E201300093	Fe	2.50 %	1.84 %	F
E201300141	P2O5	3.00 %	0.00	F
E201300142	N	28.00 %	25.86 %	F
E201300196	N	28.00 %	23.59 %	F
	TCV	100.00 %	95.99 %	F
E201300396	P2O5	24.00 %	20.52 %	F
	TCV	100.00 %	96.59 %	F
E201300397	K2O	5.00 %	4.26 %	F
E201300399	N	24.00 %	19.11 %	F
	P2O5	5.00 %	3.14 %	F
	K2O	11.00 %	8.87 %	F
	TCV	100.00 %	77.80 %	F
E201300722	K2O	14.00 %	12.29 %	F
E201300723	Mn	0.45 %	0.32 %	F
E201300827	N	13.00 %	10.79 %	F
	K2O	6.00 %	5.21 %	F
	TCV	100.00 %	84.13 %	F
E201300829	P2O5	14.00 %	11.86 %	F
E201300831	K2O	4.00 %	3.56 %	F
Total Samples Failed:				18
Total Samples Submitted:				34
Deficiency Rate:				52.94 %

Jonathan Green, Inc. - Po Box 326 Farmingdale NJ 07727 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300085	P2O5	10.00 %	8.01 %	F
	TCV	100.00 %	87.82 %	F
E201300583	TCV	100.00 %	95.78 %	F
Total Samples Failed:				2
Total Samples Submitted:				5
Deficiency Rate:				40.00 %

Judsons Inc - 6872 Austinville Rd Columbia Cross Roads PA 16914 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				5
Deficiency Rate:				0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

Kepner Farm Supply LLC - 429 Maple Lane Muncy PA 17756 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300484	TCV	100.00 %	96.66 %	F
E201300872	TCV	100.00 %	95.80 %	F
Total Samples Failed:				2
Total Samples Submitted:				10
Deficiency Rate:				20.00 %

Kirby Agri Inc - PO Box 27 Richland PA 17087 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300106	K2O	40.00 %	33.31 %	F
	TCV	100.00 %	87.53 %	F
E201300107	N	6.00 %	5.12 %	F
	K2O	24.00 %	18.81 %	F
	TCV	100.00 %	85.75 %	F
Total Samples Failed:				2
Total Samples Submitted:				5
Deficiency Rate:				40.00 %

Kirby Agri Inc - 2313 Norman Rd Lancaster PA 17601 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300203	N	20.00 %	16.55 %	F
	K2O	10.00 %	7.65 %	F
	TCV	100.00 %	94.31 %	F
E201300340	K2O	15.00 %	7.47 %	F
	TCV	100.00 %	86.99 %	F
Total Samples Failed:				2
Total Samples Submitted:				7
Deficiency Rate:				28.57 %

Kirby Agri Inc - 500 Running Pump Road Lancaster PA 17607-6277 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300026	N	20.00 %	16.77 %	F
	TCV	100.00 %	92.59 %	F
E201300098	N	10.00 %	8.85 %	F
	K2O	10.00 %	8.41 %	F
	TCV	100.00 %	88.84 %	F
E201300099	K2O	20.00 %	17.06 %	F
	TCV	100.00 %	94.09 %	F
E201300114	K2O	10.00 %	8.31 %	F
	TCV	100.00 %	92.61 %	F
E201300115	TCV	100.00 %	94.79 %	F
E201300116	K2O	20.00 %	17.19 %	F
E201300118	N	10.00 %	8.35 %	F
	P2O5	20.00 %	17.48 %	F
	K2O	10.00 %	8.72 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

Kirby Agri Inc - 500 Running Pump Road Lancaster PA 17607-6277 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300146	TCV	100.00 %	86.33 %	F
	N	10.00 %	7.25 %	F
	P2O5	10.00 %	8.83 %	F
	K2O	10.00 %	8.97 %	F
E201300147	TCV	100.00 %	83.23 %	F
	K2O	10.00 %	8.65 %	F
E201300155	TCV	100.00 %	93.35 %	F
	P2O5	6.00 %	4.31 %	F
E201300160	TCV	100.00 %	94.99 %	F
	P2O5	20.00 %	17.73 %	F
E201300205	TCV	100.00 %	94.42 %	F
E201300205	P2O5	2.00 %	1.74 %	F
	N	18.00 %	15.23 %	F
E201300247	K2O	7.00 %	4.35 %	F
	TCV	100.00 %	78.76 %	F
	N	25.00 %	21.04 %	F
E201300249	K2O	10.00 %	8.61 %	F
	TCV	100.00 %	84.68 %	F
	P2O5	10.00 %	8.96 %	F
E201300311	K2O	10.00 %	8.31 %	F
	K2O	10.00 %	8.08 %	F
E201300312	K2O	10.00 %	8.08 %	F
E201300362	N	28.00 %	25.17 %	F
	P2O5	2.00 %	1.55 %	F
E201300414	TCV	100.00 %	93.63 %	F
	K2O	8.00 %	6.96 %	F
	TCV	100.00 %	95.97 %	F
E201300446	K2O	8.00 %	7.17 %	F
	TCV	100.00 %	94.27 %	F
E201300447	Fe	2.00 %	1.71 %	F
E201300448	TCV	100.00 %	94.87 %	F
	P2O5	24.00 %	21.85 %	F
E201300636	N	10.00 %	8.95 %	F
	P2O5	20.00 %	17.97 %	F
	TCV	100.00 %	90.24 %	F
E201300646	TCV	100.00 %	94.35 %	F
E201300648	K2O	19.00 %	16.58 %	F
E201300753	TCV	100.00 %	96.44 %	F
	P2O5	20.00 %	13.62 %	F
E201300784	K2O	15.00 %	12.89 %	F
E201300785	K2O	10.00 %	8.50 %	F
	TCV	100.00 %	93.44 %	F
E201300833	N	10.00 %	8.72 %	F
	P2O5	6.00 %	4.97 %	F
E201300834	K2O	20.00 %	16.69 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Fertilizer Laboratory Tests

Date Range: 7/1/2013 to 6/30/2014

Kirby Agri Inc - 500 Running Pump Road Lancaster PA 17607-6277 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300835	K2O	8.00 %	6.17 %	F
E201300836	N	20.00 %	16.21 %	F
	K2O	10.00 %	6.06 %	F
	TCV	100.00 %	85.60 %	F
Total Samples Failed:				31
Total Samples Submitted:				79
Deficiency Rate:				39.24 %

Knox Fertilizer Company Inc - Po Box 248 Knox IN 46534 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300087	N	24.00 %	21.82 %	F
	TCV	100.00 %	92.18 %	F
E201300144	P2O5	8.00 %	6.81 %	F
	K2O	16.00 %	14.26 %	F
E201300779	P2O5	8.00 %	7.05 %	F
	K2O	16.00 %	13.69 %	F
E201300879	P2O5	8.00 %	3.82 %	F
	K2O	16.00 %	6.34 %	F
	TCV	100.00 %	94.00 %	F
Total Samples Failed:				4
Total Samples Submitted:				9
Deficiency Rate:				44.44 %

Kreider, Franklin H. - 2400 Dairy Rd Lancaster PA 17601-2310 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300370	K2O	18.00 %	10.32 %	F
	TCV	100.00 %	94.34 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Lakeview Fertilizer Inc - 4870 Sandy Lake Greenville Rd Sandy Lake PA 16145-2032 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300334	P2O5	30.00 %	27.76 %	F
	K2O	10.00 %	8.24 %	F
	TCV	100.00 %	91.34 %	F
E201300335	K2O	15.00 %	13.16 %	F
Total Samples Failed:				2
Total Samples Submitted:				14
Deficiency Rate:				14.29 %

Lebanon Seaboard Corp - 1600 E Cumberland St Lebanon PA 17042 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300220	P2O5	4.00 %	3.05 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

Total Samples Failed: 1
Total Samples Submitted: 8
Deficiency Rate: 12.50 %

Lilly Miller Brands - 1000 Parkwood Circle Ste 700 Atlanta GA 30339 US

Sample ID	Component Code	Guaranteed	Found	Status
				Total Samples Failed: 0
				Total Samples Submitted: 2
				Deficiency Rate: 0.00 %

Lilly Miller Brands - 1340 Treat Blvd Ste 650 Suite 650 Walnut Creek CA 94597-2136 US

Sample ID	Component Code	Guaranteed	Found	Status
				Total Samples Failed: 0
				Total Samples Submitted: 2
				Deficiency Rate: 0.00 %

Little Britain Ag Supply, Inc - 398 Little Britain Rd N Quarryville PA 17566-9644 US

Sample ID	Component Code	Guaranteed	Found	Status
				Total Samples Failed: 0
				Total Samples Submitted: 1
				Deficiency Rate: 0.00 %

Loveland Products Inc - Po Box 1286 Greeley CO 80632-1286 US

Sample ID	Component Code	Guaranteed	Found	Status
				Total Samples Failed: 0
				Total Samples Submitted: 1
				Deficiency Rate: 0.00 %

Mainville Ag Services Inc - 360 Main Mifflin Road Bloomsburg PA 17815-6753 US

Sample ID	Component Code	Guaranteed	Found	Status
				Total Samples Failed: 0
				Total Samples Submitted: 6
				Deficiency Rate: 0.00 %

Martins Ag Service - 338 Grist Mill Rd New Holland PA 17557-9776 US

Sample ID	Component Code	Guaranteed	Found	Status
				Total Samples Failed: 0
				Total Samples Submitted: 1
				Deficiency Rate: 0.00 %

Mausdale Farm Supply, LLC - 10 Old Valley School Rd Danville PA 17821 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300326	N	15.00 %	13.06 %	F
	TCV	100.00 %	95.34 %	F
E201300329	N	10.00 %	8.66 %	F
	TCV	100.00 %	93.45 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

Mausdale Farm Supply, LLC - 10 Old Valley School Rd Danville PA 17821 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300391	TCV	100.00 %	95.54 %	F
E201300392	K2O	10.00 %	8.93 %	F
	TCV	100.00 %	96.78 %	F
E201300623	P2O5	24.00 %	20.82 %	F
	TCV	100.00 %	91.47 %	F
Total Samples Failed:				5
Total Samples Submitted:				25
Deficiency Rate:				20.00 %

Mcgeary Organics - 941 Wheatland Avenue PO BOX 299 Lancaster PA 17608-0299 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Meherrin Industries - PO Box 310 4136 Severn Road Severn NC 27877 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Mifflinburg Farmers Exchange Inc - 660 Mulberry Street PO Box 26 Mifflinburg PA 17844 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300629	TCV	100.00 %	96.37 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Miller Chemical & Fertilizer, LLC - 120 Radio Road PO Box 333 Hanover PA 17331 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300736	Ca	9.50 %	8.68 %	F
Total Samples Failed:				1
Total Samples Submitted:				6
Deficiency Rate:				16.67 %

Milwaukee Metropolitan Sewerage Distr - 260 West Seeboth Street Milwaukee WI 53204 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

Miracle Gro Lawn Products Inc/dba Scotts - 14111 Scottslawn Road Marysville OH 43041 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				9
Deficiency Rate:				0.00 %

Nolt Spreading LLC - 155 E Wood Corner Rd Lititz PA 17543 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300108	TCV	100.00 %	96.45 %	F
E201300231	Ca	20.00 %	17.86 %	F
E201300232	P2O5	4.00 %	3.25 %	F
Total Samples Failed:				3
Total Samples Submitted:				11
Deficiency Rate:				27.27 %

North East Fruit Growers Inc - 2297 Klomp Road North East PA 16428 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				4
Deficiency Rate:				0.00 %

Perdue AgSolutions, DBA Upper Dauphin Grain - 287 Kocher Ln Elizabethville PA 17023-8771 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300438	TCV	100.00 %	96.71 %	F
Total Samples Failed:				1
Total Samples Submitted:				8
Deficiency Rate:				12.50 %

Plantabbs Products - 8839H Kelso Dr Baltimore MD 21221 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

PMI Nutrition International - Po Box 19798 Saint Louis MO 63144-0700 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Prestige Marketing - 815 Brown Rd Lake Orion MI 48359-2263 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

Raymond D Eck & Sons Inc - 112 Harris St PO Box 344 Jersey Shore PA 17740-1112 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0.00 %

Red Lion Grain Center - 1000 Delta Road Red Lion PA 17356 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300149	N	18.00 %	16.08 %	F
E201300734	TCV	100.00 %	96.47 %	F
Total Samples Failed:				2
Total Samples Submitted:				12
Deficiency Rate:				16.67 %

Reed & Perrine - Po Box 100 Tennent NJ 07763 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300388	Fe	1.25 %	0.91 %	F
E201300389	N	10.00 %	6.88 %	F
	P2O5	10.00 %	6.60 %	F
	K2O	10.00 %	5.63 %	F
	TCV	100.00 %	63.91 %	F
E201300754	K2O	10.00 %	7.46 %	F
E201300756	Fe	1.25 %	1.02 %	F
Total Samples Failed:				4
Total Samples Submitted:				9
Deficiency Rate:				44.44 %

Risser Grain - Turbotville - 440 Beaver Run Rd Turbotville PA 17772-8513 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300505	K2O	4.00 %	3.59 %	F
Total Samples Failed:				1
Total Samples Submitted:				8
Deficiency Rate:				12.50 %

Rod McLellan Company - 14111 Scottslawn Road Po Box 190 Marysville OH 43041 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Rod McLellan Company - Po Box 70 Independence OR 97351-0070 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

Rootblast International Inc - 2207 Kimball Rd Se Canton OH 44707-3631 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Scotts Company,The - 14111 Scottslawn Rd Marysville OH 43041 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	16
				Deficiency Rate:	0.00 %

Scotts Miracle Gro Products Inc - 14111 Scottslawn Road Marysville OH 43041 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	17
				Deficiency Rate:	0.00 %

Scotts Sierra Hort Prod Co - 14111 Scottslawn Road Marysville OH 43041 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Southern States Coop Inc - 6606 West Broad Street Richmond VA 23230 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Southern States Gettysburg Crop Svc - 1896 York Rd Gettysburg PA 17325-8205 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	4
				Deficiency Rate:	0.00 %

Spray-n-Grow Inc - 20 Highway 35 S Rockport TX 78382-4139 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

SSC Gettysburg Crop Service - 1896 York Road Gettysburg PA 17325 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				4
Deficiency Rate:				0.00 %

Sun Bulb Co - 1615 S.W. Hwy 17 PO Box 698 Arcadia FL 34266 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Swiss Farms Products Inc%Scotts Co - 3993 Howard Hughes Pky Ste250 Las Vegas NV 89169 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300293	Fe	5.00 %	3.17 %	F
E201300299	P2O5	30.00 %	26.31 %	F
E201300886	P2O5	6.00 %	5.24 %	F
Total Samples Failed:				3
Total Samples Submitted:				12
Deficiency Rate:				25.00 %

Sylco Service & Terminal Co - 6395 State Rte 103 N Bldg 63 Lewistown PA 17044 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

SynaTek, LP - Attn: Victoria Nash PO Box 179 Avon Lake OH 44012-0179 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300022	K2O	8.00 %	6.38 %	F
	TCV	100.00 %	95.31 %	F
	Fe	4.00 %	3.29 %	F
E201300697	P2O5	2.00 %	1.66 %	F
Total Samples Failed:				2
Total Samples Submitted:				9
Deficiency Rate:				22.22 %

T R Shearer Ag Commodities, Inc. - 4691 Sandy Lake Road Carlton PA 16311 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

The Agronomy Center - 12039 Wm. Penn Highway Thompsontown PA 17094 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300418	K2O	20.00 %	17.76 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

Total Samples Failed: 1
Total Samples Submitted: 2
Deficiency Rate: 50.00 %

Tri State Turf Supply - 1544 A Campus Dr Warminster PA 18974-3971 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300562	TCV	100.00 %	90.97 %	F
	P2O5	24.00 %	21.06 %	F
				Total Samples Failed: 1
				Total Samples Submitted: 3
				Deficiency Rate: 33.33 %

True Source Organic - PO Box 350 Bainbridge PA 17502 US

Sample ID	Component Code	Guaranteed	Found	Status
				Total Samples Failed: 0
				Total Samples Submitted: 3
				Deficiency Rate: 0.00 %

Turf Care Supply Corp - 50 Pearl Rd Ste 200 Brunswick OH 44212-5703 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300555	K2O	6.00 %	3.68 %	F
				Total Samples Failed: 1
				Total Samples Submitted: 1
				Deficiency Rate: 100.00 %

Turf Chemicals Plus Inc/dba Bio plex - 114 Manheim St Mount Joy PA 17552 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300321	TCV	100.00 %	93.16 %	F
				Total Samples Failed: 1
				Total Samples Submitted: 7
				Deficiency Rate: 14.29 %

Turf Line Fertilizer DBA High Point Mills - 1225 Lehigh Station Rd Po Box 400 Henrietta NY 14467 US

Sample ID	Component Code	Guaranteed	Found	Status
				Total Samples Failed: 0
				Total Samples Submitted: 1
				Deficiency Rate: 0.00 %

Turf Revolution - 122 Earl Thompson Rd unit #1 Ayr ON N0B 1E0 CA

Sample ID	Component Code	Guaranteed	Found	Status
E201300441	TCV	100.00 %	94.19 %	F
	P2O5	3.00 %	2.39 %	F
				Total Samples Failed: 1
				Total Samples Submitted: 2
				Deficiency Rate: 50.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

Union Mill Div. Of Chemgro - 316 Applehouse Rd Belleville PA 17004-8628 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300420	TCV	100.00 %	95.47 %	F
E201300421	TCV	100.00 %	89.16 %	F
	P2O5	21.00 %	17.98 %	F
E201300422	TCV	100.00 %	96.21 %	F
Total Samples Failed:				3
Total Samples Submitted:				11
Deficiency Rate:				27.27 %

United Compost & Organics Inc - Po Box 787 Arcata CA 95518-0787 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Unlimited Renewables - 1052 Oak Forest Dr Ste 300 Onalaska WI 54650-3490 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Voluntary Purchasing Groups - 230 Fm 87 Bonham TX 75418-8629 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0.00 %

W Atlee Burpee Co - 300 Park Ave Warminster PA 18974 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Warburton Greenhouses Inc - 6005 Schoolhouse Rd Elizabethtown PA 17022-8302 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300656	P2O5	8.00 %	6.84 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Webb's Super-Gro Products, Inc - 30 Pennsylvania Avenue PO Box C Mill Hall PA 17751-0090 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300136	N	10.00 %	8.38 %	F
	P2O5	20.00 %	17.73 %	F
	TCV	100.00 %	88.52 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

Webb's Super-Gro Products, Inc - 30 Pennsylvania Avenue PO Box C Mill Hall PA 17751-0090 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300521	TCV	100.00 %	93.46 %	F
E201300522	N	12.00 %	7.76 %	F
E201300524	P2O5	13.00 %	10.96 %	F
	K2O	13.00 %	11.58 %	F
	TCV	100.00 %	92.36 %	F
E201300868	P2O5	13.00 %	11.51 %	F
	TCV	100.00 %	94.66 %	F
Total Samples Failed:				5
Total Samples Submitted:				13
Deficiency Rate:				38.46 %

Western Reserve Farm Cooperative Inc - 2260 Church St Mill Village PA 16427 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300700	P2O5	13.00 %	11.54 %	F
Total Samples Failed:				1
Total Samples Submitted:				4
Deficiency Rate:				25.00 %

Western Reserve Farm Cooperative Inc - 225 Railroad St Cambridge Springs PA 16403-1033 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				8
Deficiency Rate:				0.00 %

Western Reserve Farm Cooperative Inc - 225 E Main Street PO Box 1030 Andover OH 44003 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300265	TCV	100.00 %	0.00	F
E201300543	K2O	19.00 %	16.85 %	F
E201300640	N	15.00 %	13.42 %	F
	TCV	100.00 %	95.55 %	F
E201300641	N	10.00 %	8.43 %	F
	TCV	100.00 %	91.70 %	F
Total Samples Failed:				4
Total Samples Submitted:				33
Deficiency Rate:				12.12 %

Willard Agri Service Inc - PO Box 321 5325 3rd Street Marion PA 17235 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2013 to 6/30/2014

Winfield Solutions LLC - PO Box 64589 St Paul MN 55164-0589 US

Sample ID	Component Code	Guaranteed	Found	Status
E201300048	K2O	4.00 %	3.00 %	F
	TCV	100.00 %	94.01 %	F
E201300049	N	10.00 %	8.30 %	F
	P2O5	10.00 %	7.40 %	F
	K2O	10.00 %	8.61 %	F
E201300064	TCV	100.00 %	80.96 %	F
	K2O	10.00 %	7.94 %	F
	TCV	100.00 %	89.63 %	F
E201300219	N	30.00 %	24.48 %	F
	K2O	5.00 %	1.59 %	F
	TCV	100.00 %	75.07 %	F
E201300227	P2O5	24.00 %	21.80 %	F
E201300298	K2O	16.00 %	8.48 %	F
	TCV	100.00 %	85.38 %	F
E201300349	P2O5	25.00 %	20.48 %	F
E201300350	N	14.00 %	10.40 %	F
	TCV	100.00 %	86.35 %	F
E201300353	K2O	14.00 %	6.22 %	F
	TCV	100.00 %	93.39 %	F
E201300354	K2O	4.00 %	3.33 %	F
Total Samples Failed:				10
Total Samples Submitted:				13
Deficiency Rate:				76.92 %

Worm Power - Po Box 668 Geneseo NY 14454-0668 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %