

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Fertilizer Laboratory Tests

Date Range: 7/1/2014 to 6/30/2015

Agricultural Commodities Inc - 1585 Granite Station Rd Gettysburg PA 17325-8299 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400037	P2O5	17.00 %	15.27 %	F
Total Samples Failed:				1
Total Samples Submitted:				4
Deficiency Rate:				25.00 %

Agrium Advanced Technologies (US) Inc - 2915 Rocky Mountain Ave Ste 400 Loveland CO 80538-9048 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400345	K2O	10.00 %	6.47 %	F
Total Samples Failed:				1
Total Samples Submitted:				4
Deficiency Rate:				25.00 %

Agronomy Inc - 28 Fry Street PO Box 210 Mercersburg PA 17236 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400436	N	10.00 %	8.66 %	F
	P2O5	20.00 %	17.89 %	F
	K2O	20.00 %	14.71 %	F
	TCV	100.00 %	83.07 %	F
E201400439	TCV	100.00 %	94.67 %	F
E201400440	P2O5	30.00 %	27.48 %	F
	TCV	100.00 %	92.14 %	F
Total Samples Failed:				3
Total Samples Submitted:				6
Deficiency Rate:				50.00 %

Albrights Mill LLC - 9927 Kistler Valley Road Kempton PA 19529 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Andersons Lawn Fertilizer Division Inc - PO BOX 119 Maumee OH 43537 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400049	TCV	100.00 %	95.62 %	F
E201400347	TCV	100.00 %	96.61 %	F
E201400733	N	24.00 %	21.94 %	F
	TCV	100.00 %	92.64 %	F
Total Samples Failed:				3
Total Samples Submitted:				6
Deficiency Rate:				50.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

Andersons, Inc. - PO Box 119 Maumee OH 43537 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400528	N	10.00 %	8.38 %	F
	P2O5	10.00 %	8.99 %	F
	TCV	100.00 %	88.11 %	F
E201400601	K2O	16.00 %	13.18 %	F
	TCV	100.00 %	89.34 %	F
E201400604	N	16.00 %	13.44 %	F
	K2O	20.00 %	17.88 %	F
E201400760	P2O5	10.00 %	8.65 %	F
	TCV	100.00 %	96.58 %	F
Total Samples Failed:				4
Total Samples Submitted:				15
Deficiency Rate:				26.67 %

Andre & Son Inc - 17150 State Route 706 Montrose PA 18801-9771 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400066	N	10.00 %	8.51 %	F
	TCV	100.00 %	96.77 %	F
E201400444	N	10.00 %	8.07 %	F
	P2O5	20.00 %	15.91 %	F
	TCV	100.00 %	82.48 %	F
Total Samples Failed:				2
Total Samples Submitted:				12
Deficiency Rate:				16.67 %

Aqua Aid, Inc - 5484 S. Old Carriage Rd Rocky Mount NC 27803 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Bedford Farm Bureau Co-op Somerset - 141 Maurice Lane Rockwood PA 15557 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400064	TCV	100.00 %	93.57 %	F
E201400247	K2O	10.00 %	8.82 %	F
E201400251	N	15.00 %	13.18 %	F
	TCV	100.00 %	94.42 %	F
E201400505	TCV	100.00 %	93.88 %	F
E201400507	K2O	20.00 %	17.11 %	F
E201400650	P2O5	15.00 %	13.24 %	F
	K2O	15.00 %	12.45 %	F
	TCV	100.00 %	93.51 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

Bedford Farm Bureau Co-op Somerset - 141 Maurice Lane Rockwood PA 15557 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400746	TCV	100.00 %	91.91 %	F
Total Samples Failed:				7
Total Samples Submitted:				17
Deficiency Rate:				41.18 %

Bedford Farm Bureau Coop Assn - 102 Industrial Ave Bedford PA 15522 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Bio Green USA - 1490 Airport Rd Greensboro GA 30642-2362 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Biologic LLC - 1003 Hwy 45Alt. South West Point MS 39773 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Black Gold Envirosafe Inc - Po Box 190 Oxford FL 34484-0190 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400097	P2O5	5.00 %	4.37 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Bonide Products Inc. - 6301 Sutliff Rd Oriskany NY 13424-4341 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400624	P2O5	10.00 %	7.43 %	F
	TCV	100.00 %	86.25 %	F
Total Samples Failed:				1
Total Samples Submitted:				4
Deficiency Rate:				25.00 %

Bricker's Choice - 5849 Front St PO Box 174 Marion PA 17235 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400735	K2O	10.00 %	8.35 %	F
	TCV	100.00 %	91.40 %	F
E201400736	N	10.00 %	8.28 %	F
	K2O	10.00 %	8.57 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

Bricker's Choice - 5849 Front St PO Box 174 Marion PA 17235 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400737	TCV	100.00 %	87.31 %	F
	K2O	20.00 %	17.95 %	F
	TCV	100.00 %	96.25 %	F
Total Samples Failed:				3
Total Samples Submitted:				5
Deficiency Rate:				60.00 %

Central Garden & Pet Garden Division - c/o Registrations By Design, Inc. 1000 Parkwood Circle, Suite 200 Atlanta GA 30339-6627 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Central Turf and Irrigation Supply - 1544A Campus Dr Warminster PA 18974-3969 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400446	N	20.00 %	14.64 %	F
	TCV	100.00 %	77.71 %	F
Total Samples Failed:				1
Total Samples Submitted:				4
Deficiency Rate:				25.00 %

Chemgro Fertilizer Co Inc - 1550 State St East Petersburg PA 17520-1318 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400281	K2O	23.16 %	18.40 %	F
	TCV	100.00 %	95.06 %	F
E201400282	K2O	12.00 %	1.00 %	F
	TCV	100.00 %	84.07 %	F
E201400433	TCV	100.00 %	94.06 %	F
E201400434	P2O5	11.00 %	8.69 %	F
	TCV	100.00 %	90.87 %	F
Total Samples Failed:				4
Total Samples Submitted:				6
Deficiency Rate:				66.67 %

Chrysal International BV - PO Box 5300 AH Naarden 1410 NL

Sample ID	Component Code	Guaranteed	Found	Status
E201400165	TCV	100.00 %	93.78 %	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

Cornell Brothers Inc - 84 Milk Plant Rd PO Box 101 Middlebury Center PA 16935 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0.00 %

Crop Production Services Inc - 41 Greenleaf Rd Bloomsburg PA 17815-6573 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				9
Deficiency Rate:				0.00 %

Cumberland Valley Coop. Assn - Po Box 350 Shippensburg PA 17257 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400368	K2O	10.00 %	7.98 %	F
	TCV	100.00 %	94.25 %	F
E201400509	P2O5	10.00 %	8.09 %	F
	K2O	10.00 %	7.86 %	F
	TCV	100.00 %	86.06 %	F
Total Samples Failed:				2
Total Samples Submitted:				3
Deficiency Rate:				66.67 %

Darling Ingredients, Inc. dba Griffin Industries, - 4221 Alexandria Pike Cold Spring KY 41076 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400700	TCV	100.00 %	93.06 %	F
E201400701	K2O	8.00 %	6.86 %	F
Total Samples Failed:				2
Total Samples Submitted:				6
Deficiency Rate:				33.33 %

Dayton Farm Supply - 118 Agway Ln Dayton PA 16222-4702 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Deerfield Farms Service Inc - 193 Black Rd Volant PA 16156-4601 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Delcarm, LLC - 756 Street Rd Cochranville PA 19330-9469 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400540	P2O5	5.00 %	3.80 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

Total Samples Failed: 1
Total Samples Submitted: 4
Deficiency Rate: 25.00 %

Doggett Corp,The - 30 Cherry St Lebanon NJ 08833 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400109	K2O	18.00 %	11.67 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Domestic Fertilizer Inc. - 1750 17th Street Paris KY 21483 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Dr Earth INC - PO BOX 460 Winters CA 95694 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400197	P2O5	4.00 %	3.31 %	F
E201400223	N	10.00 %	8.27 %	F
Total Samples Failed:				2
Total Samples Submitted:				10
Deficiency Rate:				20.00 %

E B Stone & Son, Inc. - 6111 Lambie Road Po Box 550 Suisun CA 94585 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400794	P2O5	10.00 %	8.47 %	F
	K2O	10.00 %	8.54 %	F
	TCV	100.00 %	89.99 %	F
E201400808	P2O5	1.00 %	0.61 %	F
Total Samples Failed:				2
Total Samples Submitted:				2
Deficiency Rate:				100.00 %

Easy Gardener Inc - PO BOX 21025 Waco TX 76702 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400185	N	4.00 %	3.28 %	F
E201400232	N	4.00 %	2.97 %	F
E201400780	K2O	8.00 %	5.33 %	F
	TCV	100.00 %	94.76 %	F
E201400806	K2O	8.00 %	2.65 %	F
	TCV	100.00 %	92.63 %	F
Total Samples Failed:				4
Total Samples Submitted:				11
Deficiency Rate:				36.36 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

EcoScraps Inc - PO Box 731 Sandy UT 84091-0731 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400562	K2O	6.00 %	5.36 %	F
Total Samples Failed:				1
Total Samples Submitted:				4
Deficiency Rate:				25.00 %

Encap LLC - 3921 Algoma Road Green Bay WI 54311 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Enviro State Laboratories - 1579 Barber Rd Sarasota FL 34240-9391 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400819	Cu	0.20 %	0.06 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Espoma Co., The - 6 Espoma Rd Millville NJ 08332 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400120	K2O	2.00 %	1.00 %	F
	TCV	100.00 %	89.49 %	F
E201400137	Ca	5.00 %	4.45 %	F
Total Samples Failed:				2
Total Samples Submitted:				32
Deficiency Rate:				6.25 %

Ever Grow for Specialty Fertilizers - Seventh Industrial No 7043 Saida City 1600 EG

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Ferti Technologies - 560 Rheume P.O. BOX 129 St Michel QC J0L 2J0 CA

Sample ID	Component Code	Guaranteed	Found	Status
E201400359	N	20.00 %	17.92 %	F
	K2O	5.00 %	4.25 %	F
	TCV	100.00 %	88.85 %	F
E201400360	K2O	5.00 %	4.06 %	F
	TCV	100.00 %	85.85 %	F
	N	22.00 %	19.07 %	F
E201400616	N	9.00 %	7.25 %	F
	TCV	100.00 %	84.82 %	F
E201400618	N	14.00 %	12.22 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

Ferti Technologies - 560 Rheaume P.O. BOX 129 St Michel QC J0L 2J0 CA

Sample ID	Component Code	Guaranteed	Found	Status
	P2O5	14.00 %	11.32 %	F
	TCV	100.00 %	95.82 %	F
Total Samples Failed:				4
Total Samples Submitted:				10
Deficiency Rate:				40.00 %

Fertrell Co, The - Po Box 265 Bainbridge PA 17502 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400085	K2O	4.00 %	3.47 %	F
E201400086	K2O	4.00 %	3.49 %	F
E201400821	P2O5	4.00 %	2.78 %	F
	K2O	7.00 %	4.96 %	F
	TCV	100.00 %	82.45 %	F
Total Samples Failed:				3
Total Samples Submitted:				7
Deficiency Rate:				42.86 %

Fisher & Son Company Inc - 110 Summit Dr Exton PA 19341-2838 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400348	K2O	5.00 %	4.24 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Genesis Turfgrass Inc - 137 Commerce Dr Glen Rock PA 17327 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Griffith, E.h. Inc - 2250 Palmer Street Pittsburgh PA 15218 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				6
Deficiency Rate:				0.00 %

Gro Tec Inc - P.O. Box 290 Madison GA 30650 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400027	K2O	10.00 %	3.01 %	F
	TCV	100.00 %	88.20 %	F
E201400160	Fe	2.00 %	1.52 %	F
E201400225	P2O5	10.00 %	7.18 %	F
	K2O	10.00 %	7.25 %	F
	TCV	100.00 %	77.07 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

Gro Tec Inc - P.O. Box 290 Madison GA 30650 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400684	K2O	10.00 %	8.78 %	F
E201400743	P2O5	6.00 %	4.72 %	F
	K2O	6.00 %	4.79 %	F
	TCV	100.00 %	89.62 %	F
Total Samples Failed:				5
Total Samples Submitted:				13
Deficiency Rate:				38.46 %

Growmark FS LLC - 852 Tulpehocken Rd Myerstown PA 17067-2246 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				6
Deficiency Rate:				0.00 %

Growmark FS LLC - 656 Tarrtown Rd Adrian PA 16210-1218 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Growmark FS LLC - 200 Packer Ave PO Box 71 Towanda PA 18848 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400753	TCV	100.00 %	94.83 %	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33 %

Growmark FS LLC - 3150 Stoney Point Road East Berlin PA 17316 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Growmark FS LLC - 308 Ne Front St Milford DE 19963-1434 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400769	TCV	100.00 %	95.02 %	F
	N	5.00 %	3.35 %	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Growmark FS LLC - 3024 Levans Rd Coplay PA 18037-2216 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400771	P2O5	14.00 %	11.47 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

Total Samples Failed: 1
Total Samples Submitted: 1
Deficiency Rate: 100.00 %

Growmark FS LLC - 152 Railroad ST Bedford PA 15522 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400243	K2O	38.00 %	35.79 %	F
				Total Samples Failed: 1
				Total Samples Submitted: 2
				Deficiency Rate: 50.00 %

Growmark FS LLC - 1694 North Center Ave Somerset PA 15501 US

Sample ID	Component Code	Guaranteed	Found	Status
				Total Samples Failed: 0
				Total Samples Submitted: 2
				Deficiency Rate: 0.00 %

Growmark FS, LLC - 6395 State Route 103 N Bldg 63 Lewistown PA 17044 US

Sample ID	Component Code	Guaranteed	Found	Status
				Total Samples Failed: 0
				Total Samples Submitted: 3
				Deficiency Rate: 0.00 %

Growmark FS, LLC D/B/A Codorus Fertilizer Service - 4 Kraft Mill Rd Po Box 220 Codorus PA 17311 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400549	TCV	100.00 %	96.66 %	F
E201400550	N	10.00 %	8.91 %	F
				Total Samples Failed: 2
				Total Samples Submitted: 7
				Deficiency Rate: 28.57 %

Growmark Inc - 1701 Towanda Ave PO Box 2500 Bloomington IL 61701-2057 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400245	K2O	20.00 %	17.54 %	F
	TCV	100.00 %	91.33 %	F
E201400328	TCV	100.00 %	84.21 %	F
	N	20.00 %	16.20 %	F
	P2O5	10.00 %	8.24 %	F
E201400329	TCV	100.00 %	93.43 %	F
E201400333	TCV	100.00 %	95.36 %	F
E201400412	K2O	20.00 %	17.93 %	F
E201400463	N	10.00 %	8.23 %	F
	P2O5	10.00 %	8.48 %	F
	K2O	10.00 %	7.87 %	F
	TCV	100.00 %	82.08 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

Growmark Inc - 1701 Towanda Ave PO Box 2500 Bloomington IL 61701-2057 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400465	TCV	100.00 %	94.67 %	F
E201400514	K2O	20.00 %	17.17 %	F
	TCV	100.00 %	94.31 %	F
E201400680	N	10.00 %	8.71 %	F
	P2O5	20.00 %	17.83 %	F
	K2O	20.00 %	16.21 %	F
	TCV	100.00 %	85.76 %	F
E201400681	N	10.00 %	8.11 %	F
	P2O5	10.00 %	8.44 %	F
	K2O	10.00 %	8.96 %	F
	TCV	100.00 %	84.69 %	F
Total Samples Failed:				10
Total Samples Submitted:				46
Deficiency Rate:				21.74 %

Growmark Inc - 1701 Towanda Ave Bloomington IL 61701 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400030	K2O	10.00 %	8.55 %	F
E201400067	K2O	19.00 %	15.47 %	F
E201400089	K2O	9.00 %	7.54 %	F
	TCV	100.00 %	90.89 %	F
E201400687	TCV	100.00 %	96.23 %	F
Total Samples Failed:				4
Total Samples Submitted:				11
Deficiency Rate:				36.36 %

Harrells LLC - 720 Kraft Rd Lakeland FL 33815-3244 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400105	N	21.00 %	16.98 %	F
	TCV	100.00 %	92.27 %	F
Total Samples Failed:				1
Total Samples Submitted:				5
Deficiency Rate:				20.00 %

Helena Chemical - 2413 Pennington Rd PO Box 131 Warriors Mark PA 16877-0131 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Helena Chemical Co - 225 Shilling Boulevard Collierville TN 38017 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400422	N	10.00 %	6.82 %	F
	TCV	100.00 %	89.53 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

Helena Chemical Co - 225 Shilling Boulevard Collierville TN 38017 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400425	N	19.00 %	17.04 %	F
E201400467	N	15.00 %	12.34 %	F
	P2O5	15.00 %	11.69 %	F
	TCV	100.00 %	92.44 %	F
E201400595	K2O	20.00 %	17.65 %	F
E201400596	N	10.00 %	8.70 %	F
	TCV	100.00 %	95.77 %	F
E201400597	P2O5	14.00 %	12.17 %	F
	K2O	14.00 %	11.15 %	F
E201400599	K2O	12.00 %	10.50 %	F
Total Samples Failed:				7
Total Samples Submitted:				14
Deficiency Rate:				50.00 %

Hildenbrand Lime & Fertilizer - 848 Waltz Mill Road Ruffsedale PA 15679 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Holganix LLC - 54 Conchester Rd Glen Mills PA 19342-1506 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400779	TCV	100.00 %	88.16 %	F
	P2O5	9.00 %	7.14 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

HyR BRIX Fertilizer - 2242 Berlin Station Rd Delaware OH 43015-9615 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Infinity Fertilizers Inc - c/o The Scotts Company 6300 75th Ave Milan IL 61264 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400041	N	32.00 %	29.48 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

J & J Agri Prod & Serv Inc - 220 S Second Street Dillsburg PA 17019 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

J R Peters Inc - 6656 Grant Way Allentown PA 18106 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400279	Fe	0.20 %	0.15 %	F
Total Samples Failed:				1
Total Samples Submitted:				10
Deficiency Rate:				10.00 %

**John Deere Landscape DBA Lesco Inc - Lynn Roberts- Regulatory Affairs 1385 East 36th Street
Cleveland OH 44114-4114 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201400364	N	7.00 %	5.30 %	F
	P2O5	1.00 %	0.68 %	F
	TCV	100.00 %	79.69 %	F
E201400795	K2O	11.00 %	9.01 %	F
E201400811	P2O5	5.00 %	3.91 %	F
Total Samples Failed:				3
Total Samples Submitted:				24
Deficiency Rate:				12.50 %

Jonathan Green, Inc. - Po Box 326 Farmingdale NJ 07727 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400103	Fe	3.00 %	0.72 %	F
Total Samples Failed:				1
Total Samples Submitted:				4
Deficiency Rate:				25.00 %

Judsons Inc - 6872 Austinville Rd Columbia Cross Roads PA 16914 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400756	K2O	27.00 %	23.64 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Kenko - 128 Old Kettle Ct Stroudsburg PA 18360-7145 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400785	N	10.00 %	8.90 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Fertilizer Laboratory Tests

Date Range: 7/1/2014 to 6/30/2015

Kepner Farm Supply LLC - 429 Maple Lane Muncy PA 17756 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400052	K2O	20.00 %	17.62 %	F
E201400400	TCV	100.00 %	95.78 %	F
E201400664	K2O	10.00 %	8.47 %	F
Total Samples Failed:				3
Total Samples Submitted:				9
Deficiency Rate:				33.33 %

Key State Ag Service - 611 Ridge Rd New Enterprise PA 16664-8526 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Kirby Agri Inc - PO Box 27 Richland PA 17087 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				4
Deficiency Rate:				0.00 %

Kirby Agri Inc - 500 Running Pump Road Lancaster PA 17607-6277 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400088	Fe	2.00 %	1.41 %	F
E201400090	TCV	100.00 %	95.20 %	F
E201400111	N	10.00 %	8.43 %	F
	P2O5	10.00 %	8.08 %	F
	TCV	100.00 %	85.65 %	F
E201400254	K2O	10.00 %	8.94 %	F
	TCV	100.00 %	93.73 %	F
E201400262	K2O	15.00 %	11.32 %	F
	TCV	100.00 %	92.16 %	F
E201400284	K2O	10.00 %	8.34 %	F
E201400385	K2O	20.00 %	15.26 %	F
	TCV	100.00 %	94.62 %	F
E201400386	K2O	10.00 %	8.94 %	F
E201400413	N	5.00 %	4.06 %	F
	TCV	100.00 %	95.32 %	F
E201400416	K2O	4.00 %	3.43 %	F
	TCV	100.00 %	95.10 %	F
E201400417	K2O	8.00 %	6.68 %	F
	TCV	100.00 %	89.80 %	F
E201400418	N	19.00 %	16.64 %	F
E201400420	TCV	100.00 %	95.82 %	F
E201400447	K2O	11.00 %	7.77 %	F
E201400456	N	15.00 %	13.12 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

Kirby Agri Inc - 500 Running Pump Road Lancaster PA 17607-6277 US

Sample ID	Component Code	Guaranteed	Found	Status
	TCV	100.00 %	95.99 %	F
E201400458	P2O5	18.00 %	15.27 %	F
E201400559	N	10.00 %	8.68 %	F
	K2O	10.00 %	7.15 %	F
	TCV	100.00 %	84.36 %	F
E201400576	K2O	10.00 %	8.72 %	F
	TCV	100.00 %	95.98 %	F
E201400716	N	18.00 %	15.70 %	F
E201400720	N	15.00 %	13.06 %	F
E201400729	N	12.00 %	10.48 %	F
	P2O5	24.00 %	19.14 %	F
	TCV	100.00 %	85.57 %	F
E201400731	Ca	12.00 %	10.73 %	F
E201400739	TCV	100.00 %	91.41 %	F
	N	10.00 %	7.19 %	F
E201400740	N	20.00 %	15.36 %	F
	TCV	100.00 %	88.94 %	F
E201400787	N	16.00 %	12.34 %	F
	TCV	100.00 %	77.12 %	F
E201400788	N	19.00 %	15.06 %	F
	K2O	5.00 %	4.20 %	F
	TCV	100.00 %	80.07 %	F
Total Samples Failed:				26
Total Samples Submitted:				79
Deficiency Rate:				32.91 %

Knox Fertilizer Company Inc - Po Box 248 Knox IN 46534 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400009	K2O	16.00 %	13.71 %	F
E201400454	N	24.00 %	18.78 %	F
Total Samples Failed:				2
Total Samples Submitted:				5
Deficiency Rate:				40.00 %

Koch Agronomic Services LLC - 4111 E 37Th St N Wichita KS 67220 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

Kreider, Franklin H. - 2400 Dairy Rd Lancaster PA 17601-2310 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	4
				Deficiency Rate:	0.00 %

Lakeview Fertilizer Inc - 4870 Sandy Lake Greenville Rd Sandy Lake PA 16145-2032 US

Sample ID	Component Code	Guaranteed	Found	Status	
E201400493	N	28.00 %	25.30 %	F	
				Total Samples Failed:	1
				Total Samples Submitted:	3
				Deficiency Rate:	33.33 %

Lebanon Seaboard Corp - 1600 E Cumberland St Lebanon PA 17042 US

Sample ID	Component Code	Guaranteed	Found	Status	
E201400016	N	5.00 %	4.49 %	F	
	P2O5	10.00 %	8.23 %	F	
	TCV	100.00 %	95.53 %	F	
E201400170	K2O	20.00 %	16.19 %	F	
E201400694	P2O5	18.00 %	15.60 %	F	
				Total Samples Failed:	3
				Total Samples Submitted:	17
				Deficiency Rate:	17.65 %

Lilly Miller Brands - 1000 Parkwood Circle Ste 700 Atlanta GA 30339 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	5
				Deficiency Rate:	0.00 %

Lilly Miller Brands - 1340 Treat Blvd Ste 650 Suite 650 Walnut Creek CA 94597-2136 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Little Britain Ag Supply, Inc - 398 Little Britain Rd N Quarryville PA 17566-9644 US

Sample ID	Component Code	Guaranteed	Found	Status	
E201400823	K2O	53.00 %	49.03 %	F	
	TCV	100.00 %	92.51 %	F	
				Total Samples Failed:	1
				Total Samples Submitted:	2
				Deficiency Rate:	50.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

Loveland Products Inc - Po Box 1286 Greeley CO 80632-1286 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400590	P2O5	14.00 %	10.86 %	F
	K2O	14.00 %	12.21 %	F
	TCV	100.00 %	89.61 %	F
E201400591	Fe	1.00 %	0.36 %	F
	Mn	0.50 %	0.20 %	F
Total Samples Failed:				2
Total Samples Submitted:				5
Deficiency Rate:				40.00 %

LRS Amalgamated, LLC - 448 Ignacio Blvd #109 Novato CA 94949 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Mainville Ag Services Inc - 360 Main Mifflin Road Bloomsburg PA 17815-6753 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				4
Deficiency Rate:				0.00 %

Mausdale Farm Supply, LLC - 10 Old Valley School Rd Danville PA 17821 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400032	TCV	100.00 %	94.96 %	F
E201400318	P2O5	15.00 %	13.04 %	F
	TCV	100.00 %	96.96 %	F
E201400373	K2O	10.00 %	8.63 %	F
	TCV	100.00 %	94.20 %	F
E201400379	P2O5	10.00 %	8.88 %	F
	K2O	10.00 %	8.96 %	F
Total Samples Failed:				4
Total Samples Submitted:				26
Deficiency Rate:				15.38 %

Meherrin Industries - PO Box 310 4136 Severn Road Severn NC 27877 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400044	TCV	100.00 %	93.71 %	F
E201400516	N	12.00 %	10.41 %	F
	K2O	12.00 %	8.98 %	F
	TCV	100.00 %	85.79 %	F
E201400517	P2O5	10.00 %	8.67 %	F
	K2O	10.00 %	8.80 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

Meherrin Industries - PO Box 310 4136 Severn Road Severn NC 27877 US

Sample ID	Component Code	Guaranteed	Found	Status
	TCV	100.00 %	88.88 %	F
Total Samples Failed:				3
Total Samples Submitted:				5
Deficiency Rate:				60.00 %

Mifflinburg Farmers Exchange Inc - 660 Mulberry Street PO Box 26 Mifflinburg PA 17844 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0.00 %

Miller Chemical & Fertilizer, LLC - 120 Radio Road PO Box 333 Hanover PA 17331 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Miracle Gro Lawn Products Inc/dba Scotts - 14111 Scottslawn Road Marysville OH 43041 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400560	P2O5	4.00 %	3.31 %	F
Total Samples Failed:				1
Total Samples Submitted:				8
Deficiency Rate:				12.50 %

Musser Forests Inc - 1880 Route 119 Hwy N Indiana PA 15701-7341 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

National Garden Wholesale - 5408 Ne 88Th St Vancouver WA 98665-0989 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400782	P2O5	13.00 %	7.46 %	F
	TCV	100.00 %	57.38 %	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

North East Fruit Growers Inc - 2297 Klomp Road North East PA 16428 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

Northampton Farm Bureau - 300 Bushkill St PO Box 400 Tatamy PA 18085 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Nutrients Plus Llc - 2133 Upton Dr Ste 126-509 Virginia Beach VA 23454 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400724	N	16.00 %	14.12 %	F
E201400726	N	16.00 %	14.18 %	F
	TCV	100.00 %	93.45 %	F
E201400727	Fe	1.00 %	0.63 %	F
Total Samples Failed:				3
Total Samples Submitted:				9
Deficiency Rate:				33.33 %

Organic Mechanic Soil Co,The - 12 Union Street PO Box 272 Modena PA 19358-0272 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400775	Fe	2.50 %	0.10 %	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Pearl Valley Organix Inc - 968 South Kent Road Pearl City IL 61062 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				4
Deficiency Rate:				0.00 %

Perdue AgSolutions, DBA Upper Dauphin Grain - 287 Kocher Ln Elizabethville PA 17023-8771 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400536	TCV	100.00 %	96.01 %	F
Total Samples Failed:				1
Total Samples Submitted:				5
Deficiency Rate:				20.00 %

Plant's Choice - c/o Registrations by Design PO Box 278 West Wareham MA 02576-0278 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

Pro Sol - 1792 Jodie Parker Rd Po Box 1589 Ozark AL 36361 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Purely Organic Products, LLC - 1 New Hampshire Ave, Suite 125 Portsmouth NH 03801 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Raymond D Eck & Sons Inc - 112 Harris St PO Box 344 Jersey Shore PA 17740-1112 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	3
				Deficiency Rate:	0.00 %

Red Lion Grain Center - 1000 Delta Road Red Lion PA 17356 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	6
				Deficiency Rate:	0.00 %

Reed & Perrine - Po Box 100 Tennent NJ 07763 US

Sample ID	Component Code	Guaranteed	Found	Status	
E201400006	K2O	2.00 %	1.51 %	F	
E201400061	P2O5	18.00 %	15.76 %	F	
	K2O	12.00 %	7.82 %	F	
	TCV	100.00 %	84.40 %	F	
E201400533	K2O	10.00 %	8.74 %	F	
E201400534	K2O	10.00 %	8.71 %	F	
E201400580	K2O	12.00 %	10.21 %	F	
E201400582	N	10.00 %	8.69 %	F	
	K2O	10.00 %	7.25 %	F	
	TCV	100.00 %	87.22 %	F	
				Total Samples Failed:	6
				Total Samples Submitted:	13
				Deficiency Rate:	46.15 %

Risser Grain - Turbotville - 440 Beaver Run Rd Turbotville PA 17772-8513 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	6
				Deficiency Rate:	0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

Rod McLellan Company - Po Box 70 Independence OR 97351-0070 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	2
				Deficiency Rate:	0.00 %

RX Green Solutions LLC - 873 Page Street 2nd Floor Manchester NH 03109 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	3
				Deficiency Rate:	0.00 %

Saltwater Farms - Po Box 307 South Freeport ME 04078-0307 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Sanco Industries, Inc - P.O. Box 11617 1819 S Calhoun St Fort Wayne IN 46859 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	1
				Deficiency Rate:	0.00 %

Schultz Co. - PO BOX 4406 Bridgeton MO 63044 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	2
				Deficiency Rate:	0.00 %

Scotts Company,The - 14111 Scottslawn Rd Marysville OH 43041 US

Sample ID	Component Code	Guaranteed	Found	Status	
E201400180	K2O	4.00 %	3.58 %	F	
				Total Samples Failed:	1
				Total Samples Submitted:	15
				Deficiency Rate:	6.67 %

Scotts Miracle Gro Products Inc - 14111 Scottslawn Road Marysville OH 43041 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	10
				Deficiency Rate:	0.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

Solu-Cal USA,LTD - P O Box 278 22 Cranberry Highway W Wareham MA 02576 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	2
				Deficiency Rate:	0.00 %

Southern States Coop Inc - 6606 West Broad Street Richmond VA 23230 US

Sample ID	Component Code	Guaranteed	Found	Status	
E201400375	TCV	100.00 %	94.23 %	F	
E201400584	N	5.00 %	4.20 %	F	
	P2O5	10.00 %	8.91 %	F	
	K2O	10.00 %	8.36 %	F	
	TCV	100.00 %	85.95 %	F	
				Total Samples Failed:	2
				Total Samples Submitted:	3
				Deficiency Rate:	66.67 %

SSC Gettysburg Crop Service - 1896 York Road Gettysburg PA 17325 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	5
				Deficiency Rate:	0.00 %

Sun Bulb Co - 1615 S.W. Hwy 17 PO Box 698 Arcadia FL 34266 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	5
				Deficiency Rate:	0.00 %

Swiss Farms Products Inc%Scotts Co - 3993 Howard Hughes Pky Ste250 Las Vegas NV 89169 US

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	10
				Deficiency Rate:	0.00 %

Sylvite Sales (USA) - 3221 North Service Rd Suite 200 Burlington ON L7N3G2 CA

Sample ID	Component Code	Guaranteed	Found	Status	
				Total Samples Failed:	0
				Total Samples Submitted:	2
				Deficiency Rate:	0.00 %

SynaTek, LP - Attn: Victoria Nash PO Box 179 Avon Lake OH 44012-0179 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400057	K2O	6.00 %	4.78 %	F
	TCV	100.00 %	86.92 %	F
	N	19.00 %	16.32 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Fertilizer Laboratory Tests

Date Range: 7/1/2014 to 6/30/2015

SynaTek, LP - Attn: Victoria Nash PO Box 179 Avon Lake OH 44012-0179 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400352	K2O	6.00 %	5.13 %	F
Total Samples Failed:				2
Total Samples Submitted:				12
Deficiency Rate:				16.67 %

Tainio Technology & Technique Inc - S 12102 Andrus Rd Cheney WA 99004 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

The Agronomy Center - 12039 Wm. Penn Highway Thompsett PA 17094 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400327	N	10.00 %	7.98 %	F
	K2O	10.00 %	8.08 %	F
	TCV	100.00 %	83.93 %	F
Total Samples Failed:				1
Total Samples Submitted:				5
Deficiency Rate:				20.00 %

Timac Agro Usa Inc - Rt 724 & I76 Po Box 888 Reading PA 19607 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				17
Deficiency Rate:				0.00 %

Tri State Turf Supply - 1544 A Campus Dr Warminster PA 18974-3971 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400024	Fe	5.00 %	3.88 %	F
E201400025	N	20.00 %	16.18 %	F
	P2O5	2.00 %	1.79 %	F
	TCV	100.00 %	86.83 %	F
Total Samples Failed:				2
Total Samples Submitted:				5
Deficiency Rate:				40.00 %

Turf Care Supply Corp - 50 Pearl Rd Ste 200 Brunswick OH 44212-5703 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400287	P2O5	3.00 %	2.47 %	F
	TCV	100.00 %	93.57 %	F
E201400288	K2O	6.00 %	5.36 %	F
E201400697	TCV	100.00 %	93.16 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

Turf Care Supply Corp - 50 Pearl Rd Ste 200 Brunswick OH 44212-5703 US

Sample ID	Component Code	Guaranteed	Found	Status
	N	32.00 %	29.81 %	F
Total Samples Failed:				3
Total Samples Submitted:				3
Deficiency Rate:				100.00 %

Union Mill Div. Of Chemgro - 316 Applehouse Rd Belleville PA 17004-8628 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400502	K2O	10.00 %	8.65 %	F
	TCV	100.00 %	94.53 %	F
E201400503	TCV	100.00 %	94.97 %	F
E201400504	TCV	100.00 %	95.70 %	F
	P2O5	15.00 %	13.23 %	F
Total Samples Failed:				3
Total Samples Submitted:				6
Deficiency Rate:				50.00 %

United Compost & Organics Inc - Po Box 787 Arcata CA 95518-0787 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				7
Deficiency Rate:				0.00 %

Vogel Seed & Fertilizer - 1891 Spring Valley Road Jackson WI 53037 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400341	K2O	5.00 %	3.81 %	F
E201400346	N	22.00 %	19.41 %	F
	TCV	100.00 %	89.19 %	F
Total Samples Failed:				2
Total Samples Submitted:				5
Deficiency Rate:				40.00 %

Voluntary Purchasing Groups - 230 Fm 87 Bonham TX 75418-8629 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400228	TCV	100.00 %	93.46 %	F
E201400231	N	7.00 %	5.18 %	F
	P2O5	8.00 %	6.78 %	F
	TCV	100.00 %	83.23 %	F
E201400234	P2O5	10.00 %	8.65 %	F
	TCV	100.00 %	91.29 %	F
E201400453	TCV	100.00 %	96.01 %	F
Total Samples Failed:				4
Total Samples Submitted:				8
Deficiency Rate:				50.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

W Atlee Burpee Co - 300 Park Ave Warminster PA 18974 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0.00 %

Webb's Super-Gro Products, Inc - 30 Pennsylvania Avenue PO Box C Mill Hall PA 17751-0090 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400569	TCV	100.00 %	83.33 %	F
	N	10.00 %	8.08 %	F
	P2O5	10.00 %	7.46 %	F
E201400640	N	10.00 %	8.56 %	F
	P2O5	20.00 %	17.34 %	F
	TCV	100.00 %	88.17 %	F
Total Samples Failed:				2
Total Samples Submitted:				18
Deficiency Rate:				11.11 %

Western Reserve Farm Cooperative Inc - 2260 Church St Mill Village PA 16427 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400632	N	29.00 %	24.12 %	F
E201400634	K2O	19.00 %	15.16 %	F
	TCV	100.00 %	85.48 %	F
	N	19.00 %	16.10 %	F
Total Samples Failed:				2
Total Samples Submitted:				4
Deficiency Rate:				50.00 %

Western Reserve Farm Cooperative Inc - 225 E Main Street PO Box 1030 Andover OH 44003 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400405	P2O5	19.00 %	15.43 %	F
E201400629	P2O5	26.00 %	23.62 %	F
E201400749	K2O	20.00 %	17.75 %	F
Total Samples Failed:				3
Total Samples Submitted:				22
Deficiency Rate:				13.64 %

Winfield Solutions LLC - PO Box 64589 St Paul MN 55164-0589 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400002	P2O5	10.00 %	8.75 %	F
	K2O	10.00 %	8.55 %	F
	TCV	100.00 %	89.68 %	F
E201400166	P2O5	10.00 %	8.34 %	F
	K2O	10.00 %	8.97 %	F
	TCV	100.00 %	90.97 %	F
E201400167	K2O	4.00 %	3.19 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Fertilizer Laboratory Tests**

Date Range: 7/1/2014 to 6/30/2015

Winfield Solutions LLC - PO Box 64589 St Paul MN 55164-0589 US

Sample ID	Component Code	Guaranteed	Found	Status
E201400169	TCV	100.00 %	91.91 %	F
	K2O	6.00 %	4.92 %	F
E201400208	TCV	100.00 %	96.75 %	F
	P2O5	10.00 %	7.80 %	F
E201400696	K2O	10.00 %	7.45 %	F
	TCV	100.00 %	82.96 %	F
E201400763	TCV	100.00 %	95.62 %	F
	P2O5	6.00 %	4.44 %	F
E201400764	K2O	16.00 %	13.44 %	F
	TCV	100.00 %	96.51 %	F
E201400789	P2O5	10.00 %	8.25 %	F
	K2O	10.00 %	5.86 %	F
E201400789	TCV	100.00 %	79.51 %	F
	K2O	5.00 %	4.32 %	F
Total Samples Failed:				9
Total Samples Submitted:				14
Deficiency Rate:				64.29 %

Yara North America Inc - 100 N Tampa St Ste 3200 Tampa FL 33602-5830 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0.00 %

York Waste Water Treatment - c/o Ostara USA LLC 1701 Black Bridge Rd York PA 17402-1911 US

Sample ID	Component Code	Guaranteed	Found	Status
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0.00 %