

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Fertilizer Laboratory Tests**

Date Range: 7/1/2010 to 6/30/2011

**Andersons Inc, Lordstown - 6161 Muth Rd Lordstown OH 44481 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000175	K2O	20.00 %	16.37 %	F
E201000387	K2O	16.00 %	12.62 %	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>9</b>
<b>Deficiency Rate:</b>				<b>22.22 %</b>

**Andersons Lawn Fertilizer Division Inc - PO BOX 119 Maumee OH 43537 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000128	K2O	18.00 %	15.80 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Ball DPF, LLC DBA DP Foods, LLC - 401 N Walnut Street Sherman TX 75090 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000028	P2O5	4.00 %	2.55 %	F
	K2O	4.00 %	1.00 %	F
	TCV	100.00 %	70.61 %	F
E201000059	P2O5	4.00 %	2.64 %	F
	K2O	4.00 %	1.23 %	F
	TCV	100.00 %	71.86 %	F
E201000092	N	10.00 %	8.17 %	F
	P2O5	4.00 %	2.70 %	F
	K2O	3.00 %	1.00 %	F
	TCV	100.00 %	70.99 %	F
E201000108	N	10.00 %	8.59 %	F
	P2O5	4.00 %	2.93 %	F
	K2O	3.00 %	1.00 %	F
	TCV	100.00 %	74.97 %	F
<b>Total Samples Failed:</b>				<b>4</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Bedford Farm Bureau Co-op Somerset - 141 Maurice Lane Rockwood PA 15557 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000328	N	10.00 %	8.95 %	F
E201000330	N	19.00 %	17.02 %	F
E201000331	N	5.00 %	3.81 %	F
	P2O5	10.00 %	8.11 %	F
	TCV	100.00 %	84.46 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>60.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Fertilizer Laboratory Tests**

Date Range: 7/1/2010 to 6/30/2011

**Bioz Agri Products Inc - RR #1 9551-306 th Ave S.40 C17 Oliver -Canada BC VOH 1-TO CA**

Sample ID	Component Code	Guaranteed	Found	Status
E201000256	N	4.00 %	3.46 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Bonide Products Inc. - 6301 Sutliff Rd Oriskany NY 13424-4341 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000104	TCV	100.00 %	96.28 %	F
E201000221	P2O5	5.00 %	3.82 %	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>66.67 %</b>

**Cumberland Valley Coop. Assn - Po Box 350 Shippensburg PA 17257 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000398	N	20.00 %	16.48 %	F
	TCV	100.00 %	94.40 %	F
E201000403	TCV	100.00 %	93.45 %	F
E201000404	K2O	15.00 %	13.39 %	F
E201000406	N	20.00 %	17.37 %	F
<b>Total Samples Failed:</b>				<b>4</b>
<b>Total Samples Submitted:</b>				<b>11</b>
<b>Deficiency Rate:</b>				<b>36.36 %</b>

**Dr Earth INC - PO BOX 460 Winters CA 95694 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000109	K2O	4.00 %	3.36 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

**Easy Gardener Inc - PO BOX 21025 Waco TX 76702 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000066	K2O	3.00 %	2.40 %	F
E201000089	P2O5	3.00 %	2.40 %	F
E201000145	P2O5	12.00 %	10.29 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>11</b>
<b>Deficiency Rate:</b>				<b>27.27 %</b>

**Enviro-safe Laboratories Inc - Po Box 190 Oxford FL 34484-0190 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000011	K2O	14.00 %	12.23 %	F
E201000041	K2O	14.00 %	11.87 %	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Fertilizer Laboratory Tests**

Date Range: 7/1/2010 to 6/30/2011

**Enviro-safe Laboratories Inc - Po Box 190 Oxford FL 34484-0190 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000120	K2O	8.00 %	5.99 %	F
	TCV	100.00 %	96.59 %	F
E201000389	K2O	14.00 %	12.35 %	F
<b>Total Samples Failed:</b>				<b>4</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Espoma Co., The - 6 Espoma Rd Millville NJ 08332 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000039	K2O	6.00 %	5.02 %	F
E201000079	K2O	5.00 %	4.11 %	F
E201000090	K2O	3.00 %	2.35 %	F
E201000096	TCV	100.00 %	95.67 %	F
E201000097	K2O	3.00 %	2.22 %	F
	TCV	100.00 %	89.41 %	F
	N	5.00 %	4.32 %	F
E201000131	K2O	3.00 %	2.32 %	F
E201000132	K2O	3.00 %	2.04 %	F
E201000134	P2O5	2.00 %	1.11 %	F
	TCV	100.00 %	85.77 %	F
<b>Total Samples Failed:</b>				<b>8</b>
<b>Total Samples Submitted:</b>				<b>13</b>
<b>Deficiency Rate:</b>				<b>61.54 %</b>

**Fisher & Son Company Inc - 110 Summit Dr Exton PA 19341-2838 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000124	K2O	15.00 %	11.73 %	F
E201000125	K2O	15.00 %	11.67 %	F
	TCV	100.00 %	91.58 %	F
	Fe	2.00 %	1.14 %	F
E201000126	K2O	10.00 %	5.28 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>75.00 %</b>

**Forman's Grain & Fert LLC - 440 Beaver Run Road Turbotville PA 17772 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000269	TCV	100.00 %	96.99 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Good Earth/dba/ Hoffman,A H - 5960 Broadway Po Box 290 Lancaster NY 14086-0290 US**

Sample ID	Component Code	Guaranteed	Found	Status
-----------	----------------	------------	-------	--------

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Fertilizer Laboratory Tests**

Date Range: 7/1/2010 to 6/30/2011

**Good Earth/dba/ Hoffman,A H - 5960 Broadway Po Box 290 Lancaster NY 14086-0290 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000137	K2O	3.00 %	1.00 %	F
	TCV	100.00 %	83.04 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Green Charger Fertilizer Co - PO Box 26234 Richmond VA 23260 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000207	N	10.00 %	7.29 %	F
	P2O5	10.00 %	8.93 %	F
E201000209	TCV	100.00 %	96.40 %	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Green Light Company - Po Box 17985 San Antonio TX 78217 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000122	K2O	6.00 %	1.52 %	F
	TCV	100.00 %	94.11 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Gro Tec Inc - P.O. Box 290 Madison GA 30650 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000003	TCV	100.00 %	93.18 %	F
E201000021	P2O5	10.00 %	8.91 %	F
	TCV	100.00 %	92.78 %	F
E201000071	P2O5	24.00 %	20.63 %	F
	K2O	6.00 %	2.68 %	F
	TCV	100.00 %	83.74 %	F
E201000153	K2O	6.00 %	3.46 %	F
	TCV	100.00 %	93.51 %	F
E201000162	K2O	5.00 %	3.49 %	F
E201000163	K2O	6.00 %	3.59 %	F
	TCV	100.00 %	95.69 %	F
E201000374	K2O	12.00 %	10.73 %	F
E201000392	TCV	100.00 %	96.84 %	F
E201000393	P2O5	12.00 %	10.57 %	F
	K2O	12.00 %	6.62 %	F
	TCV	100.00 %	79.74 %	F
E201000410	K2O	4.00 %	2.59 %	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Fertilizer Laboratory Tests**

Date Range: 7/1/2010 to 6/30/2011

**Gro Tec Inc - P.O. Box 290 Madison GA 30650 US**

Sample ID	Component Code	Guaranteed	Found	Status
	TCV	100.00 %	96.70 %	F
<b>Total Samples Failed:</b>				<b>10</b>
<b>Total Samples Submitted:</b>				<b>18</b>
<b>Deficiency Rate:</b>				<b>55.56 %</b>

**Growmark FS, LLC D/B/A Codorus Fertilizer Service - 4 Kraft Mill Rd Po Box 400 Codorus PA 17311 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000171	TCV	100.00 %	96.48 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Growmark Inc - 1701 Towanda Ave Bloomington IL 61701-2057 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000183	TCV	100.00 %	95.46 %	F
E201000184	TCV	100.00 %	93.37 %	F
E201000245	K2O	20.00 %	17.53 %	F
	TCV	100.00 %	93.54 %	F
E201000246	P2O5	15.00 %	12.94 %	F
	TCV	100.00 %	93.37 %	F
E201000252	TCV	100.00 %	94.00 %	F
E201000302	N	20.00 %	17.28 %	F
	K2O	10.00 %	8.80 %	F
	TCV	100.00 %	92.18 %	F
E201000315	TCV	100.00 %	93.95 %	F
E201000338	N	10.00 %	6.84 %	F
	P2O5	10.00 %	6.73 %	F
	K2O	10.00 %	6.90 %	F
	TCV	100.00 %	68.16 %	F
E201000370	TCV	100.00 %	93.76 %	F
E201000401	P2O5	36.00 %	32.22 %	F
	TCV	100.00 %	92.10 %	F
E201000407	TCV	100.00 %	92.09 %	F
<b>Total Samples Failed:</b>				<b>11</b>
<b>Total Samples Submitted:</b>				<b>37</b>
<b>Deficiency Rate:</b>				<b>29.73 %</b>

**Growmark Inc - 1701 Towanda Ave Bloomington IL 61701 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000317	K2O	10.00 %	6.95 %	F
E201000319	N	20.00 %	17.42 %	F
E201000320	K2O	10.00 %	8.75 %	F
E201000321	K2O	20.00 %	17.61 %	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Fertilizer Laboratory Tests**

Date Range: 7/1/2010 to 6/30/2011

**Growmark Inc - 1701 Towanda Ave Bloomington IL 61701 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000341	P2O5	2.00 %	1.52 %	F
	K2O	4.00 %	3.48 %	F
	TCV	100.00 %	95.69 %	F
E201000342	K2O	25.00 %	22.00 %	F
<b>Total Samples Failed:</b>				<b>6</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>75.00 %</b>

**Helena Chemical Co - 225 Shilling Boulevard Collierville TN 38017 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000333	TCV	100.00 %	95.29 %	F
E201000354	TCV	100.00 %	94.12 %	F
E201000355	N	10.00 %	7.76 %	F
	P2O5	20.00 %	16.88 %	F
	TCV	100.00 %	94.27 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>11</b>
<b>Deficiency Rate:</b>				<b>27.27 %</b>

**Howard Johnsons Enterprises - 700 W Virginia St Suite 222 Milwaukee WI 53204 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000032	P2O5	3.00 %	2.62 %	F
	K2O	2.50 %	1.00 %	F
	TCV	100.00 %	83.59 %	F
E201000055	K2O	2.50 %	1.00 %	F
	TCV	100.00 %	85.72 %	F
E201000165	K2O	2.50 %	1.00 %	F
	TCV	100.00 %	85.85 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**J R Peters Inc - 6656 Grant Way Allentown PA 18106 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000112	P2O5	6.00 %	4.71 %	F
	TCV	100.00 %	96.13 %	F
E201000114	P2O5	5.00 %	4.38 %	F
	K2O	6.00 %	4.57 %	F
	TCV	100.00 %	90.73 %	F
E201000115	K2O	23.00 %	18.73 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>7</b>
<b>Deficiency Rate:</b>				<b>42.86 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Fertilizer Laboratory Tests**

Date Range: 7/1/2010 to 6/30/2011

**John Deere Landscape DBA Lesco Inc - Kay Licht - Regulatory Affairs 1385 East 36th Street  
Cleveland OH 44114-4114 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000212	K2O	11.00 %	3.48 %	F
E201000215	P2O5	5.00 %	4.14 %	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

**Jonathan Green, Inc. - Po Box 326 Farmingdale NJ 07727 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000056	K2O	5.00 %	3.95 %	F
	TCV	100.00 %	92.56 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Kepner Farm Supply LLC - 429 Maple Lane Muncy PA 17756 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000026	TCV	100.00 %	94.53 %	F
E201000362	TCV	100.00 %	94.45 %	F
E201000363	TCV	100.00 %	95.90 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Kirby Agri Inc - 500 Running Pump Road PO Box 6277 Lancaster PA 17607-6277 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000198	N	10.00 %	8.36 %	F
	P2O5	20.00 %	15.61 %	F
	TCV	100.00 %	86.60 %	F
E201000199	TCV	100.00 %	95.73 %	F
	P2O5	24.00 %	21.93 %	F
E201000210	N	10.00 %	8.74 %	F
	P2O5	20.00 %	16.87 %	F
	TCV	100.00 %	96.20 %	F
E201000211	N	5.00 %	4.49 %	F
	P2O5	10.00 %	8.46 %	F
	K2O	10.00 %	8.71 %	F
	TCV	100.00 %	86.55 %	F
E201000234	N	15.00 %	12.56 %	F
	P2O5	15.00 %	13.00 %	F
	TCV	100.00 %	89.18 %	F
E201000265	K2O	15.00 %	13.22 %	F
E201000266	P2O5	20.00 %	16.68 %	F
E201000267	K2O	10.00 %	8.17 %	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Fertilizer Laboratory Tests**

Date Range: 7/1/2010 to 6/30/2011

**Kirby Agri Inc - 500 Running Pump Road PO Box 6277 Lancaster PA 17607-6277 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000280	TCV	100.00 %	91.71 %	F
	N	20.00 %	17.82 %	F
E201000291	TCV	100.00 %	96.09 %	F
	TCV	100.00 %	95.63 %	F
E201000292	P2O5	10.00 %	8.82 %	F
E201000294	N	5.00 %	4.34 %	F
	P2O5	10.00 %	8.74 %	F
E201000310	TCV	100.00 %	88.37 %	F
	K2O	20.00 %	17.18 %	F
E201000367	TCV	100.00 %	91.67 %	F
	K2O	10.00 %	8.85 %	F
	TCV	100.00 %	91.49 %	F
<b>Total Samples Failed:</b>				<b>14</b>
<b>Total Samples Submitted:</b>				<b>34</b>
<b>Deficiency Rate:</b>				<b>41.18 %</b>

**Knox Fertilizer Company Inc - Po Box 248 Knox IN 46534 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000189	P2O5	4.00 %	3.57 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>12.50 %</b>

**Lakeview Fertilizer Inc - 4870 Sandy Lake Greenville Rd Sandy Lake PA 16145-2032 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000173	N	10.00 %	8.88 %	F
	P2O5	30.00 %	25.40 %	F
	K2O	10.00 %	8.29 %	F
E201000174	TCV	100.00 %	85.20 %	F
	TCV	100.00 %	93.40 %	F
E201000187	TCV	100.00 %	95.20 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>75.00 %</b>

**Lebanon Seaboard Corp - 1600 E Cumberland St Lebanon PA 17042 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000343	TCV	100.00 %	93.26 %	F
	P2O5	16.00 %	14.07 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>



**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Fertilizer Laboratory Tests**

Date Range: 7/1/2010 to 6/30/2011

**Lilly Miller Brands - 2030 Powers Ferry Rd Ste 370 Atlanta GA 30339 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000164	K2O	10.00 %	7.53 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>7</b>
<b>Deficiency Rate:</b>				<b>14.29 %</b>

**Mainville Ag Services Inc - 360 Main Mifflin Road Bloomsburg PA 17815-6753 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000281	TCV	100.00 %	94.57 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Mausdale Farm Supply, LLC - 10 Old Valley School Rd Danville PA 17821 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000349	TCV	100.00 %	93.62 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>12.50 %</b>

**Meherrin Industries - PO Box 310 4136 Severn Road Severn NC 27877 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000150	K2O	12.00 %	10.25 %	F
	TCV	100.00 %	93.51 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Organica Technologies LLC - 705 General Washington Ave Norristown PA 19403 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000255	TCV	100.00 %	83.57 %	F
	N	7.00 %	4.93 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Perfectly Natural Solutions Inc - PO Box 640 Richmond Hill ON L4B4R-7 CA**

Sample ID	Component Code	Guaranteed	Found	Status
E201000129	P2O5	3.00 %	1.82 %	F
	K2O	5.00 %	4.05 %	F
	TCV	100.00 %	90.52 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Fertilizer Laboratory Tests**

Date Range: 7/1/2010 to 6/30/2011

**PMI Nutrition International - PO Box 19798 Brentwood MO 43144 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000051	K2O	5.00 %	3.51 %	F
	TCV	100.00 %	95.74 %	F
E201000060	P2O5	3.00 %	1.70 %	F
	K2O	3.00 %	1.00 %	F
	TCV	100.00 %	72.98 %	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Reed & Perrine - Po Box 100 Tennent NJ 07763 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000204	N	10.00 %	8.61 %	F
E201000205	K2O	7.00 %	5.99 %	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Rod McLellan Company - Po Box 70 Independence OR 97351-0070 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000140	P2O5	4.00 %	2.92 %	F
	K2O	2.00 %	1.15 %	F
	TCV	100.00 %	94.03 %	F
E201000141	P2O5	4.00 %	2.97 %	F
E201000142	P2O5	4.00 %	3.28 %	F
	K2O	3.00 %	2.68 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>60.00 %</b>

**Saltwater Farms - PO Box 740 Freeport ME 04078 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000099	K2O	4.00 %	2.94 %	F
	TCV	100.00 %	89.89 %	F
E201000100	P2O5	2.00 %	1.00 %	F
	K2O	2.00 %	0.00	F
	TCV	100.00 %	66.19 %	F
<b>Total Samples Failed:</b>				<b>2</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Schultz Co. - PO BOX 4406 Bridgeton MO 63044 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000081	K2O	10.00 %	6.76 %	F
<b>Total Samples Failed:</b>				<b>1</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Fertilizer Laboratory Tests**

Date Range: 7/1/2010 to 6/30/2011

**Total Samples Submitted: 9**  
**Deficiency Rate: 11.11 %**

**Scotts Company,The - 14111 Scottslawn Rd Marysville OH 43041 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000138	K2O	4.00 %	1.00 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>33.33 %</b>

**Scotts Miracle Gro Products Inc - 14111 Scottslawn Road Marysville OH 43041 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000033	K2O	6.00 %	5.17 %	F
E201000072	P2O5	4.00 %	2.91 %	F
	K2O	3.00 %	1.93 %	F
	TCV	100.00 %	81.84 %	F
E201000107	P2O5	15.00 %	13.47 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>13</b>
<b>Deficiency Rate:</b>				<b>23.08 %</b>

**Southern States Coop Inc - 6606 West Broad Street Richmond VA 23230 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000088	K2O	10.00 %	8.60 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>1</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Spectrum Group - PO BOX 142642 St Louis MO 63114 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000008	TCV	100.00 %	94.69 %	F
E201000049	N	15.00 %	13.02 %	F
	P2O5	30.00 %	23.64 %	F
	TCV	100.00 %	84.80 %	F
E201000050	P2O5	4.00 %	3.55 %	F
	K2O	8.00 %	6.87 %	F
E201000065	K2O	5.00 %	4.22 %	F
	TCV	100.00 %	94.12 %	F
<b>Total Samples Failed:</b>				<b>4</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**SQM North America - 2727 Paces Ferry Rd- Bldg 2-Ste1425 Atlanta GA 30339 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000298	K2O	20.00 %	17.77 %	F
<b>Total Samples Failed:</b>				<b>1</b>

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Fertilizer Laboratory Tests**

Date Range: 7/1/2010 to 6/30/2011

**Total Samples Submitted: 1**  
**Deficiency Rate: 100.00 %**

**Sun Bulb Co - 1615 S.W. Hwy 17 PO Box 698 Arcadia FL 34266 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000123	P2O5	14.00 %	12.46 %	F
	K2O	13.00 %	10.75 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Swiss Farms Products Inc%Scotts Co - 3993 Howard Hughes Pky Ste250 Las Vegas NV 89169 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000010	K2O	5.00 %	3.40 %	F
E201000046	K2O	5.00 %	4.20 %	F
	TCV	100.00 %	96.33 %	F
E201000077	P2O5	5.00 %	4.10 %	F
E201000118	K2O	15.00 %	12.61 %	F
E201000155	P2O5	5.00 %	4.06 %	F
<b>Total Samples Failed:</b>				<b>5</b>
<b>Total Samples Submitted:</b>				<b>17</b>
<b>Deficiency Rate:</b>				<b>29.41 %</b>

**Timac Agro Usa Inc - Rt 724 & I76 Po Box 888 Reading PA 19607 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000247	P2O5	7.00 %	6.00 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>4</b>
<b>Deficiency Rate:</b>				<b>25.00 %</b>

**Union Mill Div. Of Chemgro - 316 Applehouse Rd Belleville PA 17004-8628 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000194	N	19.00 %	16.95 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>16.67 %</b>

**United Compost & Organics Inc - Po Box 787 Arcata CA 95518-0787 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000064	K2O	5.00 %	4.23 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>2</b>
<b>Deficiency Rate:</b>				<b>50.00 %</b>

**Upper Dauphin Grain - 287 Kocher Rd Elizabethville PA 17023 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000225	TCV	100.00 %	94.92 %	F

**Pennsylvania Department of Agriculture  
Bureau of Plant Industry**

**Failed Fertilizer Laboratory Tests**

Date Range: 7/1/2010 to 6/30/2011

**Upper Dauphin Grain - 287 Kocher Rd Elizabethville PA 17023 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000226	K2O	20.00 %	15.31 %	F
E201000227	TCV	100.00 %	96.64 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**W Atlee Burpee Co - 300 Park Ave Warminster PA 18974 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000091	N	5.00 %	4.35 %	F
	P2O5	3.00 %	2.25 %	F
	TCV	100.00 %	91.43 %	F
E201000098	K2O	1.00 %	0.00	F
	TCV	100.00 %	72.06 %	F
	N	2.00 %	1.68 %	F
E201000101	N	5.00 %	1.74 %	F
	P2O5	3.00 %	1.00 %	F
	K2O	4.00 %	1.00 %	F
	TCV	100.00 %	31.60 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>3</b>
<b>Deficiency Rate:</b>				<b>100.00 %</b>

**Webb's Super-Gro Products, Inc - 30 Pennsylvania Avenue PO Box C Mill Hall PA 17751-0090 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000257	TCV	100.00 %	96.63 %	F
E201000259	K2O	13.00 %	10.96 %	F
E201000260	TCV	100.00 %	92.91 %	F
	P2O5	28.00 %	25.00 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>8</b>
<b>Deficiency Rate:</b>				<b>37.50 %</b>

**Western Reserve Farm Cooperative Inc - 225 E Main Street PO Box 1030 Andover OH 44003 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000190	TCV	100.00 %	96.34 %	F
<b>Total Samples Failed:</b>				<b>1</b>
<b>Total Samples Submitted:</b>				<b>6</b>
<b>Deficiency Rate:</b>				<b>16.67 %</b>

**Winfield Solutions LLC - PO Box 64589 St Paul MN 55164-0589 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201000218	K2O	4.00 %	2.95 %	F
E201000240	K2O	12.00 %	7.68 %	F
	TCV	100.00 %	86.51 %	F

Pennsylvania Department of Agriculture  
Bureau of Plant Industry

Failed Fertilizer Laboratory Tests

Date Range: 7/1/2010 to 6/30/2011

Winfield Solutions LLC - PO Box 64589 St Paul MN 55164-0589 US

Sample ID	Component Code	Guaranteed	Found	Status
E201000241	P2O5	10.00 %	7.82 %	F
	TCV	100.00 %	95.16 %	F
<b>Total Samples Failed:</b>				<b>3</b>
<b>Total Samples Submitted:</b>				<b>5</b>
<b>Deficiency Rate:</b>				<b>60.00 %</b>

---