

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Failed Fertilizer Laboratory Tests

Date Range: 7/1/2011 to 6/30/2012

Andersons Inc, Lordstown - 6161 Muth Rd Lordstown OH 44481 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100120	N	20.00 %	17.66 %	F
Total Samples Failed:				1
Total Samples Submitted:				8
Deficiency Rate:				12.50 %

Andersons Inc,The - 521 Illinois Ave Po Box 119 Maumee OH 43537 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100301	TCV	100.00 %	96.78 %	F
Total Samples Failed:				1
Total Samples Submitted:				4
Deficiency Rate:				25.00 %

Andersons Lawn Fertilizer Division Inc - PO BOX 119 Maumee OH 43537 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100047	N	23.00 %	20.88 %	F
	P2O5	4.00 %	3.20 %	F
	TCV	100.00 %	95.97 %	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Andre & Son Inc - 17150 State Route 706 Montrose PA 18801-9771 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100209	K2O	15.00 %	9.83 %	F
	TCV	100.00 %	92.98 %	F
E201100210	P2O5	20.00 %	16.64 %	F
	TCV	100.00 %	93.27 %	F
Total Samples Failed:				2
Total Samples Submitted:				7
Deficiency Rate:				28.57 %

Bedford Farm Bureau Co-op Somerset - 141 Maurice Lane Rockwood PA 15557 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100152	N	10.00 %	8.53 %	F
	TCV	100.00 %	94.84 %	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33 %

Bedford Farm Bureau Coop Assn - 102 Industrial Ave Bedford PA 15522 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100149	K2O	10.00 %	8.75 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Failed Fertilizer Laboratory Tests

Date Range: 7/1/2011 to 6/30/2012

Bedford Farm Bureau Coop Assn - 102 Industrial Ave Bedford PA 15522 US

Sample ID	Component Code	Guaranteed	Found	Status
	TCV	100.00 %	92.22 %	F
Total Samples Failed:				1
Total Samples Submitted:				4
Deficiency Rate:				25.00 %

Crop Production Services Inc - 41 Greenleaf Rd Bloomsburg PA 17815-6573 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100263	TCV	100.00 %	96.15 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Cumberland Valley Coop. Assn - Po Box 350 Shippensburg PA 17257 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100056	N	10.00 %	8.12 %	F
	P2O5	10.00 %	8.78 %	F
	TCV	100.00 %	90.31 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Deerfield Farms Service Inc - 193 Black Rd Volant PA 16156-4601 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100038	K2O	30.00 %	27.77 %	F
Total Samples Failed:				1
Total Samples Submitted:				4
Deficiency Rate:				25.00 %

E B Stone & Son, Inc. - 6111 Lambie Road Po Box 550 Suisun CA 94585 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100238	P2O5	20.00 %	16.71 %	F
	TCV	100.00 %	89.05 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Earthworks Nat Organic Stds - 1500 Uhler Road Easton PA 18040 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100060	N	8.00 %	6.88 %	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Failed Fertilizer Laboratory Tests

Date Range: 7/1/2011 to 6/30/2012

Easy Gardener Inc - PO BOX 21025 Waco TX 76702 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100270	K2O	4.00 %	3.30 %	F
Total Samples Failed:				1
Total Samples Submitted:				5
Deficiency Rate:				20.00 %

Ferti Technologies - 560 Rheaume St Michel QC J0L2J-0 CA

Sample ID	Component Code	Guaranteed	Found	Status
E201100242	N	16.00 %	14.01 %	F
	TCV	100.00 %	91.39 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Fisher & Son Company Inc - 110 Summit Dr Exton PA 19341-2838 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100046	K2O	15.00 %	12.69 %	F
Total Samples Failed:				1
Total Samples Submitted:				5
Deficiency Rate:				20.00 %

Growmark Fs - 756 Street Road Cochranville PA 19330 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100230	K2O	20.00 %	17.53 %	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33 %

Growmark FS LLC - 552 Feidler Rd Bellefonte PA 16823-7556 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100246	K2O	20.00 %	0.00	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

Growmark FS LLC - 308 NE Front St Milford DE 19963-1434 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100040	K2O	10.00 %	8.53 %	F
E201100243	K2O	25.00 %	22.75 %	F
E201100245	TCV	100.00 %	94.22 %	F
Total Samples Failed:				3
Total Samples Submitted:				3
Deficiency Rate:				100.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Failed Fertilizer Laboratory Tests

Date Range: 7/1/2011 to 6/30/2012

Growmark Inc - 1701 Towanda Ave Bloomington IL 61701-2057 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100030	K2O	10.00 %	8.63 %	F
E201100035	K2O	10.00 %	7.67 %	F
E201100133	TCV	100.00 %	95.92 %	F
E201100158	K2O	10.00 %	8.71 %	F
	TCV	100.00 %	93.49 %	F
E201100159	TCV	100.00 %	95.96 %	F
E201100179	TCV	100.00 %	96.99 %	F
E201100218	TCV	100.00 %	92.75 %	F
E201100232	P2O5	10.00 %	7.94 %	F
	K2O	10.00 %	8.91 %	F
	TCV	100.00 %	92.27 %	F
E201100234	N	10.00 %	8.18 %	F
	P2O5	10.00 %	8.09 %	F
	K2O	10.00 %	8.51 %	F
	TCV	100.00 %	82.42 %	F
E201100277	K2O	20.00 %	16.66 %	F
	TCV	100.00 %	92.16 %	F
E201100278	TCV	100.00 %	93.43 %	F
E201100280	TCV	100.00 %	94.32 %	F
E201100300	K2O	16.00 %	13.70 %	F
Total Samples Failed:				13
Total Samples Submitted:				34
Deficiency Rate:				38.24 %

Growmark Inc - 1701 Towanda Ave Bloomington IL 61701 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100116	K2O	10.00 %	8.72 %	F
	TCV	100.00 %	96.16 %	F
Total Samples Failed:				1
Total Samples Submitted:				5
Deficiency Rate:				20.00 %

Helena Chemical Co - 225 Shilling Boulevard Collierville TN 38017 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100188	TCV	100.00 %	96.45 %	F
Total Samples Failed:				1
Total Samples Submitted:				7
Deficiency Rate:				14.29 %

J R Peters Inc - 6656 Grant Way Allentown PA 18106 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100204	Fe	0.30 %	0.04 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Failed Fertilizer Laboratory Tests

Date Range: 7/1/2011 to 6/30/2012

J R Peters Inc - 6656 Grant Way Allentown PA 18106 US

Sample ID	Component Code	Guaranteed	Found	Status
	P2O5	3.00 %	2.58 %	F
Total Samples Failed:				1
Total Samples Submitted:				7
Deficiency Rate:				14.29 %

**John Deere Landscape DBA Lesco Inc - Kay Licht - Regulatory Affairs 1385 East 36th Street
Cleveland OH 44114-4114 US**

Sample ID	Component Code	Guaranteed	Found	Status
E201100066	P2O5	19.00 %	16.76 %	F
E201100200	P2O5	24.00 %	21.77 %	F
	TCV	100.00 %	96.09 %	F
E201100201	P2O5	24.00 %	20.77 %	F
	TCV	100.00 %	92.51 %	F
Total Samples Failed:				3
Total Samples Submitted:				8
Deficiency Rate:				37.50 %

Kepner Farm Supply LLC - 429 Maple Lane Muncy PA 17756 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100287	TCV	100.00 %	96.25 %	F
E201100288	P2O5	11.00 %	9.47 %	F
Total Samples Failed:				2
Total Samples Submitted:				3
Deficiency Rate:				66.67 %

Kirby Agri Inc - 500 Running Pump Road PO Box 6277 Lancaster PA 17607-6277 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100081	K2O	15.00 %	12.11 %	F
	TCV	100.00 %	90.93 %	F
E201100125	K2O	20.00 %	17.21 %	F
	TCV	100.00 %	94.22 %	F
E201100267	TCV	100.00 %	95.06 %	F
E201100269	N	10.00 %	8.44 %	F
	TCV	100.00 %	94.59 %	F
E201100272	TCV	100.00 %	96.33 %	F
E201100291	K2O	15.00 %	11.73 %	F
	TCV	100.00 %	94.03 %	F
E201100292	N	20.00 %	17.86 %	F
	K2O	10.00 %	8.15 %	F
	TCV	100.00 %	93.80 %	F
Total Samples Failed:				7
Total Samples Submitted:				14
Deficiency Rate:				50.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Failed Fertilizer Laboratory Tests

Date Range: 7/1/2011 to 6/30/2012

Knox Fertilizer Company Inc - Po Box 248 Knox IN 46534 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100048	K2O	8.00 %	6.75 %	F
Total Samples Failed:				1
Total Samples Submitted:				4
Deficiency Rate:				25.00 %

Lakeview Fertilizer Inc - 4870 Sandy Lake Greenville Rd Sandy Lake PA 16145-2032 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100083	N	25.00 %	22.73 %	F
E201100085	K2O	24.00 %	21.42 %	F
Total Samples Failed:				2
Total Samples Submitted:				10
Deficiency Rate:				20.00 %

Laminations Inc - 1350 Von Storch Ave Scranton PA 18509 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100092	Ca	5.00 %	3.91 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Lebanon Seaboard Corp - 1600 E Cumberland St Lebanon PA 17042 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100053	TCV	100.00 %	95.09 %	F
E201100054	P2O5	16.00 %	14.17 %	F
	TCV	100.00 %	91.91 %	F
E201100055	TCV	100.00 %	93.46 %	F
	P2O5	16.00 %	14.01 %	F
Total Samples Failed:				3
Total Samples Submitted:				4
Deficiency Rate:				75.00 %

Mausdale Farm Supply, LLC - 10 Old Valley School Rd Danville PA 17821 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100162	N	10.00 %	8.48 %	F
	P2O5	20.00 %	17.91 %	F
	TCV	100.00 %	91.38 %	F
E201100163	N	5.00 %	4.40 %	F
	P2O5	10.00 %	8.39 %	F
	TCV	100.00 %	88.62 %	F
E201100190	N	10.00 %	8.02 %	F
	P2O5	20.00 %	17.59 %	F
	TCV	100.00 %	90.90 %	F
E201100191	TCV	100.00 %	94.61 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Failed Fertilizer Laboratory Tests

Date Range: 7/1/2011 to 6/30/2012

Mausdale Farm Supply, LLC - 10 Old Valley School Rd Danville PA 17821 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100262	K2O	24.00 %	21.78 %	F
Total Samples Failed:				5
Total Samples Submitted:				11
Deficiency Rate:				45.45 %

Mifflinburg Farmers Exchange Inc - 660 Mulberry Street PO Box 26 Mifflinburg PA 17844 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100265	K2O	10.00 %	8.54 %	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33 %

Reed & Perrine - Po Box 100 Tennent NJ 07763 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100168	N	10.00 %	8.74 %	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33 %

Reed & Perrine - Po Box 100 Tennent NJ 07763 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100095	TCV	100.00 %	93.78 %	F
E201100170	K2O	10.00 %	8.87 %	F
	TCV	100.00 %	94.99 %	F
E201100176	N	10.00 %	8.94 %	F
	TCV	100.00 %	96.96 %	F
Total Samples Failed:				3
Total Samples Submitted:				6
Deficiency Rate:				50.00 %

Rod McLellan Company - Po Box 70 Independence OR 97351-0070 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100308	P2O5	2.00 %	1.27 %	F
Total Samples Failed:				1
Total Samples Submitted:				4
Deficiency Rate:				25.00 %

Sanco Industries, Inc - 1819 S Calhoun St Fort Wayne IN 46859 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100306	TCV	100.00 %	96.30 %	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00 %

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Failed Fertilizer Laboratory Tests

Date Range: 7/1/2011 to 6/30/2012

Solu-Cal USA,LTD - P O Box 278 W Wareham MA 02576 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100070	K2O	6.00 %	4.33 %	F
	TCV	100.00 %	94.07 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Swiss Farms Products Inc%Scotts Co - 3993 Howard Hughes Pky Ste250 Las Vegas NV 89169 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100075	Fe	5.00 %	4.33 %	F
E201100196	N	12.00 %	10.66 %	F
	Fe	11.00 %	1.59 %	F
Total Samples Failed:				2
Total Samples Submitted:				12
Deficiency Rate:				16.67 %

Synatek - 737 Hagey Center Drive Unit A Souderton PA 18964 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100027	K2O	12.00 %	10.47 %	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33 %

Tri State Turf Supply - 1544 A Campus Dr Warminster PA 18974-3971 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100068	TCV	100.00 %	94.64 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %

Union Mill Div. Of Chemgro - 316 Applehouse Rd Belleville PA 17004-8628 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100131	K2O	19.00 %	16.07 %	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33 %

Webb's Super-Gro Products, Inc - 30 Pennsylvania Avenue PO Box C Mill Hall PA 17751-0090 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100180	P2O5	24.00 %	21.06 %	F
	TCV	100.00 %	90.34 %	F
E201100181	N	10.00 %	8.09 %	F
	K2O	20.00 %	17.23 %	F
	TCV	100.00 %	86.99 %	F
E201100182	N	20.00 %	16.38 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Failed Fertilizer Laboratory Tests

Date Range: 7/1/2011 to 6/30/2012

Webb's Super-Gro Products, Inc - 30 Pennsylvania Avenue PO Box C Mill Hall PA 17751-0090 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100183	TCV	100.00 %	91.53 %	F
	P2O5	15.00 %	11.64 %	F
E201100184	TCV	100.00 %	92.09 %	F
	N	13.00 %	10.85 %	F
E201100185	P2O5	13.00 %	9.45 %	F
	TCV	100.00 %	85.52 %	F
	K2O	10.00 %	7.98 %	F
	TCV	100.00 %	90.99 %	F
Total Samples Failed:				6
Total Samples Submitted:				6
Deficiency Rate:				100.00 %

Winfield Solutions LLC - PO Box 64589 St Paul MN 55164-0589 US

Sample ID	Component Code	Guaranteed	Found	Status
E201100258	K2O	4.00 %	3.11 %	F
	TCV	100.00 %	91.67 %	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00 %