

Fertilizer Laboratory Samples
Date Range 7/1/2005 through 6/30/2006

AGRICULTURAL COMMODITIES INC. - FT000371

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 3
				Deficiency Rate: 0%

AGRILIANCE LLC - FT004993

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 1
				Deficiency Rate: 0%

AGRONOMY CENTER, THE - FT000009

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500317	K2O	20.00	13.35	F
E200500318	N	10.00	7.73	F
				Total Samples Failed: 2
				Total Samples Submitted: 2
				Deficiency Rate: 100.00%

AGRONOMY INC - FT000008

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500315	N	10.00	8.66	F
E200500315	TCV	97.00	94.47	F
E200500316	P2O5	32.00	20.99	F
E200500316	TCV	97.00	89.84	F
				Total Samples Failed: 2
				Total Samples Submitted: 3
				Deficiency Rate: 66.67%

ALBRIGHTS MILL - FT004645

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 6
				Deficiency Rate: 0%

ALLJACK - FT000012

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 1
				Deficiency Rate: 0%

ANDERSONS - FT000022

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500366	P2O5	16.00	14.17	F
E200500371	K2O	10.00	8.81	F
E200500371	TCV	97.00	95.44	F
E200500417	TCV	97.00	94.98	F
E200500419	TCV	97.00	96.74	F
E200500487	K2O	42.00	37.37	F
E200500487	TCV	97.00	90.73	F
E200500519	TCV	97.00	95.60	F
E200500521	TCV	97.00	96.13	F
E200500585	TCV	97.00	91.86	F

Fertilizer Laboratory Samples
Date Range 7/1/2005 through 6/30/2006

Total Samples Failed: 8
Total Samples Submitted: 35
Deficiency Rate: 22.86%

ANDERSONS - FT004110

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500496	K2O	12.00	10.75	F
E200500534	N	5.00	4.01	F
E200500534	TCV	97.00	90.77	F
E200500535	TCV	97.00	96.96	F

Total Samples Failed: 3
Total Samples Submitted: 12
Deficiency Rate: 25.00%

ANDERSONS - FT004540

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
-----------------	-----------------------	-------------------	--------------	---------------

Total Samples Failed: 0
Total Samples Submitted: 2
Deficiency Rate: 0%

ANDRE & SON INC. - FT000024

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500253	P2O5	10.00	8.33	F
E200500253	TCV	97.00	90.78	F
E200500551	N	23.00	20.50	F

Total Samples Failed: 2
Total Samples Submitted: 16
Deficiency Rate: 12.50%

ASB GREENWORLD, INC - FT004132

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500122	K2O	6.00	5.04	F
E200500122	N	10.00	5.49	F
E200500122	P2O5	4.00	3.22	F
E200500122	TCV	97.00	66.11	F

Total Samples Failed: 1
Total Samples Submitted: 1
Deficiency Rate: 100.00%

BAYER ADVANCED A BUSINESS - FT004684

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
-----------------	-----------------------	-------------------	--------------	---------------

Total Samples Failed: 0
Total Samples Submitted: 3
Deficiency Rate: 0%

BISSETT NURSERY CORPORATION - FT004731

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500556	P2O5	24.00	20.95	F
E200500556	TCV	97.00	94.79	F

Total Samples Failed: 1
Total Samples Submitted: 1
Deficiency Rate: 100.00%

BLUE SEAL FEEDS INC - FT004546

Fertilizer Laboratory Samples

Date Range 7/1/2005 through 6/30/2006

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500062	P2O5	2.00	1.36	F
				Total Samples Failed: 1
				Total Samples Submitted: 1
				Deficiency Rate: 100.00%

BRICKERS CHOICE - FT000456

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500116	TCV	97.00	93.65	F
				Total Samples Failed: 1
				Total Samples Submitted: 2
				Deficiency Rate: 50.00%

CENTRAL GARDEN & PET - FT004842

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 1
				Deficiency Rate: 0%

CHEMGRO FERTILIZER CO - FT000060

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 3
				Deficiency Rate: 0%

CODORUS FERTILIZER SERVICE - FT000068

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 5
				Deficiency Rate: 0%

CORNELL BROS INC - FT000373

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 2
				Deficiency Rate: 0%

CUMBERLAND VLY COOP. ASSN - FT000076

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500517	TCV	97.00	93.99	F
E200500518	TCV	97.00	95.50	F
				Total Samples Failed: 2
				Total Samples Submitted: 8
				Deficiency Rate: 25.00%

ESPOMA CO, THE - FT000094

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 1
				Deficiency Rate: 0%

EXCELL MINERALS - FT004990

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>

Fertilizer Laboratory Samples
Date Range 7/1/2005 through 6/30/2006

Total Samples Failed: 0
Total Samples Submitted: 2
Deficiency Rate: 0%

FEED SOLUTIONS - FT005017

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 1
				Deficiency Rate: 0%

FERTRELL CO, THE - FT000103

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500499	N	3.00	2.19	F
				Total Samples Failed: 1
				Total Samples Submitted: 3
				Deficiency Rate: 33.33%

FISHER & SON COMPANY INC - FT004036

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500026	TCV	97.00	96.62	F
E200500335	P2O5	5.00	4.38	F
E200500335	TCV	97.00	96.35	F
E200500337	N	20.00	17.00	F
E200500337	P2O5	5.00	4.08	F
E200500337	TCV	97.00	96.24	F
				Total Samples Failed: 3
				Total Samples Submitted: 6
				Deficiency Rate: 50.00%

FORMANS GRAIN & FERTILIZER - FT004637

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 1
				Deficiency Rate: 0%

FREE FLOW FERTILIZER CO - FT000107

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500272	TCV	97.00	92.33	F
				Total Samples Failed: 1
				Total Samples Submitted: 1
				Deficiency Rate: 100.00%

GREENLIGHT COMPANY - FT004318

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 2
				Deficiency Rate: 0%

GRIGG BROTHERS - FT004563

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 1
				Deficiency Rate: 0%

Fertilizer Laboratory Samples
Date Range 7/1/2005 through 6/30/2006

GRO TEC INC - FT004714

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 4
				Deficiency Rate: 0%

GROWMARK F S INC - PD062119

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 4
				Deficiency Rate: 0%

GROWMARK F S LLC - FT004852

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500045	K2O	8.00	6.49	F
E200500441	K2O	4.00	3.50	F
E200500441	P2O5	6.00	5.29	F
				Total Samples Failed: 2
				Total Samples Submitted: 19
				Deficiency Rate: 10.53%

GROWMARK F S LLC - FT004855

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 2
				Deficiency Rate: 0%

GROWMARK FS LLC - FT004878

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 1
				Deficiency Rate: 0%

GROWMARK FS LLC - FT004880

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500067	K2O	8.00	7.02	F
E200500233	K2O	13.00	11.50	F
E200500233	P2O5	13.00	10.35	F
E200500233	TCV	97.00	89.83	F
E200500262	K2O	10.00	8.18	F
E200500278	K2O	10.00	8.97	F
E200500278	P2O5	10.00	8.08	F
E200500278	TCV	97.00	92.07	F
				Total Samples Failed: 4
				Total Samples Submitted: 9
				Deficiency Rate: 44.44%

GROWMARK FS LLC - FT004881

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500308	K2O	17.00	14.93	F
				Total Samples Failed: 1
				Total Samples Submitted: 2
				Deficiency Rate: 50.00%

Fertilizer Laboratory Samples
Date Range 7/1/2005 through 6/30/2006

GROWMARK FS LLC - FT004882

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500306	K2O	15.00	13.26	F
Total Samples Failed:				1
Total Samples Submitted:				2
Deficiency Rate:				50.00%

GROWMARK FS LLC - FT004956

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0%

GROWMARK INC - FT004901

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500144	N	12.00	8.72	F
E200500144	P2O5	24.00	16.73	F
E200500144	TCV	97.00	95.40	F
E200500232	P2O5	20.00	17.87	F
E200500247	N	5.00	4.32	F
E200500247	P2O5	10.00	8.08	F
E200500247	TCV	97.00	91.45	F
E200500374	K2O	24.00	17.83	F
E200500374	N	12.00	7.93	F
E200500388	N	10.00	8.93	F
E200500388	TCV	97.00	95.84	F
E200500407	P2O5	20.00	17.41	F
E200500407	TCV	97.00	94.65	F
E200500412	P2O5	10.00	8.66	F
E200500476	N	10.00	8.43	F
E200500476	TCV	97.00	95.49	F
E200500479	TCV	97.00	95.13	F
E200500481	TCV	97.00	96.27	F
E200500482	TCV	97.00	96.06	F
E200500483	TCV	97.00	95.75	F
E200500504	P2O5	10.00	8.61	F
E200500504	TCV	97.00	92.72	F
E200500541	N	12.00	10.30	F
E200500541	P2O5	24.00	21.44	F
E200500542	P2O5	19.00	16.53	F
E200500544	N	10.00	8.82	F
E200500544	TCV	97.00	96.62	F
E200500545	TCV	97.00	96.12	F
E200500568	TCV	97.00	95.91	F
E200500570	K2O	10.00	8.36	F
E200500570	TCV	97.00	91.33	F
E200500571	K2O	10.00	8.95	F
E200500573	P2O5	10.00	8.84	F
E200500586	N	15.00	13.30	F
Total Samples Failed:				22
Total Samples Submitted:				97
Deficiency Rate:				22.68%

HELENA CHEMICAL COMPANY - FT000128

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
-----------------	-----------------------	-------------------	--------------	---------------

Fertilizer Laboratory Samples
Date Range 7/1/2005 through 6/30/2006

E200500349	P2O5	13.00	9.98	F
E200500349	TCV	97.00	95.32	F
E200500350	P2O5	13.00	9.89	F
E200500350	TCV	97.00	95.84	F
Total Samples Failed:				2
Total Samples Submitted:				6
Deficiency Rate:				33.33%

HELENA CHEMICAL COMPANY - FT004168

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500462	K2O	10.00	8.74	F
E200500462	P2O5	10.00	6.55	F
E200500462	TCV	97.00	81.20	F
E200500463	N	10.00	7.73	F
E200500463	TCV	97.00	88.21	F
Total Samples Failed:				2
Total Samples Submitted:				6
Deficiency Rate:				33.33%

HOOPES FERTILIZER WORKS INC - FT004150

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500456	TCV	97.00	94.50	F
Total Samples Failed:				1
Total Samples Submitted:				4
Deficiency Rate:				25.00%

J R PETERS INC - FT004631

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				12
Deficiency Rate:				0%

JUDSONS INC - FT004722

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0%

KEPNER SPREADER SERVICE - FT000150

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500065	N	10.00	8.43	F
E200500065	P2O5	20.00	15.43	F
E200500065	TCV	97.00	89.27	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00%

KIRBY AGRI INC - FT004271

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				4
Deficiency Rate:				0%

KIRBY AGRI INC - FT004272

Fertilizer Laboratory Samples
Date Range 7/1/2005 through 6/30/2006

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500118	N	10.00	8.55	F
E200500118	TCV	97.00	93.02	F
E200500119	K2O	10.00	8.61	F
E200500119	N	5.00	3.22	F
E200500119	P2O5	10.00	6.86	F
E200500119	TCV	97.00	72.87	F
E200500120	N	10.00	6.37	F
E200500120	P2O5	6.00	4.89	F
E200500120	TCV	97.00	72.66	F
E200500131	K2O	10.00	8.85	F
E200500196	N	8.00	6.97	F
E200500196	TCV	97.00	92.81	F
E200500490	TCV	97.00	95.46	F

Total Samples Failed: 6
Total Samples Submitted: 13
Deficiency Rate: 46.15%

KIRBY AGRI INC LANC FACILITY - FT004270

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500037	N	10.00	8.58	F
E200500037	P2O5	10.00	8.10	F
E200500037	TCV	97.00	87.56	F
E200500039	N	10.00	7.99	F
E200500039	P2O5	10.00	8.20	F
E200500039	TCV	97.00	89.46	F
E200500052	N	10.00	7.10	F
E200500052	P2O5	10.00	7.95	F
E200500052	TCV	97.00	81.90	F
E200500061	N	10.00	8.25	F
E200500061	TCV	97.00	91.57	F
E200500068	K2O	10.00	8.39	F
E200500166	K2O	20.00	17.93	F
E200500166	TCV	97.00	93.27	F
E200500168	N	15.00	12.90	F
E200500168	P2O5	15.00	12.76	F
E200500168	TCV	97.00	96.91	F
E200500183	P2O5	4.00	3.10	F
E200500184	K2O	10.00	8.39	F
E200500184	TCV	97.00	93.17	F
E200500185	N	10.00	8.38	F
E200500221	N	10.00	7.16	F
E200500221	P2O5	20.00	14.68	F
E200500221	TCV	97.00	90.86	F
E200500237	K2O	10.00	8.78	F
E200500237	P2O5	10.00	8.63	F
E200500241	CU	2.00	1.00	F
E200500304	K2O	20.00	17.85	F
E200500304	TCV	97.00	92.50	F
E200500356	K2O	20.00	16.89	F
E200500356	TCV	97.00	96.18	F
E200500432	N	10.00	7.56	F
E200500432	TCV	97.00	87.58	F
E200500433	K2O	10.00	8.53	F
E200500433	N	5.00	3.28	F
E200500433	P2O5	10.00	7.81	F

Fertilizer Laboratory Samples
Date Range 7/1/2005 through 6/30/2006

E200500433	TCV	97.00	77.06	F
E200500434	P2O5	5.00	4.18	F
E200500434	TCV	97.00	95.61	F
E200500506	N	15.00	11.85	F
E200500506	P2O5	15.00	12.90	F
E200500506	TCV	97.00	93.09	F
E200500507	N	10.00	7.19	F
E200500507	TCV	97.00	87.96	F
E200500508	N	5.00	3.85	F
E200500508	P2O5	10.00	8.52	F
E200500508	TCV	97.00	86.16	F
E200500524	K2O	10.00	7.48	F
E200500524	N	10.00	7.45	F
E200500524	P2O5	10.00	8.69	F
E200500524	TCV	97.00	78.81	F
E200500527	TCV	97.00	94.83	F
Total Samples Failed:				23
Total Samples Submitted:				40
Deficiency Rate:				57.50%

LAING GRO FERTILIZERS INC - FT004664

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0%

LE BOEUF PLANT FOODS - FT000162

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0%

LEBANON SEABOARD CORP. - FT000161

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500023	K2O	20.00	15.73	F
Total Samples Failed:				1
Total Samples Submitted:				20
Deficiency Rate:				5.00%

LEBANON SEABOARD CORPORATION - PD060986

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0%

LESCO INC - FT000157

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				5
Deficiency Rate:				0%

LITTLE BRITAIN AGRI SUPPLY - FT000165

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
-----------------	-----------------------	-------------------	--------------	---------------

Fertilizer Laboratory Samples
Date Range 7/1/2005 through 6/30/2006

Total Samples Failed: 0
Total Samples Submitted: 5
Deficiency Rate: 0%

MARTIN MARIETTA MAG SPEC - FT000458

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed: 0				
Total Samples Submitted: 1				
Deficiency Rate: 0%				

MARTINS AG SERVICE - FT000171

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed: 0				
Total Samples Submitted: 1				
Deficiency Rate: 0%				

MAUSDALE FARM SUPPLY - FT004089

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500074	N	15.00	13.25	F
E200500074	TCV	97.00	94.76	F
E200500333	K2O	10.00	8.90	F
E200500333	P2O5	10.00	7.02	F
E200500333	TCV	97.00	82.99	F
Total Samples Failed: 2				
Total Samples Submitted: 12				
Deficiency Rate: 16.67%				

MOYER & SON INC - FM056887

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed: 0				
Total Samples Submitted: 1				
Deficiency Rate: 0%				

NATURAL FERT OF AMERICA INC - AM004866

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed: 0				
Total Samples Submitted: 1				
Deficiency Rate: 0%				

NATURES COMPOST - FT004478

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed: 0				
Total Samples Submitted: 2				
Deficiency Rate: 0%				

PERDUE AGRI RECYCLE LLC - FT004696

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed: 0				
Total Samples Submitted: 1				
Deficiency Rate: 0%				

PERFECTLY NATURAL SOL INC - FT004921

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
-----------------	-----------------------	-------------------	--------------	---------------

Fertilizer Laboratory Samples
Date Range 7/1/2005 through 6/30/2006

E200500274	N	17.00	14.90	F
E200500274	P2O5	6.00	5.13	F
E200500274	TCV	97.00	88.92	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33%

POTASH IMPORT & CHEMICAL CORP - FT004570

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0%

PURSELL INDUSTRIES INC - AM004712

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500112	P2O5	27.00	24.85	F
Total Samples Failed:				1
Total Samples Submitted:				1
Deficiency Rate:				100.00%

RED LION GRAIN CENTER - FT004627

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				4
Deficiency Rate:				0%

ROOTBLAST INTERNATIONAL INC - FT004508

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0%

ROYSTER CLARK INC - FT004744

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500589	N	10.00	8.84	F
E200500589	P2O5	20.00	17.98	F
E200500589	TCV	97.00	94.19	F
Total Samples Failed:				1
Total Samples Submitted:				5
Deficiency Rate:				20.00%

SCHULTZ CO - FT000239

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				3
Deficiency Rate:				0%

SCHULTZ COMPANY - AM004885

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0%

Fertilizer Laboratory Samples
Date Range 7/1/2005 through 6/30/2006

SCOTTS COMPANY - AM004844

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
		Total Samples Failed:	0	
		Total Samples Submitted:	4	
		Deficiency Rate:	0%	

SCOTTS MIRACLE GRO PRODS INC - FT004557

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500082	K2O	16.00	11.86	F
E200500082	P2O5	10.00	4.31	F
		Total Samples Failed:	1	
		Total Samples Submitted:	7	
		Deficiency Rate:	14.29%	

SCOTTS SIERRA HORT PROD CO - FT000241

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
		Total Samples Failed:	0	
		Total Samples Submitted:	3	
		Deficiency Rate:	0%	

SCOTTS SIERRA HORTICULTURAL - FT000251

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
		Total Samples Failed:	0	
		Total Samples Submitted:	2	
		Deficiency Rate:	0%	

SPECTRUM GROUP - AM004886

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500003	N	16.00	13.60	F
E200500003	TCV	97.00	91.68	F
E200500207	P2O5	24.00	21.85	F
		Total Samples Failed:	2	
		Total Samples Submitted:	8	
		Deficiency Rate:	25.00%	

SPECTRUM GROUP - FT004328

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
		Total Samples Failed:	0	
		Total Samples Submitted:	7	
		Deficiency Rate:	0%	

SWISS FARMS PRODUCTS INC - FT004662

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
		Total Samples Failed:	0	
		Total Samples Submitted:	1	
		Deficiency Rate:	0%	

SYLCO SERVICE & TERMINAL CO - FT000447

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
		Total Samples Failed:	0	
		Total Samples Submitted:	1	
		Deficiency Rate:	0%	

Fertilizer Laboratory Samples
Date Range 7/1/2005 through 6/30/2006

SYNATEK - FT004980

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500041	N	5.00	4.36	F
E200500041	P2O5	10.00	8.78	F
E200500041	TCV	97.00	90.71	F
Total Samples Failed:				1
Total Samples Submitted:				3
Deficiency Rate:				33.33%

T R SHEARER - FT004868

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0%

TERRACYCLE INC - FT004936

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				2
Deficiency Rate:				0%

TIMAC USA INC - FT004706

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0%

UNION MILL DIV. OF CHEMGRO - FT000277

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500395	TCV	97.00	96.19	F
Total Samples Failed:				1
Total Samples Submitted:				11
Deficiency Rate:				9.09%

UPPER DAUPHIN GRAIN - FT004576

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500033	N	10.00	8.84	F
E200500033	P2O5	20.00	17.96	F
E200500033	TCV	97.00	91.89	F
E200500189	N	20.00	17.35	F
E200500189	P2O5	10.00	8.53	F
E200500189	TCV	97.00	90.72	F
Total Samples Failed:				2
Total Samples Submitted:				6
Deficiency Rate:				33.33%

VOGEL SEED & FERTILIZER - FT004386

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1
Deficiency Rate:				0%

VOLUNTARY PURCHASING GROUPS - FT003997

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
-----------------	-----------------------	-------------------	--------------	---------------

Fertilizer Laboratory Samples
Date Range 7/1/2005 through 6/30/2006

Total Samples Failed: 0
Total Samples Submitted: 2
Deficiency Rate: 0%

WALKER SUPPLY INC - PD062570

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed: 0				
Total Samples Submitted: 2				
Deficiency Rate: 0%				

WALKERS FARM SERVICE INC - FT000450

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500137	N	10.00	8.10	F
E200500378	N	10.00	8.83	F
Total Samples Failed: 2				
Total Samples Submitted: 7				
Deficiency Rate: 28.57%				

WEBBS SUPER-GRO PRODUCTS INC - FT000289

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500289	K2O	13.00	11.01	F
E200500289	P2O5	13.00	11.09	F
E200500289	TCV	97.00	92.13	F
E200500292	P2O5	24.00	19.81	F
E200500292	TCV	97.00	88.72	F
E200500294	K2O	20.00	17.31	F
E200500294	TCV	97.00	91.65	F
E200500295	TCV	97.00	95.09	F
Total Samples Failed: 4				
Total Samples Submitted: 8				
Deficiency Rate: 50.00%				

WESTERN RESERVE COOP INC - FT004336

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
E200500070	P2O5	32.00	29.77	F
E200500159	N	6.00	5.07	F
E200500159	P2O5	24.00	21.80	F
E200500159	TCV	97.00	95.28	F
E200500325	TCV	97.00	95.52	F
E200500329	K2O	20.00	17.86	F
E200500329	TCV	97.00	94.19	F
E200500343	N	10.00	8.54	F
E200500343	P2O5	10.00	8.39	F
E200500343	TCV	97.00	88.59	F
E200500375	TCV	97.00	95.45	F
E200500398	N	10.00	8.75	F
E200500398	P2O5	10.00	8.73	F
E200500398	TCV	97.00	90.43	F
E200500400	K2O	10.00	8.75	F
E200500400	N	10.00	8.20	F
E200500400	P2O5	30.00	27.01	F
E200500400	TCV	97.00	87.70	F
E200500423	TCV	97.00	94.28	F
E200500425	TCV	97.00	93.20	F
E200500494	TCV	97.00	95.37	F

Fertilizer Laboratory Samples
Date Range 7/1/2005 through 6/30/2006

Total Samples Failed: 11
Total Samples Submitted: 50
Deficiency Rate: 22.00%

WETSEL INC - FT000293

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
		Total Samples Failed:		0
		Total Samples Submitted:		2
		Deficiency Rate:		0%

WILLARD AGRI SERVICE INC - FT000384

<u>SampleID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
		Total Samples Failed:		0
		Total Samples Submitted:		2
		Deficiency Rate:		0%
