

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Lime Laboratory Tests**

Date Range: 7/1/2020 to 6/30/2021

Allegheny Mineral Corporation - Po Box 1022 Kittanning PA 16201 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

Andre & Son, Inc. - 17150 St Rt 706 Montrose PA 18801-9771 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

Austinville Limestone Co. Inc. - 223 Newtown Church Rd Austinville VA 24312-3160 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

Baker Lime - 320 North Baker Road York PA 17408 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F20200007	MgO	20.00 %	17.87 %	F
	CCE	100.00 %	94.04 %	F
	MgCO3	42.00 %	37.54 %	F
F20200019	20M	100.00 %	97.77 %	F
	CCE	105.60 %	100.48 %	F
F20200022	CCE	100.00 %	97.94 %	F
F20200032	CCE	100.00 %	96.43 %	F
F20200042	CCE	100.00 %	96.53 %	F
F20200044	CCE	100.00 %	95.57 %	F
F20200048	H2O	0.00	1.87 %	F
F20200049	CCE	105.60 %	99.25 %	F
	Mg	12.10 %	10.65 %	F
	MgCO3	42.00 %	37.08 %	F
	MgO	20.00 %	17.66 %	F
	20M	100.00 %	70.35 %	F
F20200072	60M	85.00 %	41.39 %	F
	100M	75.00 %	30.93 %	F
	ENV	95.00 %	52.96 %	F
Total Samples Failed:				9
Total Samples Submitted:				12

Carmeuse Lime - 3 Clear Spring Rd Annville PA 17003-9054 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

Centerra Co-op - 225 E Main St Andover OH 44003-9480 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Lime Laboratory Tests**

Date Range: 7/1/2020 to 6/30/2021

Total Samples Submitted: 5

Glenn O. Hawbaker, Inc. - 779 Rich Hwy Du Bois PA 15801-3969 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 1

Graymont Pa, Inc. - 375 Graymont Rd Bellefonte PA 16823-6869 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202000001	20M	90.00 %	70.98 %	F
	60M	70.00 %	64.47 %	F
F202000011	60M	70.00 %	60.71 %	F
	20M	90.00 %	71.94 %	F
F202000020	20M	100.00 %	95.39 %	F
	60M	99.50 %	81.75 %	F
	100M	97.10 %	76.43 %	F
F202000061	20M	90.00 %	75.71 %	F
				Total Samples Failed: 4
				Total Samples Submitted: 5

Grow Choice Ag, Inc, dba Bricker's Choice - 5849 Front St Po Box 174 Marion PA 17235-0174 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202000027	CCE	100.00 %	97.78 %	F
				Total Samples Failed: 1
				Total Samples Submitted: 1

Growmark FS, LLC - 4 Kraft Mill Rd Po Box 220 Codorus PA 17311 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202000009	H2O	0.00	3.27 %	F
	CCE	100.00 %	96.81 %	F
				Total Samples Failed: 1
				Total Samples Submitted: 1

Growmark Inc - 1701 Towanda Ave Bloomington IL 61701-2050 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202000064	100M	95.00 %	85.04 %	F
				Total Samples Failed: 1
				Total Samples Submitted: 1

H&H General Excavating Co. - Po Box 141 660 OLD HANOVER RD Spring Grove PA 17362-0141 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
				Total Samples Failed: 0
				Total Samples Submitted: 1

Harsco Environmental, a division of Harsco Corp - 359 N Pike Rd Sarver PA 16055-8633 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202000004	100M	72.00 %	63.07 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Lime Laboratory Tests**

Date Range: 7/1/2020 to 6/30/2021

Harsco Environmental, a division of Harsco Corp - 359 N Pike Rd Sarver PA 16055-8633 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
	60M	87.00 %	75.33 %	F
Total Samples Failed:				1
Total Samples Submitted:				1

HRI, Inc - Brookville Plant 109 785 Rt 830 Reynoldsville PA 15825 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

HRI, Inc. - Johnstown Hot Mix Asphalt Plant 270 Solomon Run Rd Johnstown PA 15904 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

Kirby Agri, Inc - 500 Running Pump Rd Lancaster PA 17607-6277 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202000029	CCE	100.00 %	95.99 %	F
F202000043	CCE	100.00 %	95.33 %	F
F202000073	CCE	100.00 %	97.23 %	F
Total Samples Failed:				3
Total Samples Submitted:				5

Lehigh White Cement Co., LLC - 200 Hokes Mill Rd York PA 17404 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

Ligonier Stone & Lime Co DBA Derry Stone & Lime Co - 117 Marcia St Latrobe PA 15650-4300 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

M & M Lime Co Inc - 215 Nichola Rd Worthington PA 16262 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				2

New Enterprise Stone & Lime - 235 Rubisch Rd Ebensburg PA 15931 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Lime Laboratory Tests**

Date Range: 7/1/2020 to 6/30/2021

New Enterprise Stone & Lime Co., Inc. - 390 Quarry Rd New Holland PA 17557-9627 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202000058	Ca	30.50 %	23.70 %	F
	20M	98.00 %	94.09 %	F
	60M	70.00 %	66.25 %	F
	100M	65.00 %	55.71 %	F
	CaO	43.00 %	33.16 %	F
	CaCO3	76.70 %	59.19 %	F
F202000059	ENV	98.00 %	80.59 %	F
Total Samples Failed:				2
Total Samples Submitted:				2

Nolt Spreading, LLC - 155 E Wood Corner Rd Lititz PA 17543-9166 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202000050	60M	96.00 %	91.42 %	F
	100M	90.00 %	79.80 %	F
Total Samples Failed:				1
Total Samples Submitted:				2

Oldcastle Lawn & Garden, Inc - Po Box 468567 Atlanta GA 31146-8567 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202000003	CCE	95.60 %	87.53 %	F
	MgCO3	7.00 %	2.58 %	F
	MgO	3.30 %	1.23 %	F
	Mg	2.00 %	0.74 %	F
F202000023	CCE	102.00 %	97.19 %	F
F202000024	Mg	2.45 %	1.11 %	F
	MgO	4.06 %	1.84 %	F
	MgCO3	8.50 %	3.87 %	F
F202000038	CCE	97.00 %	92.16 %	F
	Ca	35.00 %	26.60 %	F
	CaO	49.00 %	37.22 %	F
	CaCO3	87.50 %	66.44 %	F
F202000039	CCE	95.80 %	88.06 %	F
	CCE	102.90 %	94.08 %	F
	CCE	102.90 %	94.72 %	F
	CCE	97.70 %	91.46 %	F
F202000062	Mg	2.00 %	0.74 %	F
	MgCO3	7.00 %	2.58 %	F
	CCE	95.80 %	90.31 %	F
	MgO	3.30 %	1.23 %	F
F202000066	Mg	11.30 %	9.08 %	F
	MgCO3	39.50 %	31.62 %	F
	MgO	18.80 %	15.06 %	F
	CCE	102.00 %	99.46 %	F
F202000067	60M	85.00 %	80.96 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Lime Laboratory Tests**

Date Range: 7/1/2020 to 6/30/2021

Oldcastle Lawn & Garden, Inc - Po Box 468567 Atlanta GA 31146-8567 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
	Mg	12.00 %	3.60 %	F
	MgO	19.90 %	5.97 %	F
F202000068	CCE	97.70 %	89.63 %	F
F202000069	Mg	2.00 %	0.51 %	F
	MgO	3.30 %	0.85 %	F
	MgCO3	7.00 %	1.78 %	F
	CCE	95.80 %	91.88 %	F
Total Samples Failed:				12
Total Samples Submitted:				13

Pennsy Supply Inc - 550 S Biesecker Rd Thomasville PA 17364-9699 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202000065	MgCO3	4.50 %	2.58 %	F
	Mg	1.30 %	0.74 %	F
	MgO	2.20 %	1.23 %	F
Total Samples Failed:				1
Total Samples Submitted:				1

Solu-Cal USA, Ltd - PO Box 278 22 Cranberry Hwy W Wareham MA 02576 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202000002	CaCO3	95.00 %	82.74 %	F
	CCE	91.00 %	85.73 %	F
F202000031	CaCO3	95.00 %	84.44 %	F
	CCE	91.00 %	87.80 %	F
Total Samples Failed:				2
Total Samples Submitted:				2

Southern States Coop, Inc. - 6606 W Broad St Richmond VA 23230-1717 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202000037	CCE	97.70 %	91.75 %	F
F202000070	CCE	97.70 %	94.26 %	F
Total Samples Failed:				2
Total Samples Submitted:				3

The Andersons, Inc - Po Box 119 Maumee OH 43537-0119 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202000055	MgCO3	41.70 %	37.50 %	F
	Mg	12.00 %	10.77 %	F
	MgO	19.90 %	17.86 %	F
F202000074	Mg	4.00 %	2.84 %	F
	MgO	6.00 %	4.71 %	F
	MgCO3	13.00 %	9.89 %	F
	20M	100.00 %	95.23 %	F
	60M	85.00 %	82.88 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Lime Laboratory Tests**

Date Range: 7/1/2020 to 6/30/2021

The Andersons, Inc - Po Box 119 Maumee OH 43537-0119 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
	CCE	90.00 %	84.97 %	F
Total Samples Failed:				2
Total Samples Submitted:				5

The Espoma Company - 6 Espoma Rd Millville NJ 08332-1499 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

Vulcan Construction Materials LLC - 875 Oxford Ave Hanover PA 17331-7743 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

West York Agway - 2650 W Market St York PA 17404-5536 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202000041	CCE	97.12 %	91.25 %	F
Total Samples Failed:				1
Total Samples Submitted:				1