

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Lime Laboratory Tests**

Date Range: 7/1/2021 to 6/30/2022

American Exploration - Dunbar Stone Quarry - 300 Pechin Rd Dunbar PA 15431-2009 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202100065	20M	62.40 %	31.43 %	F
	60M	20.20 %	16.67 %	F
	100M	17.10 %	14.33 %	F
	ENV	78.60 %	17.40 %	F
	CCE	97.00 %	78.72 %	F
Total Samples Failed:				1
Total Samples Submitted:				1

Andre & Son, Inc. - 17150 St Rt 706 Montrose PA 18801-9771 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				2

Austinville Limestone Co. Inc. - 223 Newtown Church Rd Austinville VA 24312-3160 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

Baker Lime - 320 North Baker Road York PA 17408 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202100009	60M	40.00 %	38.03 %	F
F202100049	20M	100.00 %	93.11 %	F
	60M	100.00 %	83.22 %	F
	100M	95.00 %	78.94 %	F
F202100051	20M	100.00 %	61.10 %	F
	60M	85.00 %	35.37 %	F
	100M	75.00 %	27.72 %	F
F202100057	ENV	95.00 %	47.88 %	F
	CCE	100.00 %	97.82 %	F
Total Samples Failed:				4
Total Samples Submitted:				7

Centerra Co-op - 225 E Main St Andover OH 44003-9480 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				3

Coolspring Stone Supply, Inc. - Po Box 1328 Uniontown PA 15401-1328 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202100066	Mg	0.50 %	0.34 %	F
	MgO	0.83 %	0.56 %	F
	MgCO3	1.74 %	1.18 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Lime Laboratory Tests**

Date Range: 7/1/2021 to 6/30/2022

Coolspring Stone Supply, Inc. - Po Box 1328 Uniontown PA 15401-1328 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
	CCE	49.15 %	45.22 %	F
Total Samples Failed:				1
Total Samples Submitted:				1

Espoma Company - 6 Espoma Road Millville NJ 08332 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

Ferti Technologies - 155 East St Wallingford CT 06492-4028 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202100064	CaCO3	95.00 %	84.19 %	F
	CCE	95.00 %	87.05 %	F
	H2O	0.00	1.18 %	F
Total Samples Failed:				1
Total Samples Submitted:				1

Glenn O. Hawbaker, Inc. - 779 Rich Hwy Du Bois PA 15801-3969 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202100006	Ca	30.00 %	26.69 %	F
	CCE	80.00 %	74.57 %	F
F202100072	CaO	29.53 %	23.62 %	F
	ENV	64.00 %	46.93 %	F
	CCE	80.00 %	47.92 %	F
	Ca	30.00 %	16.88 %	F
	CaCO3	52.70 %	42.16 %	F
Total Samples Failed:				2
Total Samples Submitted:				2

Glenn O. Hawbaker, Inc. - 118 Bedrock Ln Bellefonte PA 16823-6513 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202100043	Ca	30.00 %	25.49 %	F
	CCE	80.00 %	74.48 %	F
	H2O	1.00 %	0.30 %	F
Total Samples Failed:				1
Total Samples Submitted:				2

Graymont Pa, Inc. - 375 Graymont Rd Bellefonte PA 16823-6869 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202100034	20M	90.00 %	87.49 %	F
F202100042	20M	84.00 %	73.76 %	F
	60M	75.00 %	66.69 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Lime Laboratory Tests**

Date Range: 7/1/2021 to 6/30/2022

Graymont Pa, Inc. - 375 Graymont Rd Bellefonte PA 16823-6869 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
	100M	69.00 %	62.59 %	F
Total Samples Failed:				2
Total Samples Submitted:				4

GROWMARK INC - 1701 Towanda Ave PO Box 2500 Bloomington IL 61701-2057 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

Harsco Environmental, a division of Harsco Corp - 359 N Pike Rd Sarver PA 16055-8633 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202100029	Mg	6.00 %	5.28 %	F
Total Samples Failed:				1
Total Samples Submitted:				1

HRI, Inc. - Johnstown Hot Mix Asphalt Plant 270 Solomon Run Rd Johnstown PA 15904 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202100004	Mg	4.00 %	3.00 %	F
Total Samples Failed:				1
Total Samples Submitted:				2

HRI, Inc. - Cutin Gap Hot Mix Asphalt Plant 1394 Forest Ave Bellefonte PA 16823 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				2

Kirby Agri Inc - Po Box 27 Richland PA 17087-0027 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

Kirby Agri, Inc - 500 Running Pump Rd Lancaster PA 17607-6277 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202100025	CCE	100.00 %	96.64 %	F
Total Samples Failed:				1
Total Samples Submitted:				3

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Lime Laboratory Tests**

Date Range: 7/1/2021 to 6/30/2022

Lakeview Fertilizer, Inc. - 4870 Sandy Lake Greenville Rd Sandy Lake PA 16145-2032 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202100055	Mg	7.00 %	5.36 %	F
Total Samples Failed:				1
Total Samples Submitted:				1

M & M Lime Co Inc - 215 Nichola Rd Worthington PA 16262 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				2

Magnesita - 425 S Salem Church Rd York PA 17408-5955 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202100018	20M	67.60 %	63.22 %	F
	60M	36.40 %	35.35 %	F
F202100019	H2O	0.00	9.25 %	F
F202100020	CCE	105.90 %	103.06 %	F
	60M	100.00 %	94.99 %	F
	100M	95.00 %	88.65 %	F
Total Samples Failed:				3
Total Samples Submitted:				3

Mainville Ag Services Inc - 360 Main Mifflin Road Bloomsburg PA 17815-6753 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

Meckley's Limestone Products, - 1543 State Rt 225 Herndon PA 17830 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				2

National Limestone Quarry,inc - Box 397 Middleburg PA 17842 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202100071	H2O	0.00	13.23 %	F
Total Samples Failed:				1
Total Samples Submitted:				1

Novelty Manufacturing Co - 1330 Loop Road Lancaster PA 17601-3116 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				2

Oldcastle Lawn & Garden, Inc - Po Box 468567 Atlanta GA 31146-8567 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202100002	Ca	26.00 %	22.18 %	F
	CaCO3	64.00 %	55.40 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry**

Lime Laboratory Tests

Date Range: 7/1/2021 to 6/30/2022

Oldcastle Lawn & Garden, Inc - Po Box 468567 Atlanta GA 31146-8567 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202100003	Mg	11.30 %	9.23 %	F
	MgO	18.80 %	15.30 %	F
	MgCO3	39.50 %	32.14 %	F
	CCE	102.00 %	98.11 %	F
F202100022	CCE	97.70 %	95.61 %	F
F202100026	CCE	97.70 %	93.62 %	F
F202100032	H2O	0.00	1.22 %	F
F202100036	Mg	11.30 %	9.84 %	F
	MgCO3	39.50 %	34.26 %	F
	CCE	102.00 %	97.42 %	F
	MgO	18.80 %	16.32 %	F
F202100040	Mg	1.10 %	0.91 %	F
	MgO	1.90 %	1.51 %	F
	MgCO3	4.00 %	3.17 %	F
	CCE	97.70 %	90.16 %	F
F202100046	CCE	97.70 %	93.47 %	F
F202100056	CCE	102.90 %	95.36 %	F
F202100058	Mg	11.30 %	8.92 %	F
	MgCO3	39.50 %	31.06 %	F
	CCE	102.00 %	96.95 %	F
	MgO	18.80 %	14.79 %	F
F202100059	CCE	97.70 %	91.20 %	F
F202100061	MgCO3	4.00 %	3.59 %	F
	CCE	97.70 %	91.01 %	F
F202100067	Ca	21.60 %	19.09 %	F
	CaO	30.20 %	26.71 %	F
	CaCO3	54.00 %	47.68 %	F
Total Samples Failed:				13
Total Samples Submitted:				16

Pennsy Supply Inc - 550 S Biesecker Rd Thomasville PA 17364-9699 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

Profile Products, LLC - 750 W Lake Cook Rd Ste 440 Buffalo Grove IL 60089-2087 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

Quaker Sales Corp - 336 Shawna Rd Northern Cambria PA 15714-8503 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202100005	Ca	79.00 %	28.91 %	F
	Mg	10.80 %	2.87 %	F

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Lime Laboratory Tests**

Date Range: 7/1/2021 to 6/30/2022

Quaker Sales Corp - 336 Shawna Rd Northern Cambria PA 15714-8503 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202100074	CCE	91.80 %	84.10 %	F
	Mg	11.51 %	2.48 %	F
	MgCO3	40.11 %	8.64 %	F
	CCE	96.90 %	90.02 %	F
	MgO	19.10 %	4.11 %	F
Total Samples Failed:				2
Total Samples Submitted:				2

Rohrer's Quarry, Inc. - PO Box 365 Lititz PA 17543-0365 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

SiteOne Landscape Supply #561 - 130 S Tree Lane Lancaster PA 17603 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

SKYLINE ENCAP HOLDINGS LLC dba ENCAP - 320 N Broadway Ste 340 Green Bay WI 54303-2705 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

Smith's Hydrated Lime - 196 Lime Kiln Rd Woodbury PA 16695-9143 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202100007	MgO	5.50 %	2.30 %	F
Total Samples Failed:				1
Total Samples Submitted:				1

Southern States Coop, Inc. - 6606 W Broad St Richmond VA 23230-1717 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202100023	CCE	97.70 %	94.81 %	F
F202100039	CCE	97.70 %	91.10 %	F
Total Samples Failed:				2
Total Samples Submitted:				2

The Agronomy Center - 12039 Wm Penn Hwy Thompsettown PA 17094 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1

The Andersons, Inc - Po Box 119 Maumee OH 43537-0119 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0

**Pennsylvania Department of Agriculture
Bureau of Plant Industry
Lime Laboratory Tests**

Date Range: 7/1/2021 to 6/30/2022

Total Samples Submitted: 3

Tri State Garden Supply, Inc. dba Gardenscape - 366 Sandy Point Rd Emlenton PA 16373-2526 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202100080	20M	90.00 %	88.00 %	F
	60M	65.00 %	59.73 %	F
Total Samples Failed:				1
Total Samples Submitted:				1

Turf Care Supply LLC - 50 Pearl Rd Ste 200 Brunswick OH 44212-5703 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
F202100030	CCE	90.00 %	86.46 %	F
Total Samples Failed:				1
Total Samples Submitted:				2

Vulcan Construction Materials LLC - 875 Oxford Ave Hanover PA 17331-7743 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				3

Westford Milling Company - PO Box 1 Westford PA 16134 US

<u>Sample ID</u>	<u>Component Code</u>	<u>Guaranteed</u>	<u>Found</u>	<u>Status</u>
Total Samples Failed:				0
Total Samples Submitted:				1