

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF AGRICULTURE
BUREAU OF FOOD SAFETY AND LABORATORY SERVICES
LABORATORY DIVISION

Facility/Laboratory Name: _____ **FREEZER TEMPERATURE LOG**

OFFICIAL RECORDS FOR THE PERIOD _____ **TO** _____

Make/ Model: _____ Serial Number: _____ Unit Id#/ Identification#: _____ Temperature Range Used : _____

Month

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
AM																																
PM																																

Month

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
AM																																
PM																																

Month

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
AM																																
PM																																

1. Size adequate for work load
2. Maintains -15°C or below
3. Used for storage of frozen milk products, controls, media and reagents only. Not to be used to store food or drink for consumption.
4. Record temperature (corrected) daily, in AM and PM, thermometer with bulb immersed in antifreeze liquid (in sealed containers)
5. Record temperature daily to the nearest 0.1°C, maintain records. Note any corrective actions taken.

Example:

-17.5°C
MH