

COMMONWEALTH OF PENNSYLVANIA
 DEPARTMENT OF AGRICULTURE
 BUREAU OF FOOD SAFETY AND LABORATORY SERVICES
 LABORATORY DIVISION

Facility/Laboratory Name: _____ **FREEZER TEMPERATURE LOG**

OFFICIAL RECORDS FOR THE PERIOD _____ TO _____

Make/ Model: _____ Serial Number: _____ Unit Id#/ Identification#: _____ Temperature Range Used : _____

Month	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
AM Top																																
AM Bottom																																
PM Top																																
PM Bottom																																

Month	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
AM Top																																
AM Bottom																																
PM Top																																
PM Bottom																																

Month	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
AM Top																																
AM Bottom																																
PM Top																																
PM Bottom																																

1. Size adequate for work load
2. Maintains -15°C or below
3. Used for storage of frozen milk products, controls, media and reagents only. Not to be used to store food or drink for consumption.
4. Record temperature (corrected) daily top and bottom shelves if applicable, in AM and PM, thermometer with bulb immersed in antifreeze liquid (in sealed containers)
5. Record temperature daily to the nearest 0.1°C, maintain records. Note any corrective actions taken.

Example:

-17.5°C
MH