



EMERGENCY LABORATORY REPORT

(Phosphatase / Drug Residue / Pathogens)

<u>All positive</u> official monthly and semi-annual test results are required to be reported to the Department of Agriculture <u>immediately</u>, by emailing this form, a copy of the positive test results and any supporting documentation applicable (i.e. bill of lading) to <u>RA-AGLABRESULTS@pa.gov</u>. Screening Facilities – A copy of this report must accompany the truck and producer samples to the confirmation location, be kept on file at the screening location, and be sent to the Pennsylvania Department of Agriculture with the BFSLS 477 Appendix N Bulk Tanker Positive Drug Residue Test Report immediately upon identifying a positive result.

These results include positive phosphatase, drug residue in raw and finished products and suspected and confirmed pathogens in fluid raw milk for human consumption.

In accordance with 7 PA. Code Section 59a.21 and 59a.408, you are hereby advised of the following positive result(s):

| <u>Phosphatase</u> | Fluorophos | Charm | |
|----------------------------------------|-------------------|---------------------|--|
| Drug Residue | Test Kit Used | Lot # | |
| Pathogens | Suspect Type(s) | | |
| | Confirmed Type(s) | | |
| | REPORTING IN | FORMATION | |
| Producer Name | | | |
| Producer Address | | | |
| Finished Product ID Code | | | |
| Producer No. & Herd No. / Sell By Code | | | |
| Date Sampled | | Temperature Control | |
| Date & Time of Analysis | | Temperature Control | |



BFSLS 472 (REV 8/23)

RESULTS FOUND

| Initial Result (Values / Interpretation) | |
|-----------------------------------------------------|--------|
| Confirmatory Test(s) Used | |
| Confirmation Results (Values / Interpretation) | |
| | |
| RECORD KEEPING INFORMATION | |
| Date/time Laboratory Identified Presumptive Sample | |
| Date/time Laboratory Confirmed Sample | |
| Date/time PDA was notified by phone | |
| Date report was emailed | |
| Approved Inspector or PDA Food Inspector for Permit | |
| Permit Holder | BTU No |
| Laboratory and FIPS code | |
| Lab Director Signature | |